

**NASA SP-7011(331)**

# **AEROSPACE MEDICINE AND BIOLOGY**

**A CONTINUING BIBLIOGRAPHY  
WITH INDEXES**

**(Supplement 331)**

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in December 1989 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



National Aeronautics and Space Administration  
Office of Management  
Scientific and Technical Information Division  
Washington, DC 1990

This supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, price code A04.

# INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* lists 129 reports, articles and other documents announced during December 1989 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged by *STAR* categories 51 through 55, the Life Sciences division. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. The *IAA* items will precede the *STAR* items within each category.

Seven indexes — subject, personal author, corporate source, foreign technology, contract, report number, and accession number — are included.


An annual index will be prepared at the end of the calendar year covering all documents listed in the 1989 Supplements.

Information on the availability of cited publications including addresses of organizations and NTIS price schedules is located at the back of this bibliography.


# TABLE OF CONTENTS

	Page
<b>Category 51    Life Sciences (General)</b>	<b>265</b>
<b>Category 52    Aerospace Medicine</b> Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.	<b>273</b>
<b>Category 53    Behavioral Sciences</b> Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.	<b>278</b>
<b>Category 54    Man/System Technology and Life Support</b> Includes human engineering; biotechnology; and space suits and protective clothing.	<b>279</b>
<b>Category 55    Space Biology</b> Includes exobiology; planetary biology; and extraterrestrial life.	<b>284</b>
<b>Subject Index .....</b>	<b>A-1</b>
<b>Personal Author Index .....</b>	<b>B-1</b>
<b>Corporate Source Index .....</b>	<b>C-1</b>
<b>Foreign Technology Index .....</b>	<b>D-1</b>
<b>Contract Number Index .....</b>	<b>E-1</b>
<b>Report Number Index .....</b>	<b>F-1</b>
<b>Accession Number Index .....</b>	<b>G-1</b>

# TYPICAL REPORT CITATION AND ABSTRACT



# TYPICAL JOURNAL ARTICLE CITATION AND ABSTRACT



# AEROSPACE MEDICINE AND BIOLOGY

*A Continuing Bibliography (Suppl. 331)*

JANUARY 1990

51

## LIFE SCIENCES (GENERAL)

**A89-51854**

### **CELL BIOLOGY IN SPACE - FROM BASIC SCIENCE TO BIOTECHNOLOGY. III**

A. COGOLI, F. K. GMUENDER, and C. G. NORDAU (Zuerich, Eidgenoessische Technische Hochschule, Zurich, Switzerland) IN: Space commerce; Proceedings of the Second International Conference and Exhibition on the Commercial and Industrial Uses of Outer Space, Montreux, Switzerland, Feb. 21-25, 1988. New York, Gordon and Breach Science Publishers, 1988, p. 353-366. Research supported by the Eidgenoessische Technische Hochschule Zuerich. refs  
(Contract NSF-3,382,0,82)

Consideration is given to results from experiments using the clinostat on the Spacelab centrifuge during the D-1 mission are reviewed, focusing on the adaptation of single cells to altered gravity conditions. Microgravity experiments involving cell cultures performed before Spacelab and in Spacelab are reviewed. Experiments with lymphocyte, mammalian cell, protozoa, bacteria, and plant cell cultures are discussed. Plans for future experiments are presented, including cell cultivation, electrofusion, and testing electrophoresis equipment. R.B.

**A89-52058\*** Nijmegen Univ. (Netherlands).

### **OLIGOMERIZATION OF DEOXYNUCLEOSIDE-BIPHOSPHATE DIMERS - TEMPLATE AND LINKAGE SPECIFICITY**

J. VISSCHER, R. VAN DER WOERD, C. G. BAKKER, and ALAN W. SCHWARTZ (Nijmegen, Katholieke Universiteit, Netherlands) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 3-6.  
(Contract NGR-05-067-001)

The oligomerization of the activated 3-prime-5-prime pyrophosphate-linked dimer, pdAppdAp, is presently noted to be selectively favored by a poly(U) template over the 3-prime-3-prime and 5-prime-5-prime linked dimers. Both overall yields and the production of the longest oligomers were markedly stimulated by poly(U)'s presence; in its absence, the 5-prime-5-prime linked dimer became the most reactive, yielding chains of the order of 60 monomer-unit lengths. Remarkable self-organization properties are noted for the 5-prime-5-prime dimer of pdAp. O.C.

**A89-52059\*** Salk Inst. for Biological Studies, San Diego, CA.

### **THERMAL SYNTHESIS AND HYDROLYSIS OF POLYGLYCERIC ACID**

ARTHUR L. WEBER (Salk Institute for Biological Studies, San Diego, CA) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 7-19. refs  
(Contract NSG-7627)

Polyglyceric acid was synthesized by thermal condensation of glyceric acid at 80 C in the presence and absence of two mole percent of sulfuric acid catalyst. The acid catalyst accelerated the polymerization over 100-fold and made possible the synthesis of insoluble polymers of both L- and DL-glyceric acid by heating for

less than 1 day. Racemization of L-glyceric acid yielded less than 1 percent D-glyceric acid in condensations carried out at 80 C with catalyst for 1 day and without catalyst for 12 days. The condensation of L-glyceric acid yielded an insoluble polymer much more readily than condensation of DL-glyceric acid. Studies of the hydrolysis of poly-DL-glyceric acid revealed that it was considerably more stable under mild acidic conditions compared to neutral pH. The relationship of this study to the origin of life is discussed. Author

**A89-52062**

### **OPTIMIZATION AND THE GENETIC CODE**

A. FIGUREAU (Lyon I, Universite, Villeurbanne, France) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 57-67. refs

The present paper will focus on the relation between the structure of the table of the genetic code and the evolution of primitive organisms: it will be shown that the organization of the code table according to an optimization principle based on the notion of resistance to errors can provide a criterium for selection. The ordered aspect of the genetic code table makes this result a plausible starting point for studies of the origin and evolution of the genetic code: these could include, besides a more refined optimization principle at the logical level, some effects more directly related to the physicochemical context, and the construction of realistic models incorporating both aspects. Author

**A89-52063**

### **A POSSIBLE ORIGIN OF RNA CATALYSIS IN MULTIENTZYME COMPLEXES**

MATTHEW R. EDWARDS (Toronto, University, Canada) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 69-72. refs

Numerous attempts have recently been made to ascribe a preeminent role to RNA enzymes in primitive life systems. A model is proposed in which coenzyme-dependent RNA enzymes were initially organized in multientzyme complexes featuring (1) the continuous attachment of substrates to CoA-like carriers, as in fatty acid synthesis; and (2) the ordering of RNA enzymes via mRNA-like instructional strands. In this format, RNA enzymes would not have been required to recognize and specifically bind soluble substrates. The enzymes in this case may have required far less complexity than contemporary protein enzymes and thus less genetic information for their synthesis. An analogy is made between the proposed scheme and the protein translation mechanism, for which it may have been an evolutionary precursor. Author

**A89-52080**

### **HIGH-RESOLUTION LEAF-FOSSIL RECORD SPANNING THE CRETACEOUS/TERTIARY BOUNDARY**

KIRK R. JOHNSON (Yale University, New Haven, CT), DOUGLAS J. NICHOLS, MOSES ATTREP, JR. (USGS, Denver, CO), and CHARLES J. ORTH (Los Alamos National Laboratory, NM) Nature (ISSN 0028-0836), vol. 340, Aug. 31, 1989, p. 708-711. Research supported by Yale University and Geological Society of America. refs

Megafloral data from a 100-m-thick, composite K/T boundary section in North Dakota have been combined with detailed palynological analysis, and the results are reported. The boundary is marked by a 30 percent palynofloral extinction coincident with

iridium and shocked-mineral anomalies and lies about 2 m above the highest dinosaur remains. The megaflores undergoes a 79 percent turnover across the boundary, and smaller changes 17 m and 25 m below it. This pattern is consistent with latest Cretaceous climatic warming preceding bolide impact. C.D.

**A89-52197\*** Jet Propulsion Lab., California Inst. of Tech., Pasadena.

**IN VITRO FLOW MEASUREMENTS IN ION SPUTTERED HYDROCEPHALUS SHUNTS**

Y. I. CHO and L. H. BACK (California Institute of Technology, Jet Propulsion Laboratory, Pasadena) *Journal of Biomechanics* (ISSN 0021-9290), vol. 22, no. 4, 1989, p. 335-337, 339-342. refs (Contract NAS7-100)

This paper describes an experimental procedure for accurate measurements of the pressure-drop/flow rate relationship in hydrocephalus shunts. Using a fish-hook arrangement, small flow rates in a perforated ion-sputtered Teflon microtubule were measured in vitro in a pressured system and were correlated with pressure in the system. Results indicate that appropriate drainage rates could be obtained in the physiological range for hydrocephalus shunts. I.S.

**A89-52200\*** National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**ANATOMICAL EVIDENCE FOR RED NUCLEUS PROJECTIONS TO MOTONEURONAL CELL GROUPS IN THE SPINAL CORD OF THE MONKEY**

GERT HOLSTEGE (NASA, Ames Research Center, Moffett Field; California, University, San Francisco; Rotterdam, Universiteit, Netherlands), BERTIL F. BLOK (Rotterdam, Universiteit, Netherlands), and DIANE DALY RALSTON (California, University, San Francisco) *Neuroscience Letters* (ISSN 0304-3940), vol. 95, 1988, p. 97-101. Research supported by R. A. van der Laan Fonds, A. A. van Beek Fonds, Fundatie Vrijvrouwe van Renswoude, Bekker la Bastide Fonds, and Universiteit Rotterdam. refs (Contract NCC2-491; NIH-NS-23347)

In four rhesus monkeys wheat germ agglutinin-horseradish peroxidase (WGA-HRP) injections were made in the mesencephalic tegmentum. In three cases with injections involving the red nucleus (RN), rubrospinal fibers descended mainly contralaterally to terminate in laminae V, VI and dorsal VII of the spinal cord and in the lateral motoneuronal cell groups at the level of the cervical and lumbosacral enlargements. In all four cases the area of the interstitial nucleus of Cajal (INC) was injected, which resulted in labeled interstitialspinal fibers in the medial part of the ipsilateral ventral funiculus of the spinal cord. The results indicate that there is no major qualitative difference between the mesencephalic (RN and INC) and motor cortical projections to the spinal cord.

Author

**A89-52773**

**DISCRETE MACROSCOPIC FLUCTUATIONS IN PROCESSES OF DIFFERENT NATURE [DISKRETNYE MAKROSKOPICHESKIE FLUKTUATSII V PROTSESSAKH RAZNOI PRIRODY]**

S. E. SHNOL', N. V. UDAL'TSOVA, N. B. BODROVA, and V. A. KOLOMBET (AN SSSR, Institut Biologicheskoi Fiziki, Pushchino, USSR) *Biofizika* (ISSN 0006-3029), vol. 34, July-Aug. 1989, p. 711-722. In Russian. refs

This paper reviews data obtained during the last 30 years on processes of different nature (from biochemical reactions to radioactive decay), for which it was found that the results on subsequently sampled specimens fluctuate discretely. It is concluded that the discrete nature of the corresponding state spectra can be explained by both mathematical causes and cosmophysical factors. The amplitudes and shapes of the corresponding state spectra of objects are considered to depend on the universal external cosmophysical factors. General problems arising in connection with the analysis of the result scatter and nonreproducibility of measurements are discussed. I.S.

**A89-52774**

**MACROSCOPIC FLUCTUATIONS - A PHENOMENON OR AN ARTIFACT? [MAKROSKOPICHESKIE FLUKTUATSII - FENOMEN ILI ARTEFAKT?]**

N. L. VEKSHIN (AN SSSR, Institut Biologicheskoi Fiziki, Pushchino, USSR) *Biofizika* (ISSN 0006-3029), vol. 34, July-Aug. 1989, p. 723-731. In Russian. refs

Reports of macroscopic fluctuations in data on various biochemical, chemical, and physical systems are critically analyzed. It is shown that the evidence of the greater spread of the velocities of the processes with respect to time, relative to that in the control experiments, can be caused by the presence of temperature, concentration, and other gradients. It is suggested that the similarity of the statistical spectral histograms reported for different processes measured at close time intervals can be explained by incorrect processing of data and procedures of spectra superposition. It is concluded that macroscopic fluctuations are essentially an artifact. I.S.

**A89-52807**

**DOSE THRESHOLDS IN THE IMPAIRMENT OF PHYSICAL WORK CAPACITY OF MICE AND RATS AFTER IRRADIATION [DOZOVYE POROGI NARUSHENII FIZICHESKOI RABOTOSPOBNOSTI MYSHEI I KRYSA POSLE OBLUCHENIIA]**

V. N. MALAKHOVSKII and P. P. MIKHAILICHENKO (Voenno-Meditsinskaia Akademiia, Leningrad, USSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, May-June 1989, p. 379-383. In Russian. refs

The effects of exposure of mice and rats to gamma rays (in the 35-200 Gy dose range) on the physical efficiency of the animals were investigated by measuring radiation-induced changes in muscular endurance and motor coordination indices. It was found that the dose threshold at which the stability in the accomplishment of learned operations was impaired was 40 Gy. Two hours following the administration of 70-100 Gy, the accomplishment of operations decreased to 50 percent of the initial level, followed by gradual restoration to initial levels after 24 h of rest. At 200 Gy, the disturbances were irreversible. I.S.

**A89-52808**

**THE RATE OF REPAIR OF RADIATION INJURY TO THE CENTRAL NERVOUS SYSTEM AFTER PROLONGED AND FRACTIONATED IRRADIATION [SKOROST' REPARATSI RADIATIONNOGO PORAZHENiIA TSENTRAL'NOI NERVNOI SISTEMY PRI PROTIAZHENNOM I FRAKTSIONIROVANNOM OBLUCHENII]**

V. N. MALAKHOVSKII and M. I. BOKK (Voenno-Meditsinskaia Akademiia, Leningrad, USSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, May-June 1989, p. 384-388. In Russian. refs

The rate of recovery of dogs and guinea pigs from radiation injuries to the central nervous system (CNS) due to single or fractionated (two fractional doses with a 24-h interval) gamma irradiation (114 Gy/h) was estimated by recording locomotor disturbances caused by irradiation. It was found that, even after massive irradiation, there were significant differences between the one-time and two-time irradiation groups, indicating that the CNS underwent intensive recovery in the 24 hours after the first dose. An equation was derived relating the rate of recovery, the time between the two fractionated doses, and the dose of the 'residual injury'. I.S.

**A89-52809**

**PHASE STRUCTURE OF EARLY DISTURBANCES IN THE PHYSICAL EFFICIENCY OF RATS AFTER IRRADIATION [FAZOVAIA STRUKTURA RANNIKH NARUSHENII DEESPOBNOSTI POSLE OBLUCHENIIA KRYSA]**

V. N. MALAKHOVSKII, M. I. BOKK, A. E. EGOROV, and O. A. STEMPARZHETSKII (Voenno-Meditsinskaia Akademiia, Leningrad, USSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, May-June 1989, p. 389-394. In Russian. refs

The sequence of changes in various indices of the physical efficiency of rats due to an exposure to gamma rays (60 Gy/min)

or high-velocity electrons (8 MeV, 20 Gy/sec) was studied by recording the numbers of movements per minute of rats in the 'Ugo Basile' activity chamber. Results indicated that an early decrease in physical efficiency due to irradiation involves several partially superimposed phases. Phases of excitation, hypokinesia, and neurological disorders could be identified in early transient inefficiency, which were followed by phases of an early transient efficiency decrease with a reversible impairment in the execution of learned operations; simultaneously, a phase of an irreversible decrease in the central nervous system capacity for transmitting information was recorded. I.S.

#### A89-52810

##### THE EFFECT OF HIGH-DOSE IONIZING RADIATION ON THE CONTENT OF CYCLIC NUCLEOTIDES IN THE RAT BRAIN [VLIANIE IONIZIRUIUSHCHIKH IZLUCHENII V VYSOKIKH DOZAKH NA SODERZHANIE TSIKLICHESKIKH NUKLEOTIDOV V GOLOVNOE MOZGE KRYSA]

L. A. SHAROVA (Voenno-Meditsinskaya Akademiya, Leningrad, USSR) Radiobiologiya (ISSN 0033-8192), vol. 29, May-June 1989, p. 395-398. In Russian. refs

Dynamic changes in the contents of cyclic AMP (CAMP) and GMP (CGMP) in the brains of rats subjected to irradiation by higher-than-lethal doses (100 and 500 Gy) of high-energy electrons were monitored by measuring the contents of CAMP and CGMP 2 min, 10 min, 30 min, 1 h, 2 h, 6 h, and 24 h after exposures. It was found that the contents of cyclic nucleotides in the brain tissues underwent two considerable changes after a 500 Gy dose, 2 min after irradiation and in the postradiation period between 6 and 24 h. The contents of CAMP decreased in both the cerebrum and the cerebellum tissues, whereas the CGMP decreased only in the cerebral cortex and in the cerebellum. I.S.

#### A89-52881

##### THERMOREGULATION CURVES AND FACTORS THAT CONTROL THEM [KRIVYE THERMOREGULIATSII I OPREDELIAIUSHCHIE IKH FAKTORY]

I. G. VLADIMIROVA and A. I. ZOTIN (AN SSSR, Institut Biologii Razvitiya, Moscow, USSR) Uspekhi Fiziologicheskikh Nauk (ISSN 0301-1798), vol. 20, July-Sept. 1989, p. 21-42. In Russian. refs

The effects of an animal's physical characteristics, the stage of its ontogeny, and its life conditions on its thermoregulation functions were analyzed. It is shown that the thermoregulation curves are changed in the course of ontogeny, and are affected by the body mass of the animal, its systematic order, the degree of acclimatization to new temperature conditions, the altitude and the geographical latitude, and the change from life on dry land to life in water. Two new allometric relationships were found: one was between the metabolic cost of chemical thermoregulation and the body mass of a homoiothermal animal, and the other was between the position of the critical point on the thermoregulation curve and body mass. In addition, a nonallometric relationship was found between the width of the thermoneutral zone and body mass. I.S.

#### A89-52882

##### MECHANISM OF THE ORIGIN OF INFRADIAN BIOLOGICAL RHYTHMS [MEKHANIZM PROISKHOZHDENIYA INFRADIANNYKH BIOLOGICHESKIKH RITMOV]

N. N. SHABATURA (Kievskii Gosudarstvennyi Pedagogicheskii Institut, Kiev, Ukrainian SSR) Uspekhi Fiziologicheskikh Nauk (ISSN 0301-1798), vol. 20, July-Sept. 1989, p. 86-103. In Russian. refs

The exogenic and endogenic origins of infradian (from one to 30 days) biological rhythms are examined together with the physiological processes involved in their formation. Results of long-term observations of human subjects indicated the presence of rhythmic fluctuations with periods of 5-7 and 10-14 days in the intensity of energy exchange, body temperature, and the activities of the cardiovascular and respiratory systems. Results of experiments on albino rats showed that the destruction of suprachiasmatic hypothalamic nuclei, as well as around-the-clock

illumination, distorts both circadian and infradian rhythms. A hypothesis is proposed for the formation of infradian biological rhythms in the framework of the circadian rhythm system. I.S.

#### A89-52957

##### THE ROLE OF CHANCE IN THE EVOLUTIONARY PROCESS

E. J. COFFEY British Interplanetary Society, Journal (ISSN 0007-084X), vol. 42, Sept. 1989, p. 437-442. refs

The differences between physical (especially astrophysical) and biological evolution are discussed, focusing on the role of chance in biological evolution. Darwinian evolution, the origins of life, the limits of biological diversity, and the genesis of multicellular phyla are reviewed. The implications of the impossibility of predicting the characteristics of possible extraterrestrials for SETI are discussed. R.B.

#### A89-54201

##### LIFE SCIENCES AND SPACE RESEARCH XXIII(4) - RADIATION BIOLOGY; PROCEEDINGS OF THE TOPICAL MEETINGS AND WORKSHOP XIX OF THE 27TH COSPAR PLENARY MEETING, ESPOO, FINLAND, JULY 18-29, 1988

U. HAGEN, ED. (Gesellschaft fuer Strahlenforschung mbH, Institut fuer Strahlenbiologie, Neuherberg, Federal Republic of Germany), G. HORNECK, ED. (DLR, Institut fuer Flugmedizin, Cologne, Federal Republic of Germany), and R. J. M. FRY, ED. (Oak Ridge National Laboratory, TN) Meetings and Workshop sponsored by COSPAR. Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, 344 p. For individual items see A89-54202 to A89-54239.

Topics discussed in this volume are on the molecular and cellular effects of heavy ions, the impact of environmental factors on radiobiological processes in space, and radiation research related to Space Station and missions beyond the magnetosphere. Papers are presented on physical events in the track structure of heavy ions and their relation to alterations of biomolecules, the stochastic effects of HZE-induced microlesions, DNA lesion and cell death by alpha-particles and nitrogen ions, molecular mechanisms responsible for neoplastic cell transformation by high-LET radiation, and the combined effects of radiation and trauma. Attention is also given to photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions, a parametric study of space radiation exposures to critical body organs for low-earth-orbit missions, a model analysis of Space Shuttle dosimetry data, and late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species. I.S.

#### A89-54202

##### RADIATION BIOLOGY IN SPACE - A CRITICAL REVIEW

U. HAGEN (Gesellschaft fuer Strahlenforschung mbH, Institut fuer Strahlenbiologie, Neuherberg, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 3-8. refs

A short summary of the results of radiobiological studies in space or on respective particles on ground is given. Among the various types of radiation in space, the effect of heavy ions with high energy are most essential. Cell death, mutation and malignant transformation can be studied on ground with heavy ions of different energy with suitable accelerators or in space. In space, however, the effect of microgravity has to be considered and there are hints that under weightlessness the biological effect of radiation may be enhanced. Author

#### A89-54203

##### PHYSICAL EVENTS IN THE TRACK STRUCTURE OF HEAVY IONS AND THEIR RELATION TO ALTERATIONS OF BIOMOLECULES

H. G. PARETZKE (Gesellschaft fuer Strahlenforschung mbH, Institut fuer Strahlenschutz, Neuherberg, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4))



## 51 LIFE SCIENCES (GENERAL)

- Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 15-20. refs

Heavy charged particles interacting with biological cells can produce a wide variety of different physical, chemical and biological consequences. A rigorous identification of relevant chemical and biological alterations of biomolecules in cells, however, is still lacking and, thus, it is difficult to identify the potential biological importance of different early physical events. In addition, due to experimental and theoretical problems, also little is known about the details of energy transfer, -absorption and -decay from projectiles to atoms/molecules in condensed targets; this is particularly true for not completely stripped heavy ions. Nevertheless, available data suggest that higher densities of physical energy absorption events have a significantly higher probability to lead to qualitatively more severe biochemical alterations as regards the induction of DNA double strand breaks and of chromatin damage. It is not very likely that energy migration along the DNA molecule in biological cells over long distances plays a significant role as contributor to these biological radiation effects.

Author

**A89-54204**

### **QUANTITATIVE INTERPRETATION OF HEAVY IONS EFFECTS - MODELS FOR THE BIOLOGICAL EFFECTS OF HEAVY IONS**

J. KIEFER and H. STRAATEN (Giessen, Universitaet, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 21-29. Research supported by the Gesellschaft fuer Schwerionenforschung mbH and BMFT. refs

The parameters used in the models of biological effect of radiation and the mathematical expressions determining the response function of a cell or an organism are considered. Particular attention is given to the radiation-effect concept of Kellerer and Rossi (1972), which relates the number of biologically significant lesions to the square of the specific energy in sensitive sites, and the track structure theory of Butts and Katz (1967), which relates the effectivity of different radiation types to the track structure leading to variations in local energy deposition. It is suggested that these two models can be combined to quantify the effect of heavy-ion irradiation on living cell (as expressed by a number of double DNA-strand breaks).

I.S.

**A89-54205**

### **STOCHASTICS OF HZE-INDUCED MICROLESIONS**

P. TODD (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 31-34. refs

Fundamental biological experiments with bacteria, yeast, and mammalian cells irradiated with ions heavier than helium indicate that maximal probability of single-hit inactivation does not occur when the ion has LET below about 100-200 keV/micron. Theoretical treatments of cell inactivation data and the radiation chemistry in particle tracks are consistent with this finding. If a 'microlesion' is defined as a linear array, within a tissue, of cells inactivated with maximum probability, surrounded by nonlethally damaged cells, then, by this definition, there must be an LET below which 'microlesion' damage cannot be expected. In a retrospective survey of experimental literature in which single-particle effects in tissues were sought, it was found that little or no evidence has been reported supporting single-particle effects in tissues when LET was below 200 keV/micron, while some experimenters who irradiated tissues with particles having LET greater than 200 keV/micron reported effects that could be attributed to single-particle tracks.

Author

**A89-54206**

### **FREE RADICALS INDUCED IN SOLID DNA BY HEAVY ION BOMBARDMENT**

J. HUETTERMANN, A. SCHAEFER (Saarland, Universitaet, Homburg, Federal Republic of Germany), and G. KRAFT (Gesellschaft fuer Schwerionenforschung mbH, Darmstadt, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 35-44. refs

Free radical formation after heavy-ion bombardment was studied in solid, polycrystalline pellets of DNA-constituents by analyzing the dose-yield curves and the spectra obtained by ESR-spectroscopy at low and ambient temperatures. The dose-yield curves were found to correlate with those found after X-irradiation but shifted to higher doses and lower saturation concentrations. The corresponding radical yields (per 100 eV) exhibit values which are one to two orders of magnitudes lower. The structural aspects as revealed from powder ESR-spectra gave a complex inter-relation between substance, LET, dose and irradiation temperature, which is discussed in terms of mechanistic models.

Author

**A89-54207**

### **THE INFLUENCE OF RADIATION QUALITY ON THE FORMATION OF DNA BREAKS**

R. ROOTS, W. HOLLEY, A. CHATTERJEE, E. RACHAL (California, University, Berkeley), and G. KRAFT (Gesellschaft fuer Schwerionenforschung mbH, Darmstadt, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 45-55. refs

(Contract NIH-CA-15184; DE-AC03-76SF-00098)

A comprehensive review is presented of the formation of DNA strand breaks induced by high LET radiation. Data obtained from DNA in solution as well as from the formation and 'repair' of strand breaks in cell DNA are discussed. There is good agreement, qualitatively, between these two systems. Results are evaluated for two parameters: (1) effectivity per particle and (2) the strand break induction frequency as number of breaks per Gy per unit DNA. The data presented cover results obtained for helium to uranium particles, covering a particle incident energy range of about 2 to 900 MeV/u with a corresponding LET range of near 16 to 16000 keV./micron.

Author

**A89-54208**

### **CELLULAR AND SUBCELLULAR EFFECT OF HEAVY IONS - A COMPARISON OF THE INDUCTION OF STRAND BREAKS AND CHROMOSOMAL ABERRATION WITH THE INCIDENCE OF INACTIVATION AND MUTATION**

G. KRAFT, W. KRAFT-WEYRATHER, S. RITTER, M. SCHOLZ, and J. STANTON (Gesellschaft fuer Schwerionenforschung mbH, Darmstadt, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 59-72. Research supported by BMFT. refs

(Contract CEC-B16-0197-D)

**A89-54209**

### **DNA-LESION AND CELL DEATH BY ALPHA-PARTICLES AND NITROGEN IONS**

I. KANEKO, K. EGUCHI-KASAI, T. KOSAKA, K. NAKANO, A. MARUHASHI (Institute of Physical and Chemical Research, Wako, Japan) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 73-81. refs

The induction of nonrepairable DNA breaks by beams of nitrogen ions, alpha particles, and gamma-rays in two mammalian cell lines (human melanoma cells HMV-I and Chinese hamster

cells HA-1) cultured in monolayers was examined, and the cross-link characteristics in the residual lesions present after postirradiation incubation were investigated. It was found that there was no close relationship between the dose-response curve of the single-strand-breaks (SSBs) or double-strand-breaks (DSBs) and the dose-survival curves after gamma-ray or N-ion radiation. However, the number of nonrepairable DSBs in the two cell lines was the same at the same level of survival, regardless of the quality of radiation, indicating that there is a close relationship between cell death and the induction of nonrepairable DNA strand breaks. I.S.

#### A89-54210

##### REPAIR AND MISREPAIR OF HEAVY-ION-INDUCED CHROMOSOMAL DAMAGE

E. GOODWIN, E. BLAKELY, G. IVERY, and C. TOBIAS (California, University, Berkeley) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 83-89. refs (Contract NIH-RR-05918; NIH-CA-15184; DE-AC03-76SF-00098)

The premature chromosome condensation (PCC) technique was used to investigate chromosomal damage, repair, and misrepair in the G1 phase of a human/hamster hybrid cell line that contains a single human chromosome. Plateau-phase cell cultures were exposed to either X-rays or a 425 MeV/u beam of neon ions near the Bragg peak where the LET is 183 keV/microns. An in situ hybridization technique coupled to fluorescent staining of PCC spreads confirmed the linearity of the dose response for initial chromatin breakage in the human chromosome to high doses (1600 cGy X-ray or 1062 cGy Ne). Ne ions were about a factor of 1.5 more effective per unit dose compared to X-rays at producing the initially measured chromatin breakage. 90 percent of the X-ray-induced breaks rejoined in cells incubated at 37 C after exposure. In contrast, only 50 percent of Ne-ion-induced breaks rejoined. In the irradiated G1 cells, ring PCC aberrations increased with time apparently by first order kinetics after either X-ray or Ne exposures. However, far fewer rings formed in Ne-irradiated cells after a dose giving a comparable initial number of chromatin breaks. Following X-ray exposures, the yield of rings formed after long repair times (6 to 9 hrs) fit a quadratic dose-response curve. These results indicate quantitative and qualitative differences in the chromosomal lesions induced by low- and high-LET radiations.

Author

#### A89-54211

##### CELL CYCLE DELAYS INDUCED BY HEAVY ION IRRADIATION OF SYNCHRONOUS MAMMALIAN CELLS

M. SCHOLZ, W. KRAFT-WEYRATHER, S. RITTER, and G. KRAFT (Gesellschaft fuer Schwerionenforschung mbH, Darmstadt, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 91-96. Research supported by BMFT. refs (Contract CEC-B16-0197-D)

Cell cycle effects of very high LET particles on synchronous V79 Chinese Hamster cells have been studied in a track segment experiment by means of flow cytometric methods. Cells were irradiated with 10 MeV/u Pb-ions (LET = 35,000 keV/micron) at an average fluence of 2 particles per cell nucleus, corresponding to a survival level of about 25 percent. Instantaneous drastic reductions of cell proliferation in all cycle phases have been observed, which affect the cell cycle for at least 50 hours after exposure to heavy ions. These findings are in clear contrast to the results from low LET radiation experiments, where significant delays can only be observed in S-phase and G2M-phase and for comparatively short time intervals of a few hours. Additionally, high LET radiation gives rise to prolonged DNA synthesis bypassing cell division, which leads to cells with DNA content greater than that of G2M-cells. Author

#### A89-54212\* Colorado State Univ., Fort Collins.

##### THE ROLE OF REPAIR IN THE SURVIVAL OF MAMMALIAN CELLS FROM HEAVY ION IRRADIATION - APPROXIMATION TO THE IDEAL CASE OF TARGET THEORY

J. T. LETT (Colorado State University, Fort Collins), A. B. COX, and M. D. STORY (USAF, School of Aerospace Medicine, Brooks AFB, TX) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 99-104. Research supported by DOE. refs (Contract NAG9-10; NIH-CA-10714)

Experiments are discussed in which the cell-cycle dependency of the repair deficiency of the S/S variant of the L5178Y murine leukemic lymphoblast was examined by treatment with the heavy ions, Ne-20, Si-28, Ar-40, Fe-56, and Nb-93. Evidence from those studies provide support for the notion that as the linear energy transfer of the incident radiation increases the ability of the S/S cell to repair radiation damage decreases until it is eliminated around 500 keV/micron. In the region of the latter linear energy transfer value, the behavior of the S/S cell approximates the ideal case of target theory where post-irradiation metabolism does not influence cell survival. Author

#### A89-54213

##### CELL INACTIVATION, REPAIR AND MUTATION INDUCTION IN BACTERIA AFTER HEAVY ION EXPOSURE - RESULTS FROM EXPERIMENTS AT ACCELERATORS AND IN SPACE

G. HORNECK, M. SCHAEFER, K. BALTSCHUKAT, U. WEISBROD, U. MICKE (DLR, Institut fuer Flugmedizin, Cologne, Federal Republic of Germany) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 105-116. Research supported by BMFT and DFVLR. refs

To understand the mechanisms of accelerated heavy ions on biological matter, the responses of spores of *B. subtilis* to this structured high LET radiation was investigated applying two different approaches. By the use of the Biostack concept, the inactivation probability as a function of radial distance to single particles' trajectory (i.e., impact parameter) was determined in space experiments as well as at accelerators using low fluences of heavy ions. It was found that spores can survive even a central hit and that the effective range of inactivation extends far beyond impact parameters where inactivation by delta-ray dose would be effective. Concerning the space experiment, the inactivation cross section exceeds those from comparable accelerator experiments by roughly a factor of 20. From fluence effect curves, cross sections for inactivation and mutation induction, and the efficiency of repair processes were determined. They are influenced by the ions characteristics in a complex manner. Author

#### A89-54214

##### EARLY AND LATE DAMAGES INDUCED BY HEAVY CHARGED PARTICLE IRRADIATION IN EMBRYONIC TISSUE OF ARABIDOPSIS SEEDS

U. BORK, K. E. GARTENBACH, and A. R. KRANZ (Frankfurt, Universitaet, Frankfurt am Main, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 117-121. refs

Early and late effects of accelerated heavy ions (HZE) on the embryonic tissue of *Arabidopsis thaliana* seeds were investigated seeing that initial cells of the plant eumeristems resemble the original cells of animal and human tissues with continuous cell proliferation. The endpoints measured were lethality and tumorization in the M1-generation for early effects and embryonic lethality in the M2-generation for late effects. The biological endpoints are plotted as functions of the physical parameters of the irradiation, i.e., ion fluence (p/sq cm), dose (Gray), charge Z,

and linear energy transfer (LET). The results presented contribute to the estimation of the principles of biological HZE effects and thus may help to develop a unified theory which could explain the whole sequence from physical and chemical reactions to biological responses connected with heavy ion radiation. Author

**A89-54215****THE QUANTIFICATION OF WOUND HEALING AS A METHOD TO ASSESS LATE RADIATION DAMAGE IN PRIMATE SKIN EXPOSED TO HIGH-ENERGY PROTONS**

A. B. COX (USAF, School of Aerospace Medicine, Brooks AFB, TX) and J. T. LETT (Colorado State University, Fort Collins) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 125-130. refs

(Contract F33615-85-C-4514)

In an experiment examining the effects of space radiations on primates, different groups of rhesus monkeys (*Macaca mulatta*) were exposed to single whole-body doses of 32- or 55-MeV protons. Survivors of those exposures, together with age-matched controls, have been monitored continuously since 1964 and 1965. Late effects of nominal proton doses ranging from 2-6 Gray have been measured in vitro using skin fibroblasts from the animals. A logical extension of that study is reported here, and it involves observations of wound healing after 3-mm diameter dermal punches were removed from the ears (pinnae) of control and irradiated monkeys. Tendencies in the reduction of competence to repair cutaneous wounds have been revealed by the initial examinations of animals that received doses greater than 2 Gy more than 2 decades earlier. These trends indicate that this method of assessing radiation damage to skin exposed to high-energy radiations warrants further study. Author

**A89-54216\*** California Univ., Berkeley.**NEOPLASTIC CELL TRANSFORMATION BY HIGH-LET RADIATION - MOLECULAR MECHANISMS**

TRACY CHUI-HSU YANG, LAURIE M. CRAISE, CORNELIUS A. TOBIAS (California, University, Berkeley), and MAN-TONG MEI (South China Agricultural University, Guangzhou, People's Republic of China) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 131-140. refs

(Contract NASA ORDER T-7163-B; NIH-CA-15184; DE-AC03-76SF-00098)

Quantitative data were collected on dose-response curves of cultured mouse-embryo cells (C3H10T1/2) irradiated with heavy ions of various charges and energies. Results suggests that two breaks formed on DNA within 80 Å may cause cell transformation and that two DNA breaks formed within 20 Å may be lethal. From results of experiments with restriction enzymes which produce DNA damages at specific sites, it was found that DNA double strand breaks are important primary lesions for radiogenic cell transformation and that blunt-ended double-strand breaks can form lethal as well as transformational damages due to misrepair or incomplete repair in the cell. The RBE-LET relationship for high-LET radiation is similar to that for HGPRT locus mutation, chromosomal deletion, and cell transformation, indicating that common lesions may be involved in these radiation effects. I.S.

**A89-54217****NEOPLASTIC TRANSFORMATION OF MOUSE C3H 10T1/2 AND SYRIAN HAMSTER EMBRYO CELLS BY HEAVY IONS**

L. HIEBER, G. K. PONSEL, K. TRUTSCHLER, S. FENN, and A. M. KELLERER (Wuerzburg, Universitaet, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p.

141-149. Research supported by the Gesellschaft fuer Schwerionenforschung mbH. refs  
(Contract DFG-SFB-172)

**A89-54218****SPACE ENVIRONMENTAL FACTORS AFFECTING RESPONSES TO RADIATION AT THE CELLULAR LEVEL**

H. PLANEL, Y. GAUBIN, B. PIANEZZI, and G. GASSET (Toulouse III, Universite, France) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 157-160. refs

Previous space experiments suggest a high value for the RBE of cosmic radiation. A possible explanation could be a change in cell radiosensitivity due to the combined effect of radiation and other factors related to the space environment and space flight. Results of the EXOBLOC II experiment support this assumption. On earth, vibrations or accelerations applied before or after irradiation can change the responses to radiation. Microgravity could be the main factor affecting the radiosensitivity and DNA repair, but this hypothesis must be confirmed by additional experiments. Author

**A89-54219****INFLUENCE OF COSMIC RADIATION AND/OR MICROGRAVITY ON DEVELOPMENT OF CARAUSIUS MOROSUS**

G. REITZ, H. BUECKER, R. FACIUS, G. HORNECK (DLR, Institut fuer Flugmedizin, Cologne, Federal Republic of Germany), E. H. GRAUL (Marburg, Universitaet, Federal Republic of Germany) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 161-173. refs

Eggs of *Carausius morosus* were exposed to spaceflight conditions in two spaceflight missions, the German 7-day Spacelab mission D1 and the Soviet 12.56-day Biosatellite mission Cosmos 1887. During space flight the eggs continued their development. Eggs of five different ages representing different sensitivity to radiation and different capacity for regeneration were used to investigate the influence of cosmic radiation and/or microgravity on insect development. After retrieval, hatching rates, embryonic and larval growth kinetics, and anomaly frequencies were determined. Microgravity leads to a reduced hatching rate of eggs exposed in the early stages of development. Hatching was normal in eggs which were exposed on the 1-g reference centrifuge. Hits by heavy ions caused body anomalies. The combined action of heavy ions and microgravity resulted in an unexpectedly high frequency of anomalies. The results suggest some microgravity-induced functional impairment of the hatching activity, rather than blockage in embryonic development. Author

**A89-54220****CELL-CYCLE RADIATION RESPONSE - ROLE OF INTRACELLULAR FACTORS**

E. BLAKELY, P. CHANG, L. LOMMEL, K. BJORNSTAD, M. DIXON (California, University, Berkeley) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 177-186. Research supported by DNA. refs  
(Contract NIH-CA-15184; DE-AC03-76SF-00098)

Variations of radiosensitivity and endogenous cellular factors have been studied during the course of progression through the human and hamster cell cycle. After exposure to low-LET radiations, the most radiosensitive cell stages are mitosis and the G1/S interface. The increased activity of a specific antioxidant enzyme such as superoxide dismutase in G1-phase, and the variations of endogenous thiols during cell division are thought to be intracellular factors of importance to the radiation survival response. These factors may contribute to modifying the age-dependent yield of

lesions or more likely, to the efficiency of the repair processes. A summary comparison of various cell-cycle-dependent endpoints measured with low- or high-LET radiations is given and includes a discussion of the possible additional effects introduced by microgravity. Author

#### A89-54221

##### MODIFYING FACTORS ON REPAIR PHENOMENA

H. FRITZ-NIGGLI (Zuerich, Universitaet, Zurich, Switzerland) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 187-195. refs

The types of the repair of DNA damage due to radiation are discussed together with agents that affect damage repair. Attention is given to such modifiers of chromosomal repair as genetic factors, the electron acceptors and donors, the membrane activity, and the chromosome structure. Particular consideration is given to the radiation-damage inhibitors that affect different stages of DNA repair, such the incision step, polymerization, or ligation, and to radioprotective agents. It is noted that the conditions of a space flight could not only modify the radiation-induced damages but could also change the frequency of natural errors. I.S.

#### A89-54222

##### COMBINED EFFECTS OF RADIATION AND TRAUMA

OTFRIED MESSERSCHMIDT (Chirurgische Klinik Innenstadt und Chirurgische Poliklinik, Munich, Federal Republic of Germany) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 197-201. refs

Wounds or burns which, in general, do not cause septicemia could become entrance ports for bacteria when animals are exposed to whole-body irradiation. Thrombocytopenia is the reason for hemorrhages in wounds. The susceptibility to shock is increased considerably in combined injuries and the formation of callus in the bone fractures is significantly delayed. The healing of wounds and burns in the initial phase of the radiation syndrome does not always differ from healing in the nonirradiated organism. However, a few days or weeks later very serious wound infections and hemorrhages can occur. The additional injuries almost always worsen the development and prognosis of radiation-induced disease. The recommended treatment for combined injuries will differ in many respects from the treatment of wounds and burns or the radiation syndrome. Author

#### A89-54223

##### CHEMICAL PROTECTION AGAINST IONIZING RADIATION

J. R. MAISIN (Louvain, Universite Catholique, Bruxelles; Centre d'Etudes de l'Energie Nucleaire, Mol, Belgium) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 205-212. refs

Some of the problems related to chemical protection against ionizing radiation are discussed with emphasis on definition, classification, degree of protection, mechanisms of action, and toxicity. Results on the biological response modifiers (BRMs) and on the combination of nontoxic (i.e., low) doses of sulphhydryl radioprotectors and BRMs are presented. Author

#### A89-54224

##### NEW CONSIDERATIONS OF THE OXYGEN EFFECTS IN RADIATION BIOLOGY

E. L. POWERS (Texas, University, Austin; Charleston, College, SC) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 213-221. refs

The original demonstration in the bacterial spore of the multiple actions of oxygen in modifying the responses of cells to ionizing radiation has now been verified in mammalian systems, pointing up the need for separate inquiry into each of the several components if the responses of mammalian cells are to be understood. Physicochemical explanations have been provided for only two of the four (at least) oxygen elements recognized in the spore; the reaction of diatomic oxygen with organic free radicals in dry spores; and an action of the hydroxy radical (OH) in spores at low O<sub>2</sub>. This paper discusses newly recognized features of the oxygen responses that could reveal the nature of the other components. It examines modulation of response by oxides of nitrogen, the similarities and differences among them, and explanations for them that suggest further experiment, the importance of concentration of additive in determining both quantity and quality of response, and a general model that explains sensitizer action in terms of inhomogeneous chemistry. Author

#### A89-54225

##### PHOTOPRODUCTS IN DNA IRRADIATED IN VITRO AND IN VIVO UNDER EXTREME ENVIRONMENTAL CONDITIONS

EMANUEL RIKLIS (Israel Atomic Energy Commission, Negev Nuclear Research Centre, Beersheba, Israel) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 223-232. refs

The isolation, structure and properties of photoproducts which are formed in UV-irradiated frozen thymine solutions are described. Urea, n-propylurea, and dihydrothymine are obtained as photolytic products by high radiation doses in low concentrations of thymine. The cyclobutane cis-anti thymine dimer is obtained at high concentrations of thymine, following several cycles of freezing, thawing and irradiations. A trimer is obtained with 290 nm UV light filtered through Pyrex. It reverts back to thymine dimer and thymine when reirradiated in solution. The cis-syn dimer is obtained at all concentrations of frozen thymine and in a dose dependent form. In vacuum-dried thymine or DNA, other photoproducts are formed, including the spore-product, TDHT. Author

#### A89-54237\* Columbia Univ., New York, NY.

##### MICROLESIONS - THEORY AND REALITY

BASIL V. WORGUL, JAN P. KONIAREK, and WOLF KREBS (Columbia University, New York) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 315-323. refs

(Contract NIH-EY-02648; NAG9-256)

Efforts to assess radiation risk in space have been complicated by the considerable unknowns regarding the biological effects of the heavy ion component (HZE particles) of the cosmic rays. The attention has focused primarily on the assignment of a quality factor (Q) which would take into account the greater effectiveness of heavy ions vis-a-vis other forms of ionizing radiation. If, however, as the so-called 'microlesion theory' allows, the passage of HZE particles through living tissue produces unique biological damage, the traditional use of Q becomes meaningless. Therefore, it is critical to determine if microlesions, in fact, do exist. While the concept does not necessarily require detectable morphological damage, 'tunnel-lesions' or holes in ocular tissues have been cited as evidence of microlesions. These data, however, are open to reinterpretation. Ongoing light, scanning and transmission electron microscopic studies of the corneas, lenses and retinas of rat eyes exposed to 450 MeV/amu Fe-56 ions thus far have not revealed tunnel-lesion damage. The morphological effects of the heavy ions have been found to be qualitatively similar to the changes following other kinds of ionizing radiation. Author

#### A89-54238\* Colorado State Univ., Fort Collins.

##### LATE CATARACTOGENESIS CAUSED BY PARTICULATE RADIATIONS AND PHOTONS IN LONG-LIVED MAMMALIAN SPECIES

J. T. LETT, A. C. LEE (Colorado State University, Fort Collins), A. B. COX, and D. H. WOOD (USAF, School of Aerospace Medicine, Brooks AFB, TX) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 325-331. Research supported by DOE. refs (Contract NAG9-10; F33615-85-C-4514)

Radiation cataractogenesis induced by small acute doses of particulate radiations and photons in the New Zealand white rabbit (*Oryctolagus cuniculus*), the beagle dog (*Canis familiaris*) and the rhesus monkey (*Macaca mulatta*) is discussed in the context of the use of animal models to assess the radiation hazards faced by humans during lengthy sojourns in deep space. Attention is paid to (1) the importance of lifespan studies with long-lived species - the above animals have median lifespans in captivity of 5-7, 13-14 and 25 years, respectively; and (2) the magnitudes of possible dose thresholds for cataractogenesis from sparsely ionizing radiations and the modifications of those thresholds by the late degenerative phase of the phenomenon. Author

A89-54239

# BEHAVIORAL AND NEUROCHEMICAL ABNORMALITIES AFTER EXPOSURE TO LOW DOSES OF HIGH-ENERGY IRON PARTICLES

WALTER A. HUNT, JAMES A. JOSEPH, and BERNARD M. RABIN (U.S. Armed Forces Radiobiology Research Institute, Bethesda, MD) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 333-336. Research supported by DNA. refs

Exposure of rats to high-energy iron particles (600 MeV/amu) has been found to alter behavior after doses as low as 10 rads. The performance of a task that measures upper body strength was significantly degraded after irradiation. In addition, an impairment in the regulation of dopamine release in the caudate nucleus (a motor center in the brain), lasting at least 6 months, was also found and correlated with the performance deficits. A general indication of behavioral toxicity and an index of nausea and emesis, the conditioned taste aversion, was also evident. The sensitivity to iron particles was 10-600 times greater than to gamma photons. These results suggest that behavioral and neurobiological damage may be consequence of exposure to low doses of heavy particles and that this possibility should be extensively studied. Author

A89-54522

# THE MECHANISM OF DNA TRANSFER IN THE MATING SYSTEM OF AN ARCHAEABACTERIUM

ILAN ROSENSHINE, RONEN TCHELET, and MOSHE MEVARECH (Tel Aviv University, Israel) *Science* (ISSN 0036-8075), vol. 245, Sept. 22, 1989, p. 1387-1389. Research supported by the Charles H. Revson Foundation. refs

The genetic transfer system in the extremely halophilic archaeobacterium *Halobacterium volcanii* is the only archaeobacterial mating system known. The mechanism of genetic transfer of this archaeobacterium was studied by using the immobile plasmids pHV2 and pHV11 as cytoplasmic markers. It was found that the cytoplasm of the parental types do not mix during the mating process, that each parental type can serve both as a donor and as a recipient, and that cytoplasmic bridges, with dimensions of up to 2 micrometers long and 0.1 micrometer in diameter, were formed between the parental types. These bridges appear to be used for the transfer of DNA from one cell to another. If so, this archaeobacterial mating system is different from both eubacterial conjugation and eukaryotic sexual cell fusion. Author

A89-54626

# STIMULATIVE EFFECT OF LOW-LEVEL IONIZING RADIATION ON GLUCOKINASE SYNTHESIS IN THE LIVER OF DEVELOPING RATS [STIMULIRUIUSHCHEE DEISTVIE MALYKH DOZ IONIZIRUIUSHCHEI RADIATSII NA SINTEZ GLIUKOKINAZY V PECHENI RAZVIVAIUSHCHIKHSIA KRYIS]

L. V. SLOZHENIKINA, L. A. FIALKOVSKAIA, and A. M. KUZIN (AN SSSR, Institut Biologicheskoi Fiziki, Pushchino, USSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, July-Aug. 1989, p. 473-476. In Russian. refs

The effect of low-level radiation on the rate of glucokinase synthesis in the liver of young rats was investigated. Rats aged 9 and 19 days were subjected to irradiation from Cs-137 in doses of 0.01, 0.02, 0.05, 2.5, or 10 Gy, and the 105,000 g supernatants of liver homogenates, obtained from rats aged 13 to 30 days were assayed for basal and induced glucokinase activities. Results showed that the dose of 0.01 Gy caused an increase in the rate of glucokinase synthesis, in particular in rats aged 16 days and older, i.e., after the onset of the spontaneous synthesis of this enzyme. The dose of 0.02 caused no further increase, whereas doses above 0.02 Gy were found to inhibit enzyme synthesis. These results confirm a previous suggestion that a natural low-radioactivity background is required for the development of mammals. I.S.

A89-54627

# POSSIBLE MECHANISMS OF THE RADIATION-MODIFYING EFFECTS OF EXOGENOUS HYPOXIA AND MICROWAVES [O VOZMOZHNYKH MEKHANIZMAKH RADIOMODIFITSIRUIUSHCHEGO DEISTVIA EKZOGENNOI GIPOKSII I ELEKTROMAGNITNOGO IZLUCHENIIA SVCH-DIAPAZONA]

R. I. TABUKASHVILI and I. B. USHAKOV (Tbilisskii Gosudarstvennyi Meditsinskii Institut, Tbilisi, Georgian SSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, July-Aug. 1989, p. 529-532. In Russian. refs

The radiation-protective effects of exogenous hypoxia and microwaves were investigated in rats irradiated by gamma rays (Co-60 at 8.5 Gy), and the possible biochemical mechanisms responsible for these effects are discussed. The effects of exposure to a hypoxic N<sub>2</sub> + O<sub>2</sub> mixture (for 8-min immediately before exposures to gamma rays) or to liver supernatants from rats exposed to hypoxia or microwaves were determined by recording the percent of animals surviving 3, 5, 7, 10, 12, 15, 17, 20, 22, 25, 27, and 30 days after a gamma-ray exposure. It was found that the preexposure of animals to hypoxia (or to liver extracts from rats exposed to hypoxia and microwaves) decreased the mortality rate of irradiated rats, indicating that the exposure to hypoxia and microwaves induces the formation of biologically active radiation-protective agents in the liver. I.S.

A89-54628

# INVESTIGATION OF POSTIRRADIATION RADIOSENSITIVITY OF RATS AFTER EXTERNAL UNIFORM IRRADIATION [ISSLEDOVANIIE POSTLUCHEVOI RADIOCHUVSTVITEL'NOSTI KRYIS POSLE VNESHNEGO RAVNOMERNOGO OBLUCHENIIA]

G. M. AVETISOV, T. S. ARKHIPOVA, V. P. VOLODIN, G. P. ZHARKOVA, and M. V. SERGEEVA (Institut Biofiziki, Moscow, USSR) *Radiobiologiya* (ISSN 0033-8192), vol. 29, July-Aug. 1989, p. 533-538. In Russian. refs

The effect of preirradiation of rats by gamma rays in doses of 1, 2, 3, or 5 Gy on the radiosensitivity of these animals to a subsequently administered (1-30 days later) second gamma-ray dose were investigated using the median lethal dose as the criterion of the preirradiation effect. Clinical and laboratory indices were examined after the first irradiation. A relationship was found that links the dynamics of the radiosensitivity of rats (to the second irradiation dose) to the proliferative activity of bone marrow and its total cellularity. I.S.

A89-54888

# AN ORGANISM IN A HELIUM-OXYGEN MEDIUM [ORGANIZM

**V GELIO-KISLORODNOI SREDE]**

GERMAN V. TROSHIKHIN Leningrad, Izdatel'stvo Nauka, 1989, 160 p. In Russian. refs

This book considers physiological effects elicited in warm-blooded animals by breathing helium-oxygen atmospheric-pressure mixtures containing different amounts of oxygen. Short-time and long-time effects on the general well-being, the central nervous system activity, the brain tissue metabolism, blood indices, and the condition of the lung tissue are described. The mechanisms responsible for the effects of He-O<sub>2</sub> mixtures with different amounts of oxygen are examined. I.S.

**N89-29946#** Virginia Univ., Charlottesville. School of Medicine. **THE EFFECT OF MODERATE PRESSURE ON BIOLOGICAL PROCESSES Annual Report, 1 Jun. 1988 - 31 May 1989**

RODNEY L. BILTONEN and M. L. JOHNSON 7 Jun. 1989 10 p

(Contract N00014-88-K-0326)

(AD-A209329) Avail: NTIS HC A02/MF A01 CSCL 06/2

A volume-perturbation calorimeter, which measures time-dependent temperature changes in response to a pressure perturbation, has been used to probe the relaxation dynamics of phospholipid bilayers in the gel to liquid crystalline transition region. The principal relaxation time is between 50 milliseconds to 5 sec. The relaxation dynamics appear to be insensitive to pressure over a pressure range of 10 to 20 atm., thus suggesting that the most important effect of pressure is on the equilibrium properties of the system. Bilayer-bilayer interactions have been assessed by studies of multi-lamellar systems in the presence of dextran which dehydrates the interior bilayer-bilayer spaces and forces closer approach between lamellae. Dehydration is accompanied by a reduction in the enthalpy change of about 3 kcal/mole of lipid and produces a broadening of the transition profile. No such effects are observed in uni-lamellar vesicles. Monolayer-monolayer interactions have been assessed by use of externally added lanthanides to shift the transition temperature of the inner and outer monolayers of uni-lamellar vesicles. Complete separation of the melting of the two monolayers can be achieved, indicating that monolayer-monolayer coupling is small. GRA

**N89-29947#** Army Medical Research Inst. of Chemical Defense, Aberdeen Proving Ground, MD.

**ULTRASTRUCTURAL VISUALIZATION OF ACETYLCHOLINE AT THE NEUROMUSCULAR JUNCTION Final Report, Sep. 1986 - Jan. 1989**

JOHN P. PETRALI, KENNETH R. MILLS, and TRACEY A. JUSTUS May 1989 18 p

(AD-A207676; USAMRICD-TR-89-04) Avail: NTIS HC A03/MF A01 CSCL 06/1

A new cytochemical strategy was explored for the in-situ visualization of acetylcholine at the neuromuscular junction. It was based on the known precipitation reaction between molybdc or tungstic heteropolyanions and quaternary ammonium compounds, such as choline, to form insoluble salts which are non-diffusible, resistant to routine tissue processing and electron dense. This ionic fixation of choline was used for the identification, compartmentation and distribution of acetylcholine at the neuromuscular junction under conditions of normal and abnormal synaptic function in selected muscle tissue of the rat and rabbit. Rat diaphragm, masseter and tongue muscle were used from control animals, from animals exposed to 0.9LD50 soman, and from animals exposed to 0.9LD50 hemicholinium. Rabbit gastrocnemius muscle was used from experiments for studying intra-arterial administration of soman at multiple LD50 doses in circulatory-isolated limb preparations. The results of this electron microscopy study suggest that ionic fixation of choline may be useful for the identification and tracking of acetylcholine at the neuromuscular junction and other cholinergic synapses. GRA

**N89-29948#** Georgia Univ., Athens.

**THE MICROBIOLOGY AND PHYSIOLOGY OF ANAEROBIC FERMENTATIONS OF CELLULOSE Progress Report, Nov. 1988 - Jul. 1989**

HARRY D. PECK, JR., LARS G. LJUNGDAHL, LEONARD E. MORTENSON, and JUERGEN K. W. WIEGEL 1989 94 p

(Contract DE-FG09-86ER-13614)

(DE89-015790; DOE/ER-13614/3) Avail: NTIS HC A05/MF A01

In this progress report we describe an integrated study of some individual anaerobic bacteria that are important for the complete conversion of cellulose to methane and CO<sub>2</sub>, and of enzymes such as formate dehydrogenase, hydrogenase and CO dehydrogenase which are of special concern to syntrophic interactions between the bacteria. DOE

**N89-29949#** Duke Univ., Durham, NC. Dept. of Botany.

**PHOTOSYNTHETIC ACCLIMATION TO ELEVATED CO<sub>2</sub> Status Report**

JENNIFER D. CURE Jul. 1989 4 p

(Contract DE-FG05-88ER-69010)

(DE89-015965; DOE/ER-69010/1) Avail: NTIS HC A02/MF A01

The objectives of the first year were to install Sunbrella Lighting Systems into Phytotron C chambers; to assemble a gas exchange system for measurement of photosynthetic parameters under controlled conditions; to work out methods of sample handling and measurement of protein, chlorophyll, initial and activated RuBP Carboxylase activity and active site concentration; to begin studying the effects of light intensity on the photosynthetic acclimation of a fast growing species to elevated CO<sub>2</sub>. DOE

## 52

## AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

**A89-51751\*** National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**ENERGY AND THERMAL REGULATION DURING BED REST AND SPACEFLIGHT**

JOHN E. GREENLEAF (NASA, Ames Research Center, Moffett Field, CA) Journal of Applied Physiology (ISSN 0161-7567), vol. 67, Aug. 1989, p. 507-516. refs

This paper presents data available from bed-rest and flight studies on the energy metabolism and thermoregulatory parameters and their changes during long-duration space missions which may influence requirements of astronauts for food and water. It is calculated, on the basis of 3100 kcal and 2.2 l water a day, with 1 h/day moderate exercise, that the requirements for a 2-yr flight would be 2,263,000 kcal and 1606 l water for each astronaut. One daily 5-h-long extravehicular sortie would require an additional 529,250 kcal and 1,095 l of water per year. Changes in the efficiency of work or metabolism would affect these nutritional requirements for long spaceflights. Factors that would increase food and water requirements are discussed. I.S.

**A89-51752**

**REVERSAL OF HYPOXIA-INDUCED DECREASE IN HUMAN CARDIAC RESPONSE TO ISOPROTERENOL INFUSION**

JEAN-PAUL RICHALET, JEAN-LOUIS LE-TRONG, CHRISTIAN RATHAT, PASCAL MERLET, PHILIPPE BOUISSOU (Association pour la Recherche en Physiologie de l'Environnement; Institut National de la Sante et de la Recherche Medicale, Creteil; Service Hospitalier Frederic Joliot, Orsay, France) et al. Journal of Applied Physiology (ISSN 0161-7567), vol. 67, Aug. 1989, p. 523-527. Research supported by Laboratoires Sandoz. refs

The cardiac response to isoproterenol (IP) infusion in subacute hypoxia (eight days) and its rate of recovery after oxygen inhalation or rapid return to sea level were investigated in human subjects who received an IP infusion under normoxia (condition N), after eight days at 4350 m (condition H8), on the same day at this altitude after inhalation of O<sub>2</sub> and restoring normoxic arterial O<sub>2</sub> saturation (condition HO), and 6-11 h (condition RN) and 4-5



months after return to sea level. Cardiac response to IP, evaluated by the mean increase in heart rate from the base value, was lower in condition H8 than in N; it was slightly higher in conditions HO and RN than in condition H8, but still significantly lower than in condition N. The results confirm the hypothesis of a hypoxia-induced decrease in cardiac chronotropic function. Two possible mechanisms are suggested, one which is O<sub>2</sub>-dependent and rapidly reversible with restoration to normoxia, and the other, which is slowly reversible, involving a downregulation of the cardiac beta-receptors. I.S.

**A89-51753****EFFECTS OF ANGIOTENSIN BLOCKADE ON THE SPLANCHNIC CIRCULATION IN NORMOTENSIVE HUMANS**

CARSTEN STADEAGER, BIRGER HESSE, OLE HENRIKSEN, NIELS JUEL CHRISTENSEN, FLEMMING BONDE-PETERSEN (Hvidovre and Glostrup Hospitals; Herlev Hospital; Rigshospitalet, Copenhagen, Denmark) et al. *Journal of Applied Physiology* (ISSN 0161-7567), vol. 67, Aug. 1989, p. 786-791. Research supported by the Danish Space Board, Merck, Sharp and Dohme, and Leo Pharmaceutical Products. refs

The influence of the renin-angiotensin system (RAS) on the splanchnic and central hemodynamics was evaluated in moderately salt-depleted human subjects by measuring blood flow and arterial and venous pressure before and during an application of gravitational stress induced by lower-body negative pressure (LBNP). The effect of RAS inhibition was evaluated by administering enalapril, an inhibitor of angiotensin-converting enzyme (ACE), during the rest and the LBNP study periods. Results demonstrated that acute ACE inhibition causes splanchnic vasodilation at rest and results in the absence of splanchnic vasoconstriction during LBNP in sodium-depleted healthy subjects. It is suggested that acute ACE inhibition decreases splanchnic vascular resistance at rest and abolishes splanchnic vasoconstriction during LBNP; furthermore, ACE inhibition may interfere with autonomic nervous system control of the circulation. I.S.

**A89-51754****TEN WEEKS OF AEROBIC TRAINING DO NOT AFFECT LOWER BODY NEGATIVE PRESSURE RESPONSES**

J. TIMOTHY LIGHTFOOT, RANDAL P. CLAYTOR, DONALD J. TOROK, THOMAS W. JOURNELL, and SUZANNE M. FORTNEY (Johns Hopkins University, Baltimore, MD; Miami, University, Oxford, OH) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 67, Aug. 1989, p. 894-901. Research supported by the University of Miami. refs

(Contract NIH-HL-07534; NIH-HL-10342)

The hypothesis that aerobic training may decrease lower body negative pressure (LBNP) tolerance through an attenuation in both high- and low-pressure baroreflex gain was tested experimentally by comparing the LBNP responses of control (CON) subjects with those of experimental (EXP) subjects who underwent a 10-week treadmill and cycle ergometer training program. Before and after training, the EXP and CON groups participated in LBNP tolerance tests and neck pressure-suction testing (to describe the carotid sinus-heart rate baroreflex). Results showed that LBNP tolerance and the baroreflex gain were not altered after training. Moreover, there were no changes in LBNP heart rate, blood pressure, leg circumference, forearm blood flow, or forearm vascular resistance responses at any level of LBNP challenge after training. I.S.

**A89-51892****CRUCIAL FACTOR - HUMAN**

V. GARSHNEK (George Washington University, Washington, DC) *Space Policy* (ISSN 0265-9646), vol. 5, Aug. 1989, p. 201-216. refs

Biomedical, performance, and environmental advances necessary for extending manned space flights are discussed. The physical deconditioning effects of prolonged weightlessness and measures to counteract these effects are examined. Consideration is given to the medical care and facilities required and the types of psychological and life supports needed. Some of the US and

USSR activities related to improving and extending manned space flights are described. It is noted that further research is necessary in order to launch manned, long-term missions. I.F.

**A89-53319\*****DEFINITION OF TOLERANCE TO CONTINUOUS HYPEROXIA IN MAN - AN ABSTRACT REPORT OF PREDICTIVE STUDIES V**

C. J. LAMBERTSEN, J. M. CLARK, R. GELFAND, J. B. PISARELLO, W. H. COBBS et al. IN: *International Symposium on Underwater and Hyperbaric Physiology*, 9th, Sydney, Australia, Mar. 1-4, 1987, Proceedings. Bethesda, MD, Undersea and Hyperbaric Medical Society, 1987, p. 717-735. refs

(Contract N00014-81-C-0826; NAS9-17238)

The overall goals, design, and procedures of Predictive Studies V are discussed as well as the specific elements of neural effects produced by prolonged hyperoxia. It is noted that Predictive Studies V study of oxygen poisoning in normal men during uninterrupted exposures to oxygen over the range of hyperbaric oxygen exposure most useful in diving, the treatment of gas lesion diseases, and general hyperbaric medicine. It is found that, throughout the study, the most striking observations were related to effects on visual function, on the lung, and the probable interactions of preconvulsive neural activity with effects on cardiovascular and respiratory-pulmonary functions. K.K.

**A89-53698\*****PULMONARY TOLERANCE IN MAN TO CONTINUOUS OXYGEN EXPOSURE AT 3.0, 2.5, 2.0, AND 1.5 ATA IN PREDICTIVE STUDIES V**

J. M. CLARK, R. GELFAND, N. D. FLORES, C. J. LAMBERTSEN, and J. B. PISARELLO Undersea and Hyperbaric Medical Society, *International Symposium on Underwater and Hyperbaric Physiology*, 9th, Sydney, Australia, Mar. 1-4, 1987, Paper. 13 p. refs

(Contract N00014-81-C-0826; NAS9-17238)

Oxygen effects on pulmonary function were measured in normal, resting men who breathed oxygen continuously at 3.0, 2.5, 2.0, and 1.5 ATA to predefined limits of CNS, cardiac, or pulmonary tolerance. Rates of pulmonary symptom intensification and decrease in vital capacity (VC) increased progressively with elevation of inspired oxygen pressure. Although VC decrements occurred concurrently with symptoms, the lung volume changes became prominent when symptoms were still mild. The observed effects were consistent with the interpretation that small airway function is impaired more selectively by oxygen exposure at 3.0 and 2.5 ATA than by exposure at 2.0 and 1.5 ATA. Despite similar VC changes after oxygen exposure at 2.0 ATA for nearly 10 hr and exposure at 1.5 ATA for almost 18 hr, the 2.0 ATA exposure caused greater impairment of pulmonary function and required a longer recovery period. C.D.

**A89-53699\*****EFFECTS ON RESPIRATORY HOMEOSTASIS OF PROLONGED, CONTINUOUS HYPEROXIA AT 1.5 TO 3.0 ATA IN MAN IN PREDICTIVE STUDIES V**

R. GELFAND, J. M. CLARK, C. J. LAMBERTSEN, and J. B. PISARELLO Undersea and Hyperbaric Medical Society, *International Symposium on Underwater and Hyperbaric Physiology*, 9th, Sydney, Australia, Mar. 1-4, 1987, Paper. 11 p. refs

(Contract N00014-81-C-0826; NAS9-17238)

Prolonged exposures of men to continuous hyperoxia at 3.0, 2.5, 2.0, and 1.5 ATA were conducted to define CNS oxygen tolerance and to investigate the effects of prolonged hyperoxia on CNS and other organ functions. Altered respiratory homeostasis was evident during exposures of men to 2.5 and 3.0 ATA O<sub>2</sub> as nonprogressive increment in ventilation and reciprocal decrement in PET(CO<sub>2</sub>). These changes were progressive during exposure at 1.5 ATA O<sub>2</sub>. Mean values of respiratory reactivity at CO<sub>2</sub> were somewhat increased following prolonged hyperoxia at 1.5 and 2.5 ATA, compared to preexposure mean values. Hypoxic ventilatory response was unchanged or enhanced after oxygen exposures at 1.5 and 2.5 ATA. Observed respiratory and body temperature

changes were not of sufficient magnitude to impair function.

C.D.

#### A89-53700\*

##### HUMAN CIRCULATORY RESPONSES TO PROLONGED HYPERBARIC HYPEROXIA IN PREDICTIVE STUDIES V

J. B. PISARELLO, J. M. CLARK, C. J. LAMBERTSEN, and R. GELFAND Undersea and Hyperbaric Medical Society, International Symposium on Underwater and Hyperbaric Physiology, 9th, Sydney, Australia, Mar. 1-4, 1987, Paper. 10 p.  
(Contract N00014-81-C-0826; NAS9-17238)

Selected results of cardiocirculatory measurements in healthy volunteers who breathed 100 percent O<sub>2</sub> continuously at 3.0 ATA for up to 3.5 hr, at 2.5 ATA for up to 6.0 hr, at 2.0 ATA for up to 11.9 hr, and at 1.5 ATA for up to 19.0 hr are reported. The results indicate that resting hemodynamic responses to prolonged hyperbaric oxygen breathing in man usually consist of small deviations from normal sea-level responses. Rapid onset of bradycardia occurred at all four oxygen pressures investigated. This effect was accompanied by a rate-dependent reduction in cardiac output and a degree of systematic vasoconstriction which were small in magnitude and appeared to be functionally unimportant.

C.D.

#### A89-54629

##### CEREBRAL HEMODYNAMICS OF PILOTS UNDER MONITORED PHYSICAL LOADS [SOSTOIANIE GEMODINAMIKI GOLOVNOGO MOZGA U LETCHIKOV PRI DOZIROVANNYKH FIZICHESKIKH NAGRUZKAKH]

L. I. STARIKOV Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), June 1989, p. 45-49. In Russian. refs

The relationship between cerebral hemodynamics and the amount of physical exercise was investigated in pilots undergoing bicycle exercises of stepped intensity, using the partial-integral rheography method developed by Starikov (1986) to estimate the rate of brain-blood supply in 27 subjects undergoing gradually increasing bicycle exercises (loads of 58, 108, 133, and 158 Wt). It was found that subjects characterized by relatively low physical endurance exhibited disorders of cerebral hemodynamics, which were manifested most often during the period of restitution. I.S.

N89-29007# Los Alamos National Lab., NM. Neuromagnetism Lab.

##### MONTE CARLO ANALYSIS OF LOCALIZATION ERRORS IN MAGNETOENCEPHALOGRAPHY

PATRICIA A. MEDVICK, PAUL S. LEWIS, CHERYL AINE, and EDWARD R. FLYNN 1989 5 p Presented at the 7th International Conference on Biomagnetism, New York, NY, 14-18 Aug. 1989  
(Contract W-7405-ENG-36)  
(DE89-013221; LA-UR-89-1579; CONF-890849-2) Avail: NTIS HC A02/MF A01

In magnetoencephalography (MEG), the magnetic fields created by electrical activity in the brain are measured on the surface of the skull. To determine the location of the activity, the measured field is fit to an assumed source generator model, such as a current dipole, by minimizing chi-square. For current dipoles and other nonlinear source models, the fit is performed by an iterative least squares procedure such as the Levenberg-Marquardt algorithm. Once the fit has been computed, analysis of the resulting value of chi-square can determine whether the assumed source model is adequate to account for the measurements. If the source model is adequate, then the effect of measurement error on the fitted model parameters must be analyzed. Although these kinds of simulation studies can provide a rough idea of the effect that measurement error can be expected to have on source localization, they cannot provide detailed enough information to determine the effects that the errors in a particular measurement situation will produce. In this work, we introduce and describe the use of Monte Carlo-based techniques to analyze model fitting errors for real data. Given the details of the measurement setup and a statistical description of the measurement errors, these techniques determine the effects the errors have on the fitted model parameters. The

effects can then be summarized in various ways such as parameter variances/covariances or multidimensional confidence regions.

DOE

##### N89-29008# Los Alamos National Lab., NM. Life Sciences Div. TRANSIENT VISUAL EVOKED NEUROMAGNETIC RESPONSES: IDENTIFICATION OF MULTIPLE SOURCES

CHERYL AINE, J. GEORGE, PATRICIA A. MEDVICK, E. FLYNN, I. BODIS-WOLLNER, and S. SUPEK 1989 5 p Presented at the 7th International Conference on Biomagnetism, New York, NY, 14-18 Aug. 1989

(Contract W-7405-ENG-36)

(DE89-013438; LA-UR-89-1729; CONF-890849-1) Avail: NTIS HC A02/MF A01

Neuromagnetic measurements and associated modeling procedures must be able to resolve multiple sources in order to localize and accurately characterize the generators of visual evoked neuromagnetic activity. Workers have identified at least 11 areas in the macaque, throughout occipital, parietal, and temporal cortex, which are primarily or entirely visual in function. The surface area of the human occipital lobe is estimated to be 150 to 250 cm. Primary visual cortex covers approximately 26 sq cm while secondary visual areas comprise the remaining area. For evoked response amplitudes typical of human MEG data, one report estimates that a two-dipole field may be statistically distinguishable from that of a single dipole when the separation is greater than 1 to 2 cm. Given the estimated expanse of cortex devoted to visual processes, along with this estimate of resolution limits it is likely that MEG can resolve sources associated with activity in multiple visual areas. Researchers have noted evidence for the existence of multiple sources when presenting visual stimuli in a half field; however, they did not attempt to localize them. Numerous human MEG field patterns were examined resulting from different visual field placements of a small sinusoidal grating which suggest the existence of multiple sources. The analyses utilized for resolving multiple sources in these studies differ depending on whether there was evidence of: (1) synchronous activation of two spatially discrete sources, or (2) two discrete asynchronous sources. In some cases observed field patterns were observed which appear to be adequately explained by a single source changing its orientation and location across time.

DOE

N89-29009# Army Research Inst. of Environmental Medicine, Natick, MA.

##### THERMOREGULATORY COMPETENCE DURING EXERCISE TRANSIENTS IN A GROUP OF HEAT-ACCLIMATED YOUNG AND MIDDLE-AGED MEN IS INFLUENCED MORE DISTINCTLY BY MAXIMAL AEROBIC POWER THAN AGE

RICHARD R. GONZALEZ and KENT B. PANDOLF May 1989 7 p  
(AD-A209753; USARIEM-M48-89) Avail: NTIS HC A02/MF A01 CSDL 06/10

A fundamental change that occurs with advancing age is a diminishing maximal aerobic power (VO<sub>2</sub> max). In sedentary individuals the rate of decline in VO<sub>2</sub> max as a function of age is estimated at 10 percent per ten years after age 20 but becomes more gradual in endurance-trained individuals regardless of gender, approaching about 5 percent with each ten year span. It is thought that reduced sweating and vasomotor responses to heat stress indicate deterioration in thermoregulatory function. A scrutiny of thermoregulatory mechanisms in the aging process is necessary because other quantitative studies of actual efferent thermoregulatory drive point to a maintenance of thermoregulatory competence well into the sixth decade of life provided a level of aerobic fitness is sustained. Pandolf and others studied a group of nine young and nine middle-aged men having parallel body weights, skin surface areas, percent body fat and maximal aerobic power. These groups displayed almost equivalent thermoregulatory responses to comparable exercise and heat stress conditions following 10-days of heat acclimation. The present paper is an examination of the above study's thermoregulatory responses during exercise transients. Transient analysis to specific exercise/



## 52 AEROSPACE MEDICINE

heat stress provocation provides a clearer understanding of the influence of age and aerobic fitness on thermoregulatory control of sweating than steady-state analysis. GRA

**N89-29010#** Vision Sciences Research Corp., San Ramon, CA.  
**SUPRATHRESHOLD CONTRAST SENSITIVITY VISION TEST CHART Annual Progress Report**

ARTHUR P. GINSBURG 15 Jun. 1989 26 p

(Contract F49620-88-C-0083)

(AD-A209915) Avail: NTIS HC A03/MF A01 CSCL 06/4

This research period concentrated on the further design and development of a suprathreshold contrast sensitivity test chart with which to create a family of contrast matching functions. Three different chart configurations were developed and tested for suitability. Preliminary test-retest, subject instruction, and chart configuration experiments were completed. The results show good test-retest reliability. Individual differences in contrast matching using previously developed suprathreshold contrast sensitivity charts are also evident in these new data. Different subject instructions having the subjects either make the contrast judgements using global or local contrast analysis resulted in similar results. The spatial positioning of grating test patches appears to bias the contrast matches and warrants further investigation. Future research will finalize the suprathreshold contrast sensitivity chart configuration and compare the resulting contrast matching data to that obtained using a computer-video system and continuous contrast test increments. The final chart will be used for large population, clinical and performance testing. GRA

**N89-29011#** Harvard Univ., Cambridge, MA.  
**COMPONENTS OF HIGH-LEVEL VISION: A COGNITIVE NEUROSCIENCE ANALYSIS AND ACCOUNTS OF NEUROLOGICAL SYNDROMES Annual Report, Dec. 1987 - Dec. 1989**

STEPHEN M. KOSSLYN 28 Feb. 1989 89 p

(Contract AF-AFOSR-0012-88; AF PROJ. 2313)

(AD-A207848; TR-89-1; AFOSR-89-0628TR) Avail: NTIS HC A05/MF A01 CSCL 12/9

High level visual processes make use of stored information, and are invoked during object identification, navigation, tracking, and visual mental imagery. A theory of the component processing subsystems used in high level vision is examined. This theory was developed by considering neuroanatomical, neurophysiological, and computational constraints. The theory has led to three kinds of empirical work: First, specific claims associated with individual processing subsystems were tested. For example, the analysis of the representation of spatial relations led to the prediction that two subsystems are used to encode this information, and a set of experiments was conducted that provided support for this distinction. Second, predictions from the theory as a whole were formulated, and some of these predictions are now being tested. And third, the subsystems were implemented in a running computer simulation model, which was used to generate predictions about specific neurological syndromes. The model can be damaged in a variety of ways, and its performance on a set of tasks then observed. The experiments conducted to data and predictions from the computer model are summarized. In addition, the most common dysfunctions of vision following brain damage are reviewed, and accounts are offered by reference to the simulation model. GRA

**N89-29012#** Letterman Army Inst. of Research, San Francisco, CA.

**TRANSIENT VISUAL EFFECTS OF PROLONGED SMALL SPOT FOVEAL LASER EXPOSURE Report, Jan. - Mar. 1989**

HARRY ZWICK, DAVID O. ROBINS, and NAWIM MAGSOOD Mar. 1989 19 p

(AD-A207945; LAIR-373) Avail: NTIS HC A03/MF A01 CSCL 06/7

In recent experiments, the effects were evaluated of acute, threshold damage levels of small spot foveal laser exposure. These experiments revealed transient changes in acuity and contrast sensitivity lasting from 10 to 15 minutes postexposure. Following recovery from such effects, normal acuity and contrast sensitivity

are not necessarily degraded, although continuous exposure at these levels does result in parafoveal compensation for foveal damage and eventual deficit in fine visual acuity. Development of a test of foveal function during and after small spot foveal exposure was the primary objective of this investigation. This objective was accomplished. At retinal damage levels, only a small focal foveal lesion was observed indicating the ability to utilize the fovea during such exposure. Postexposure recovery effects analyzed for target size and contrast conditions suggest retinal and possibly cortical saturation processes. GRA

**N89-29013#** Army Command and General Staff Coll., Fort Leavenworth, Kansas. School of Advanced Military Studies.

**SLEEP DEPRIVATION AND ITS EFFECT ON COMBAT EFFECTIVENESS Report, 1988 - 1989**

CLINTON T. ANDERSON 26 Nov. 1988 46 p

(AD-A207970) Avail: NTIS HC A03/MF A01 CSCL 06/10

The effects of sleep loss on the combat effectiveness of the US Army's leaders and soldiers were examined. It begins with an examination of U.S. and Soviet doctrine for conducting continuous operations. This section discusses the doctrinal methods and procedures that both major powers employ to maintain continuous pressure on their opponent. After laying the theoretical groundwork, it then examines the changes that have occurred in tactical force design since World War 2 to determine what was done to enhance or degrade the ability to execute that doctrine. After this discussion on the mechanical aspect of combat, the paper discusses the effects of sleep loss on units and the individual soldier. It concludes that the U.S. Army currently has no doctrine for the conduct of combat over an extended period of time. Adequate doctrine was provided for the conduct of operations in periods of both limited and unlimited visibility, but the doctrine necessary to transition to continuous operations is not available. Furthermore, recent changes in the force structure of combat units (primarily Armor and Mechanized Infantry) have significantly reduced the redundancy and robustness in those units that is necessary to conduct continuous operations. During continuous operations, the units will be effected by loss of sleep. Sleep deprivation affects the cognitive skills of the leaders greater than the physical skills of the soldiers. GRA

**N89-29014#** Brigham and Women's Hospital, Boston, MA.

**A PROGRAM FOR THE STUDY OF SKELETAL MUSCLE CATABOLISM FOLLOWING PHYSICAL TRAUMA Annual Report, 21 Feb. 1988 - 20 Feb. 1989**

DOUGLAS W. WILMORE 15 Mar. 1989 10 p

(Contract DAMD17-86-C-6157; DA PROJ. 351-62772-A-874)

(AD-A207983; AD-E951354) Avail: NTIS HC A02/MF A01 CSCL 06/5

Following injury or infection there is accelerated net breakdown of skeletal muscle protein associated with negative nitrogen balance. A variety of factors influence this response, including food intake, inactivity and the hormonal environment. In studies that control for food intake and exercise, infusion of the catabolic hormones causes negative nitrogen balance but does not account for the accelerated proteolysis that occurs following moderate to severe injury. The recent recognition that injured tissue or invasive infection stimulates the production of a variety of cytokines has caused a variety of investigators to hypothesize that these mediators may serve as the signal to accelerate skeletal muscle proteolysis. Some of the initial in vitro studies have suggested that increased skeletal muscle protein breakdown may be simulated by activation of the cyclooxygenase pathway. Others have presented data which demonstrates that proteolysis may continue even when prostinoid mechanisms are not activated. Infusion of Prostaglandin E2 (PGE2) into the single hind leg of the dog failed to stimulate the increased release of amino acids. Additional animals underwent lumbar sympathectomy and then sympathetic nerve stimulation. Following sympathectomy, leg blood flow increased, and with stimulation leg blood flow returned toward control values. Glucose Flux did not change in either leg throughout the study and was similar in both hind limbs. Amino acid analysis is presently in process. GRA

**N89-29015#** Defence and Civil Inst. of Environmental Medicine, Downsview (Ontario).

**CANADIAN FORCES AIRCREW EJECTION, DESCENT, AND LANDING INJURIES, 1 JANUARY 1975 - 31 DECEMBER 1987**

WAYNE R. STURGEON Jan. 1989 21 p  
(AD-A208116; DCIEM-88-RR-56) Avail: NTIS HC A03/MF A01 CSCL 06/10

During the 13 year period from January 1975 through December 1987, there were 78 attempted ejections from Canadian Forces (CF) aircraft of which 67 were successful. Fifty-eight of these ejectionees received injuries from four main causative mechanisms: harness (restraint and parachute), body contact with cockpit surroundings during ejection, windblast force, and ejection acceleration force. Nineteen individuals (28.3 percent) received major injuries (dislocations, fractures, connective tissue injury, and organ contusion) from ejection jolt, windblast flail, collision with the seat structure, and landing. Fourteen of these individuals (20.9 percent) suffered fractured vertebrae, six (8.7 percent) during ejection and eight (12.2 percent) during landing. Minor injuries were primarily superficial abrasions, contusions, and lacerations. The majority of these were caused by the harness system (ballistic inertia reel yoke and parachute saddle), followed by windblast pressure on the helmet and oxygen mask, and lastly, contact with cockpit surroundings during ejection. Aircrew factors that contributed to injury were: improper position on ejection, loose restraint system and parachute harness, loose oxygen mask and helmet, and failure to release the seat pack prior to landing.

GRA

**N89-29016\*#** National Aeronautics and Space Administration, Ames Research Center, Moffett Field, CA.

**MUSCLE CHANGES WITH ECCENTRIC EXERCISE: IMPLICATIONS ON EARTH AND IN SPACE**

ALAN R. HARGENS, SCOTT PARAZYNSKI, MICHAEL ARATOW, and JAN FRIDEN (Umea Univ., Sweden) Aug. 1989 17 p  
Presented at the International Society for Myochemistry Meeting, Nice, France, 12-14 Oct. 1989 Sponsored by Swedish Medical Research Council; Tore Nilsson Foundation; Swedish Sports Research Council  
(Contract NIH-AM-25501)  
(NASA-TM-102227; A-89224; NAS 1.15:102227) Avail: NTIS HC A03/MF A01 CSCL 06/16

Recent investigations of fluid pressure, morphology, and enzyme activities of skeletal muscle exercised eccentrically or concentrically in normal human subjects are reviewed. Intramuscular pressures were measured before, during, and after submaximal exercise and correlated with subjective muscle soreness, fiber size, water content, and blood indices of muscle enzymes. High intensity eccentric exercise is characterized by post exercise pain, elevated intramuscular pressures, and swelling of both type 1 and 2 fibers as compared to concentric exercise. Thus, long periods of unaccustomed, high level eccentric contraction may cause muscle injury, fiber swelling, fluid accumulation, elevated intramuscular pressure, and delayed muscle soreness. Training regimens of progressively increasing eccentric exercise, however, cause less soreness and are extremely efficacious in increasing muscle mass and strength. It is proposed that on Earth, postural muscles are uniquely adapted to low levels of prolonged eccentric contraction that are absent during weightlessness. The almost complete absence of eccentric exercise in space may be an important contributor to muscle atrophy and therefore equipment should be designed to integrate eccentric contractions into exercise protocols for long-term spaceflight.

Author

**N89-29017\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, TX.

**VISUAL SUPPRESSION OF THE VESTIBULO-OCULAR REFLEX DURING SPACE FLIGHT**

JOHN J. URI, WILLIAM E. THORNTON, THOMAS P. MOORE (Methodist Hospital, Indianapolis, IN.), and SAM L. POOL Aug. 1989 14 p

(NASA-TM-102157; S-598; NAS 1.15:102157) Avail: NTIS HC A03/MF A01 CSCL 06/16

Visual suppression of the vestibulo-ocular reflex was studied in 16 subjects on 4 Space Shuttle missions. Eye movements were recorded by electro-oculography while subjects fixated a head mounted target during active sinusoidal head oscillation at 0.3 Hz. Adequacy of suppression was evaluated by the number of nystagmus beats, the mean amplitude of each beat, and the cumulative amplitude of nystagmus during two head oscillation cycles. Vestibulo-ocular reflex suppression was unaffected by space flight. Subjects with space motion sickness during flight had significantly more nystagmus beats than unaffected individuals. These susceptible subjects also tended to have more nystagmus beats before flight.

Author

**N89-29018#** Southampton Univ. (England). Inst. of Sound and Vibrational Research.

**A STUDY OF THE EFFECT OF STIMULUS UPON THE REFLEX RESPONSE AS ELICITED AND RECORDED BY THE TYMPANIC MEMBRANE DISPLACEMENT MEASUREMENT DEVICE**

S. M. MOSS, R. J. MARCHBANKS, and A. M. MARTIN Mar. 1989 71 p Sponsored by the Action Research for the Crippled Child and the Medical Research Council, United Kingdom  
(ISVR-TR-177; ETN-89-95531) Avail: NTIS HC A04/MF A01

The possibility of using a ramp stimulus to obtain the reflex response as measured by the Tympanic Membrane Displacement (TMD) technique is investigated. Three reflex growth functions produced from three stimuli used upon the same individual are constructed. The first growth function is constructed using three intensities of the routinely used stimulus. The second using just the response to the routinely used stimulus at 115 decibels sound pressure level, and the third an intensity ramp stimulus. The ramp stimulus is repeated, and two analysis techniques are used upon both results. The study leads to the conclusion that the decision as to whether a ramp stimulus can be used to elicit the reflex depends on the experience of the tester to interpret the reflex response. If the test is to be performed by inexperienced operators, then it is better that three separate reflex responses are obtained.

ESA

**N89-29950\*** National Aeronautics and Space Administration, Washington, DC.

**AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 326)**

Feb. 1989 50 p  
(NASA-SP-7011(326); NAS 1.21:7011(326)) Avail: NTIS HC A03; NTIS standing order as PB89-912300, \$10.50 domestic, \$21.00 foreign CSCL 06/5

This bibliography lists 108 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during July, 1989. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance.

Author

**N89-29951\*** National Aeronautics and Space Administration, Washington, DC.

**AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 327)**

Feb. 1989 53 p  
(NASA-SP-7011(327); NAS 1.21:7011(327)) Avail: NTIS HC A03; NTIS standing order as PB89-912300, \$10.50 domestic, \$21.00 foreign CSCL 06/5

This bibliography lists 127 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during August, 1989. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance.

Author

**N89-29952#** School of Aerospace Medicine, Brooks AFB, TX.  
**USAF STANDARDIZED 100 PERCENT OXYGEN DELIVERY SYSTEM Final Report, Mar. - Nov. 1988**  
 DAVID W. PRIDGEN, THOMAS M. SUNDLY, NEAL BAUMGARTNER, and DARRELL W. CRISWELL Dec. 1988 33 p  
 (AD-A208075; USAFSAM-TR-88-39) Avail: NTIS HC A03/MF A01 CSCL 06/12

The U.S. Air Force (USAF) medical treatment facilities are provided with a standardized method of delivering 100 percent O<sub>2</sub> via an aviator's oxygen mask to patients suffering from decompression sickness, carbon monoxide poisoning, and other ailments which require the administration of 100 percent O<sub>2</sub>. Studies show that administration of 100 percent O<sub>2</sub> is the most effective method of treating decompression sickness and carbon monoxide poisoning short of hyperbaric oxygen therapy. However, the options for delivering 100 percent O<sub>2</sub> to a patient under present conditions are highly varied and ineffective; very few methods ever deliver 100 percent O<sub>2</sub> to the patient. The standardized 100 percent O<sub>2</sub> delivery system replaces the standard hospital oxygen equipment with a Pressure demand oxygen system that has the capability of delivering 100 percent O<sub>2</sub> uninterrupted from the time of diagnosis in the emergency room to the time the patient arrives at the hyperbaric treatment facility. GRA

## 53

## BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

**A89-52806**  
**MULTIFACTOR STUDY OF RELATIVE POSTIRRADIATION CHANGES IN VARIOUS TYPES OF BEHAVIORAL REACTIONS IN RATS [MNOGOFAKTORNOE ISSLEDOVANIE OTNOSITEL'NYKH POSTLUCHEVYKH IZMENENII RAZLICHNYKH KATEGORII POVEDENCHESKIKH REAKTSII KRYIS]**

B. I. DAVYDOV, V. S. TIKHONCHUK, V. N. KARPOV, and I. B. USHAKOV Radiobiologiya (ISSN 0033-8192), vol. 29, May-June 1989, p. 367-374. In Russian. refs

The effects of exposing rats to gamma rays (of doses between 0.258 and 1.29 C/kg) prior to the performance of a behavioral task, and of the degree of strengthening of the conditioned reflex on the probability of behavioral disturbances were investigated. Results of observations indicated that an exposure of rats to gamma rays leads to decreases, in a discrete manner, in the probability of making the first decision in a behavioral task. It was found that both the dose and the degree of strengthening of the conditioned reflex significantly affected the probability of fulfilling the task by the animals. The effect of the interaction of the two factors was not significant. I.S.

**A89-53328\*** Purdue Univ., West Lafayette, IN.  
**SEEING TONES AND HEARING RECTANGLES - ATTENDING TO SIMULTANEOUS AUDITORY AND VISUAL EVENTS**  
 PATRICIA A. CASPER and BARRY H. KANTOWITZ (Purdue University, West Lafayette, IN) IN: Trends in ergonomics: Human factors II. Amsterdam, North-Holland, 1985, p. 41-50. refs (Contract NCC2-228)

The allocation of attention in dual-task situations depends on both the overall and the momentary demands associated with both tasks. Subjects in an inclusive- or reaction-time task responded to changes in simultaneous sequences of discrete auditory and visual stimuli. Performance on individual trials was affected by (1) the ratio of stimuli in the two tasks, (2) response demands of the two tasks, and (3) patterns inherent in the demands of one task.

Author

**A89-53659#**  
**APTITUDE SELECTION FOR OPERATORS OF COMPLEX TECHNICAL SYSTEMS [EIGNUNGS-AUSWAHL VON OPERATEUREN KOMPLEXER TECHNISCHER SYSTEME]**  
 PETER MASCHKE (DLR, Hamburg, Federal Republic of Germany) Ortung und Navigation (ISSN 0474-7550), vol. 30, no. 2, 1989, p. 176-183. In German.

The psychological evaluation procedures employed by the FRG aerospace agency DLR in selecting prospective air and space crew members, air-traffic controllers, etc. are reviewed. The role of human error in aerospace accidents is recalled; the inadequacy of biographical data, educational records, and physical examination results as predictors of performance in operating complex systems is pointed out; and particular attention is given to the process of aptitude diagnosis, the aptitude criteria (knowledge, operational characteristics, and personality traits), and selection principles. It is shown on the basis of statistical analysis that the DLR psychological aptitude tests are able to increase the candidate success rate, as measured by performance in training programs and on the job. Also discussed are the economic and safety benefits of accurate selection. T.K.

**A89-54523**  
**OCULAR RESPONSES TO LINEAR MOTION ARE INVERSELY PROPORTIONAL TO VIEWING DISTANCE**

U. SCHWARZ, C. BUSETTINI, and F. A. MILES (NIH, Laboratory of Sensorimotor Research, Bethesda, MD) Science (ISSN 0036-8075), vol. 245, Sept. 22, 1989, p. 1394-1396. refs

Eye movements exist to improve vision, in part by preventing excessive retinal image slip. A major threat to the stability of the retinal image comes from the observer's own movement, and there are visual and vestibular reflexes that operate to meet this challenge by generating compensatory eye movements. The ocular responses to translational disturbances of the observer and of the scene were recorded from monkeys. The associated vestibular and visual responses were both linearly dependent on the inverse of the viewing distance. Such dependence on proximity is appropriate for the vestibular reflex, which must transform signals from Cartesian to polar coordinates, but not for the visual reflex, which operates entirely in polar coordinates. However, such shared proximity effects in the visual reflex could compensate for known intrinsic limitations that would otherwise compromise performance at near viewing. Author

**N89-29019#** Air Force Human Resources Lab., Brooks AFB, TX.

**PREVENTION, REDUCTION, AND MEASUREMENT OF COMBAT STRESS REACTIONS: A BIBLIOGRAPHY Interim Paper May 1986 - Nov. 1988**

CHERYL L. BATCHELOR Jun. 1989 17 p  
 (AD-A209375; AFHRL-TP-88-61) Avail: NTIS HC A03/MF A01 CSCL 05/8

The Combat Logistics Branch of the Air Force Human Resources Laboratory's Logistics and Human Factors Division is tasked with developing programs and methods which will enhance aircraft maintenance performance in peacetime as well as in combat environments. This focus on aircraft maintenance is the real lifeline of the Air Force because without effective and efficient aircraft maintenance, the routine maintenance tasks, as well as troubleshooting repairs, would not be accomplished. If routine maintenance and troubleshooting repairs were not accomplished, the required combat sortie generation rate would not be achieved. If the required combat sortie generation rate were not achieved, then U.S. air superiority could not be attained. This bibliography lists source documents relevant to combat stress. While this list is certainly not all-inclusive, the documents listed served as a basis for current research efforts in the area of combat stress. Other areas are also important, but these areas have been studied extensively. Aircraft maintenance personnel are tasked to repair the aircraft and let someone else take care of the enemy. A similar situation exists for other support personnel as well. As this bibliography illustrates, there is very little information available on

the peacetime stresses of aircraft maintenance personnel. Information about their reactions in combat is even scarcer.

GRA

**N89-29020\*#** Massachusetts Inst. of Tech., Cambridge. Space Systems Lab.

**SPACECRAFT FLIGHT SIMULATION: A HUMAN FACTORS INVESTIGATION INTO THE MAN-MACHINE INTERFACE BETWEEN AN ASTRONAUT AND A SPACECRAFT PERFORMING DOCKING MANEUVERS AND OTHER PROXIMITY OPERATIONS**

ADAM R. BRODY Sep. 1988 97 p

(Contract NAGW-21)

(NASA-CR-177502; NAS 1.26:177502) Avail: NTIS HC A05/MF A01 CSCL 05/9

The anticipated increase in rendezvous and docking activities in the various space programs in the Space Station era necessitates a renewed interest in manual docking procedures. Ten test subjects participated in computer simulated docking missions in which the influence of initial velocity was examined. All missions started from a resting position of 304.8 meters (1000 feet) along the space station's +V-bar axis. Test subjects controlled their vehicle with a translational hand controller and digital auto pilot which are both virtually identical to their space shuttle counterparts. While the 0.1 percent rule (range rate is equal to 0.1 percent of the range) used by space shuttle pilots is comfortably safe, it is revealed to be extremely inefficient in terms of time and not justifiable in terms of marginal safety. Time is worth money, not only because of training and launch costs, but because the sooner a pilot and spacecraft return from a mission, the sooner they can begin the next one. Inexperienced test subjects reduced the costs of simulated docking by close to a factor of 2 and achieved safe dockings in less than 4 percent of the time the baseline approach would entail. This reduction in time can be used to save lives in the event of an accident on orbit, and can tremendously reduce docking costs if fuel is produced from waste water on orbit.

Author

## 54

### MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

**A89-52560#**

**INTEGRATED DYNAMIC PLANNING IN THE PILOT'S ASSOCIATE**

C. A. LEAVITT and D. M. SMITH (Lockheed Aeronautical Systems Co., Marietta, GA) IN: AIAA Guidance, Navigation and Control Conference, Boston, MA, Aug. 14-16, 1989, Technical Papers. Part 1. Washington, DC, American Institute of Aeronautics and Astronautics, 1989, p. 327-331. refs (AIAA PAPER 89-3464)

The design of the Pilot's Associate (PA) being developed under DARPA sponsorship to provide AI-based assistance to the pilots of advanced fighter aircraft is described, with a focus on the real-time modification of plans during a deep interdiction mission. In the PA, planning functions are divided among the Mission Planner, the Tactics Planner, and the pilot (via the Pilot-Vehicle Interface). The AI approach in the PA is to combine expertise from different disciplines (represented as a hypothetical four-man crew) and integrate it to provide real-time responses to the single-pilot user. Particular attention is given to the communication between experts via a plan-goal graph, planning integration, and dynamic application of the Mission Planner.

T.K.

**A89-52610#**

**EFFECTS OF BIODYNAMIC COUPLING ON THE HUMAN OPERATOR MODEL**

S. J. MERHAV (Technion - Israel Institute of Technology, Haifa) and M. IDAN IN: AIAA Guidance, Navigation and Control Conference, Boston, MA, Aug. 14-16, 1989, Technical Papers. Part 1. Washington, DC, American Institute of Aeronautics and Astronautics, 1989, p. 816-826. refs (AIAA PAPER 89-3518)

This paper addresses the problem whether, and how, the response of the human operator and his associated describing function are influenced by cockpit motion induced by his own control commands. It is suggested that the motion-induced biodynamic stick feedthrough affecting the inner kinesthetic control loop can be interpreted as a modification of the dynamics of the controlled vehicle. By assuming that the crossover model remains valid under conditions of vehicle motion, an extended analytical model of the human operator describing function is derived. Computer simulation of this analytical model provides reference characteristics of the describing function and remnant noise. A validation of this model, accomplished by extensive dynamical tests on a moving base simulator, is described.

Author

**A89-52647\*#** Case Western Reserve Univ., Cleveland, OH.

**NEW RESULTS CONCERNING THE USE OF KINEMATICALLY REDUNDANT MANIPULATORS IN MICROGRAVITY ENVIRONMENTS**

R. D. QUINN and N. J. LIN (Case Western Reserve University, Cleveland, OH) IN: AIAA Guidance, Navigation and Control Conference, Boston, MA, Aug. 14-16, 1989, Technical Papers. Part 2. Washington, DC, American Institute of Aeronautics and Astronautics, 1989, p. 1150-1157. refs (Contract NAG3-761)

(AIAA PAPER 89-3562)

This paper is concerned with the development of control strategies for kinematically redundant manipulators to be used in Space Station laboratories. These robots must be able to conduct experiments and manufacturing processes without disturbing the microgravity environment, and thus their dynamic base reactions/motions must be nearly eliminated. Redundant degrees of freedom permit the inverse kinematics problem to be solved in conjunction with the minimization of a cost function defined as a weighted sum of the base reactions. It is shown that the weights in the cost function should be used as an additional set of parameters in the minimization problem. The actual performance of the local optimal trajectory approach is demonstrated to be not as good as was previously reported.

Author

**A89-52713#**

**PILOT'S ASSOCIATE - AN INFLIGHT MISSION PLANNING APPLICATION**

J. D. CORRIGAN and K. J. KELLER (McDonnell Aircraft Co., Saint Louis, MO) AIAA, Guidance, Navigation and Control Conference, Boston, MA, Aug. 14-16, 1989. 18 p. Research supported by DARPA.

(Contract F33615-86-C-3802)

(AIAA PAPER 89-3462)

A pilot's associate system has been developed to support the pilot in a battlefield air-interdiction mission. The system, which has been demonstrated in manned air-combat simulator, generates alternative mission plans in response to events such as pop-up threats, a resource depletion, or a mission redirect. Its mission-planning capabilities include selecting waypoints and generating a route plan, representing threat potential in a danger map, scheduling resources, alerting the pilot to special mission events (e.g., fence check), and providing target area planning. The planning process is interfaced to a flight manager which drives steering cues on the head-up display or flies the aircraft if autopilot is selected.

Author

**A89-53227**

## **A REVIEW OF THE EFFECTS OF TRANSLATIONAL WHOLE-BODY VIBRATION ON CONTINUOUS MANUAL CONTROL PERFORMANCE**

R. W. MCLEOD and M. J. GRIFFIN (Southampton, University, England) *Journal of Sound and Vibration* (ISSN 0022-460X), vol. 133, Aug. 22, 1989, p. 55-115. refs

A review of the literature concerned with experimental studies of the effects of translational whole-body vibration on continuous manual control performance is presented. Results from studies of the effects of vibration variables (vibration frequency, magnitude, axis, random vibration and multi-axis vibration) are compared. Evidence of the influence of control system variables (physical characteristics of the control, control gain, system dynamics and display variables) is also provided. Studies of the effects of vibration duration on manual control performance are reviewed separately. A behavioral model is presented to summarize the mechanisms (including vibration breakthrough, visual impairment, neuromuscular interference and central effects) by which whole-body vibration may interfere with the performance of continuous manual control tasks. The model emphasizes the adaptive ability of the human operator. Author

**A89-53422**

## **CONTROLLER DESIGN IN THE PHYSICAL DOMAIN (APPLICATION TO ROBOT IMPEDANCE CONTROL)**

ANDRE SHARON, NEVILLE HOGAN, and DAVID E. HARDT (MIT, Cambridge, MA) IN: 1989 IEEE International Conference on Robotics and Automation, Scottsdale, AZ, May 14-19, 1989, Proceedings. Volume 1. Washington, DC, IEEE Computer Society Press, 1989, p. 552-559. refs

Design in the physical domain is proposed as a means of integrating control systems design with mechanical systems design. It is shown how this philosophy can lead to a robot architecture (macro/micromanipulator) that is inherently stable and well suited for high-bandwidth endpoint position and force control. Experimental verification is presented. A force-control bandwidth of 60 Hz, 32 times higher than the first structural mode of the robot, was achieved against an environment that is five times stiffer than the robot structure. An endpoint-position-control bandwidth of 28 Hz, 15 times higher than the first structural mode of the robot, was also achieved. This is beneficial in regulating interface forces and modulating endpoint impedance. I.E.

**A89-53455#**

## **SPACE ROBOTICS - AUTOMATA IN UNSTRUCTURED ENVIRONMENTS**

RONALD LUMIA (NIST, Robot Systems Div., Gaithersburg, MD) IN: 1989 IEEE International Conference on Robotics and Automation, Scottsdale, AZ, May 14-19, 1989, Proceedings. Volume 3. Washington, DC, IEEE Computer Society Press, 1989, p. 1467-1471. refs

The problems associated with the development of robots for space applications are reviewed. Within the Space Station context, robots will operate in a relatively unstructured environment and must have the ability to deal with unexpected events; hence a great deal of experimentation is required to determine the best algorithms for task decomposition, world modeling, and sensory processing. The NASA/NBS Standard Reference Model for telerobot systems (NASREM), an architecture which supports the evolutionary development of the robot, is presented. NASREM forms the basis for a testbed system which allows researchers to develop, test, and evaluate different hardware and software approaches. NASREM is also used in the telerobot, so that the transition from the teleoperated mode to more autonomous modes of robot operation is gradual rather than abrupt. NASREM has been adopted by NASA for the Flight Telerobotic Servicer, a two-armed robot intended to help build and maintain the Space Station. I.E.

**A89-53463\*** New York Univ., New York.

## **CALIBRATING A VPL DATAGLOVE FOR TELEOPERATING THE UTAH/MIT HAND**

JIAWEI HONG and XIAONAN TAN (New York University, NY) IN: 1989 IEEE International Conference on Robotics and Automation, Scottsdale, AZ, May 14-19, 1989, Proceedings. Volume 3. Washington, DC, IEEE Computer Society Press, 1989, p. 1752-1757.

(Contract NAG2-493; NSF DCR-83-20085)

A system able to control the Utah/MIT hand with the VPL DataGlove has been developed. To get the actual joint angles from the DataGlove sensor values, a least-squares fit is used to find the best-fit exponential curve for each sensor, and then the correlation between the sensors is reduced by the iterative correlation elimination procedure. The calibration depends both on the wearer and the particular DataGlove being used. The first-level calibration is simple and can be done under 15 min with experience. The second level is fixed and requires no adjustments. To control the hand, a mapping from the DataGlove angles to the hand angles is applied, making the hand fingertips follow the DataGlove fingertips. The hand can successfully implement various high-level tasks under the DataGlove wearer's control. I.E.

**A89-53464**

## **TRANSFORMATION OF HUMAN HAND POSITIONS FOR ROBOTIC HAND CONTROL**

LUCY PAO (Stanford University, Palo Alto, CA) and THOMAS H. SPEETER (AT&T Bell Laboratories, Holmdel, NJ) IN: 1989 IEEE International Conference on Robotics and Automation, Scottsdale, AZ, May 14-19, 1989, Proceedings. Volume 3. Washington, DC, IEEE Computer Society Press, 1989, p. 1758-1763. refs

A method for using the human hand as a multi-DOF teaching device is described. The algorithm is based on a functional analysis of the human hand and results in an algebraic transformation of human hand positions to corresponding positions in a target domain. The target domain should be of lower dimensionality (fewer degrees of freedom) than the human hand, but is not constrained in any other way. The target described here is a 16-DOF robotic hand with four fingers of four joints each. The target need not, however, be a handlike device but, for each use, should have a kinematic structure with poses similar in functionality to natural poses of the human hand. I.E.

**A89-53465\*** Jet Propulsion Lab., California Inst. of Tech., Pasadena.

## **STABILITY AND PERFORMANCE TRADEOFFS IN BI-LATERAL TELEMANNIPULATION**

BLAKE HANNAFORD (California Institute of Technology, Jet Propulsion Laboratory, Pasadena) IN: 1989 IEEE International Conference on Robotics and Automation, Scottsdale, AZ, May 14-19, 1989, Proceedings. Volume 3. Washington, DC, IEEE Computer Society Press, 1989, p. 1764-1767. refs

Kinesthetic force feedback provides measurable increase in remote manipulation system performance. Intensive computation time requirements or operation under conditions of time delay can cause serious stability problems in control-system design. Here, a simplified linear analysis of this stability problem is presented for the forward-flow generalized architecture, applying the hybrid two-port representation to express the loop gain of the traditional master-slave architecture, which can be subjected to similar analysis. The hybrid two-port representation is also used to express the effects on the fidelity of manipulation or feel of one design approach used to stabilize the forward-flow architecture. The results suggest that, when local force feedback at the slave side is used to reduce manipulator stability problems, a price is paid in terms of telemanipulation fidelity. I.E.

**A89-53831\*#** National Aeronautics and Space Administration, Langley Research Center, Hampton, VA.

## **TELEROBOTIC RESEARCH FOR IN-SPACE STRUCTURAL ASSEMBLY AND SERVICING**

ALFRED J. MEINTEL, JR. (NASA, Langley Research Center, Hampton, VA) Space Artificial Intelligence Robotics/Automation Symposium, Tokyo, Japan, Oct. 16-19, 1989, Paper. 9 p. refs

The paper reviews Langley's Telerobotic Technology Program and the recent and planned research in automated space assembly.

Research areas include multiple manipulator coordination and control, automatic modes, evaluation of control modalities for teleoperated tasks, active sensing for world modeling and control, and architectures for distributed telerobotic systems. Studies of master/slave teleoperators performing representative space tasks showed that current teleoperator systems can be used to accomplish remote space operations. These studies also identified that research is required to improve the systems to reduce operator workload and task completion time. Closed-loop noncontact and contact sensor based control for automatic acquisition, positioning, and active compliance have been developed. A control structure for multiple manipulator coordination and control with manual, shared, and automatic modes performing space type tasks is being evaluated. C.E.

#### A89-54226

##### ABSORBED DOSE MEASUREMENTS ON EXTERNAL SURFACE OF KOSMOS-SATELLITES WITH GLASS THERMOLUMINESCENT DETECTORS

IU. A. AKATOV, V. V. ARKHANGEL'SKII, E. E. KOVALEV (Institut Mediko-Biologicheskikh Problem, Moscow, USSR), F. SPURNY, and I. VOTOCHKOVA (Czechoslovak Academy of Sciences, Institute of Radiation Dosimetry, Prague, Czechoslovakia) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 237-241. refs

In this paper, absorbed dose measurements with glass thermoluminescent detectors on external surface of satellites of Kosmos-serie flying in 1983-87 are presented. Experiments were performed with thermoluminescent aluminophosphate glasses of thicknesses 0.1, 0.3, 0.4, 0.5, and 1 mm. They were exposed in sets of total thickness between 5 and 20 mm, which were protected against sunlight with thin aluminized foils. In all missions, extremely high absorbed dose values were observed in the first layers of detectors, up to the thickness of 0.2 to 0.5 g/sq cm. These experimental results confirm that, during flights at 250 to 400 km, doses on the surface of the satellites are very high, due to the low energy component of the proton and electron radiation.

Author

#### A89-54227\* Rockwell International Corp., Houston, TX. A PARAMETRIC STUDY OF SPACE RADIATION EXPOSURES TO CRITICAL BODY ORGANS FOR LOW EARTH ORBIT MISSIONS

W. ATWELL, E. R. BEEVER (Rockwell International Corp., Houston, TX), and A. C. HARDY (NASA, Johnson Space Center, Houston, TX) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 243-245. refs

It is shown that it is possible to calculate the extent of the exposure to space radiation of a specific body organ. Using a computerized anatomical man model and models of radiation environments and spacecraft shielding, a parametric study was carried out for several Space-Shuttle scenarios. The dose equivalent data for several blood-forming organ locations are presented (for a solar-minimum epoch) as a function of altitude and the shielding material, and the results are compared with the NASA crew exposure limits for these body organs. I.S.

#### A89-54228

##### SPACE RADIATION DOSIMETRY WITH ACTIVE DETECTIONS FOR THE SCIENTIFIC PROGRAM OF THE SECOND BULGARIAN COSMONAUT ON BOARD THE MIR SPACE STATION

TS. P. DACHEV, IU. N. MATVIICHUK, I. V. SEMKOVA, R. T. KOLEVA, B. BOICHEV (B'lgarska Akademiia na Naukite, Tsentralna Laboratoriia za Kosmicheski Izsledvaniia, Sofia, Bulgaria) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation

Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 247-251. refs

A dosimetry-radiometry system has been developed at the Space Research Institute of the Bulgarian Academy of Science to measure the fluxes and dose rates on the flight of the second Bulgarian cosmonaut. The dosimetry system is designed for monitoring the different space radiations, such as solar cosmic rays and trapped particles in the earth radiation belts. The system consists of a battery operated small size detector unit and a 'read-write' and telemetry microcomputer unit. The sensitivity of the instrument permits high resolution measurements of the flux and dose rate along the track of the Mir space station. The paper presents the initial results for the period of the flight between June 7-17, 1988. Author

#### A89-54229

##### MODELING OF THE RADIATION EXPOSURE DURING THE FLIGHT OF THE SECOND BULGARIAN COSMONAUT ON BOARD THE MIR SPACE STATION

TS. P. DACHEV, IU. N. MATVIICHUK, N. G. BANKOV, R. T. KOLEVA, P. I. VELLINOV (B'lgarska Akademiia na Naukite, Tsentralna Laboratoriia za Kosmicheski Izsledvaniia, Sofia, Bulgaria) et al. (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 253-255. refs

An experiment involving active detection of space radiation was carried out in the Space Research Institute (SRI) of Bulgarian Academy of Sciences, in preparation of the flight of the second Bulgarian cosmonaut. The radiations that would be encountered on the flight were modeled, including solar and Galactic cosmic rays and the particle radiation in the earth's radiation belts. The dose rate was calculated for these different radiations behind the shielding of the space station. The variations in dose rates over the period of the flight were calculated and compared with measurements made during the orbit of the Mir space station. The calculated and measured dose rates agreed within 15.35 percent. Author

#### A89-54230\* Severn Communications Corp., Millersville, MD. MODEL ANALYSIS OF SPACE SHUTTLE DOSIMETRY DATA

J. R. LETAW (Severn Communications Corp., Millersville, MD), R. SILBERBERG, C. H. TSAO (U.S. Navy, E. O. Hulburt Center for Space Research, Washington, DC), and E. V. BENTON (San Francisco, University, CA) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) *Advances in Space Research* (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 257-260. refs  
(Contract DPR-T3452P; N00014-87-C-2251)

An extensive model analysis of plastic track detector measurements of high-LET particles on the Space Shuttle has been performed. Three Shuttle flights: STS-51F (low-altitude, high-inclination), STS-51J (high-altitude, low-inclination), and STS-61C (low-altitude, low-inclination) are considered. The model includes contributions from trapped protons and Galactic cosmic radiation, as well as target secondary particles. Target secondaries, expected to be of importance in thickly shielded space environments, are found to be a significant component of the measured LET (linear energy transfer) spectra. Author

#### A89-54231\* National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD. EFFECTIVE RADIATION REDUCTION IN SPACE STATION AND MISSIONS BEYOND THE MAGNETOSPHERE

THOMAS M. JORDAN (EMP Consultants, Gaithersburg, MD) and E. G. STASSINOPOULOS (NASA, Goddard Space Flight Center, Greenbelt, MD) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988)



Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 261-274. refs

This paper investigates the efficiency of low- and high-atomic number materials used as protective shields against biologically effective radiation in doses equivalent to those expected in low-earth-orbit and interplanetary manned missions. Results are presented on calculations for single-material shields from polyethylene, water, Be, Al, Fe, and Ta and multilayer shields made from the combinations of any two or any three of these materials, for both LEO and interplanetary conditions. It is shown that, whereas for protons and Galactic cosmic rays the ordering of shield materials has a negligible effect, for electrons and secondary bremsstrahlung, both the order and the composition are important parameters. It was found that low-atomic-number materials are most effective shields against protons and galactic cosmic rays, and are most effective in decreasing bremsstrahlung production, while high-atomic-number shields are the best attenuators of both primary electrons (if the dose is dominated by primary electrons) and secondary bremsstrahlung (if this is produced). I.S.

#### A89-54232

##### STRATEGIES FOR DEALING WITH SOLAR PARTICLE EVENTS IN MISSIONS BEYOND THE MAGNETOSPHERE

G. R. HECKMAN, W. J. WAGNER, J. W. HIRMAN, and J. M. KUNCHES (NOAA, Boulder, CO) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 275-280. refs

For long duration missions beyond the magnetosphere, the hazards posed by solar particle events (SPE) require the development of new strategies to minimize both the radiation dose and the effects. Potential strategies include the development of improved short-term forecasting of SPE through better observations and research, consideration of HZE particles in real-time forecasting and monitoring, improved knowledge of the biological effects of the particles involved in SPE, and the development of methods for combining SPE forecasts with temporary shielding and chemical countermeasures. Evaluation of present capabilities and the identification of areas of further research to achieve the necessary capabilities are discussed. Author

#### A89-54234

##### RADIATION HAZARDS ON SPACE MISSIONS OUTSIDE THE MAGNETOSPHERE

J. R. LETAW (Severn Communications Corp., Millersville, MD), R. SILBERBERG, and C. H. TSAO (U.S. Navy, E. O. Hulburt Center for Space Research, Washington, DC) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 285-291. refs  
(Contract DPR-T3452P; N00014-87-C-2251)

Future space missions outside the magnetosphere will subject astronauts to a hostile and unfamiliar radiation environment. An annual dose equivalent to the blood-forming organs (BFOs) of about 0.5 Sv is expected, mostly from heavy ions in the galactic cosmic radiation. On long-duration missions, an anomalously-large solar energetic particle event may occur. Such an event can expose astronauts to up to about 25 Gy (skin dose) and up to about 2 Sv (BFO dose) with no shielding. The anticipated radiation exposure may necessitate spacecraft design concessions and some restriction of mission activities. The paper discusses the model calculations of radiation doses in several exomagnetospheric environments. Specific radiation shielding strategies are discussed. A new calculation of aluminum equivalents of potential spacecraft shielding materials demonstrates the importance of low-atomic-mass species for protection from galactic cosmic radiation. Author

#### A89-54235

##### GALACTIC COSMIC RAYS AND CELL-HIT FREQUENCIES OUTSIDE THE MAGNETOSPHERE

S. B. CURTIS (California, University, Berkeley) and J. R. LETAW (Severn Communications Corp., Millersville, MD) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 293-298. refs  
(Contract DE-AC03-76SF-00098; N00014-87-C-2251)

An evaluation of the exposure of space travelers to galactic cosmic radiation outside the earth's magnetosphere is made by calculating fluences of high-energy primary and secondary particles with various charges traversing a sphere of area 100 sq microns. Calculations relating to two shielding configurations are presented: the center of a spherical aluminum shell of thickness 1 g/sq cm, and the center of a 4 g/sq cm thick aluminum spherical shell within which there is a 30 g/sq cm diameter spherical water phantom with the point of interest 5 g/sq cm from the surface. For a three-year mission, 33 percent of the cells in the more heavily shielded configuration would be hit by at least one particle with Z greater than 10. Six percent would be hit by at least two such particles. This emphasizes the importance of studying single high-Z particle effects both on cells which might be 'at risk' for cancer induction and on critical neural cells or networks which might be vulnerable to inactivation by heavy charged particle tracks. Author

#### A89-54236\* California Univ., Berkeley.

##### TISSUE RESPONSES TO LOW PROTRACTED DOSES OF HIGH LET RADIATIONS OR PHOTONS - EARLY AND LATE DAMAGE RELEVANT TO RADIO-PROTECTIVE COUNTERMEASURES

E. J. AINSWORTH, S. M. J. AFZAL (California, University, Berkeley), D. A. CROUSE (Nebraska, University, Omaha), W. R. HANSON (Rush-Presbyterian-St. Luke's Hospital, Chicago, IL), and R. J. M. FRY (Oak Ridge National Laboratory, TN) (COSPAR, Plenary Meeting, 27th, Topical Meetings and Workshop XIX on Life Sciences and Space Research XXIII(4) - Radiation Biology, Espoo, Finland, July 18-29, 1988) Advances in Space Research (ISSN 0273-1177), vol. 9, no. 10, 1989, p. 299-313. refs  
(Contract W-31-109-ENG-38; DE-AC03-76SF-00098; DE-AC05-84OR-21400; NIH-CA-15184; NASA ORDER T-7163-B)

Early and late murine tissue responses to single or fractionated low doses of heavy charged particles, fission-spectrum neutrons or gamma rays are considered. Damage to the hematopoietic system is emphasized, but results on acute lethality, host response to challenge with transplanted leukemia cells and life-shortening are presented. Recent studies on protection against early and late effects by aminoethiols, prostaglandins, and other compounds are discussed. Author

#### A89-54249

##### THE BLUE COLLAR SPACESUIT

JOHN GROSSMANN Air and Space (ISSN 0886-2257), vol. 4, Oct.-Nov. 1989, p. 58-67.

The development of a spacesuit to be used aboard the Space Station is examined. The designs of two spacesuits, which must be capable of onboard maintenance and servicing, are described. The AX-5 is aluminum, contains no fabric, and weighs 185 lbs. The Mark III is 65 pct metal and 35 pct fabric and weighs 155 lbs. Both suits have rear entry, bubble helmets, stainless steel bearings, and Ortman rings for coupling and decoupling suit segments. The testing of the two spacesuits in the Weightless Environment Training Facility is discussed. I.F.

#### A89-54375\*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

##### SUSTAINING HUMANS IN SPACE

G. SCOTT HUBBARD and ALAN R. HARGENS (NASA, Ames Research Center, Moffett Field, CA) Mechanical Engineering (ISSN 0025-6501), vol. 111, Sept. 1989, p. 40-44.

NASA research on the functioning of biological systems in space and the resulting improvement in space suits and life-support systems is discussed. The centrifuge facility which will provide the major elements of a life science research facility for Spacelab

and Space Station Freedom is described, and the Vestibular Research Facility for studying motion sickness in space is examined. The aluminum AX-5 space suit and the Controlled Ecological Life-Support System are described, and biomedical sensors for studying bone mass changes in space are discussed. Studies on the use of exercise to control tissue-fluid shifts in space are described. C.D.

**N89-29021#** Human Engineering Labs., Aberdeen Proving Ground, MD.

**CHOICE AND PERCEIVED CONTROL: IMPLICATIONS FOR THE DESIGN OF DISPLAYS Final Report**

RICHARD A. MONTY and LAWRENCE C. PERLMUTER (Veterans Administration Learning and Memory Center, Boston, MA.) Apr. 1989 21 p  
(AD-A208400; HEL-TN-5-89) Avail: NTIS HC A03/MF A01 CSCL 23/2

This report summarizes several years of research on how offering subjects a choice of task parameters leads to a perception of control over their environment, which in turn can lead to improved task performance. The development of a theoretical explanation of the phenomenon is traced, and implications for the design of displays are deduced and illustrated with hypothetical examples.

GRA

**N89-29022#** Aerospace Medical Research Labs., Wright-Patterson AFB, OH.

**INVESTIGATION OF A LINEAR SYSTEMS MODEL FOR HUMAN VISUAL DETECTION AND SPATIAL FREQUENCY DISCRIMINATION Final Report, Oct. 1986 - Dec. 1988**

HAROLD S. MERKEL Dec. 1988 55 p  
(AD-A209397; AAMRL-TR-88-061) Avail: NTIS HC A04/MF A01 CSCL 06/4

This research investigated the application of a linear systems model to two parameters of vision: the contrast threshold and the spatial frequency difference threshold. The contrast threshold is the contrast of a target when an observer is just able to detect its presence. The spatial frequency difference threshold is the smallest difference in spatial frequency that permits two grating targets to be distinguished. The model investigated was for observation with a fixed visual field size of one-dimensional, time-invariant sinusoidal grating targets. A mathematical development indicated that a linear model could be used to represent the human spatial frequency difference threshold function. The model was implemented using an electro-optical hardware system which consisted of a charge-coupled device video camera, a frame grabber, and a personal computer. Because of its similarities to the structure of the eye, linear response, and ability to acquire digital image data, a charge coupled device array video camera and frame grabber were used to simulate the eye. The action of the neural pathways and visual cortex was simulated by Fourier transform computations on the camera and frame grabber output. The experimental data from the electro-optical hardware system agreed with the theoretical models for both parameters.

GRA

**N89-29023#** Naval Postgraduate School, Monterey, CA.  
**HUMAN FACTORS EVALUATION OF COLOR USE IN THE TARGET DATA PROCESSOR RELEASE 10 (TDP R10) M.S. Thesis**

CLAUDIA J. SCHMIDLY Mar. 1989 64 p  
(AD-A209438) Avail: NTIS HC A04/MF A01 CSCL 09/5

Color is provided as guidelines for static military CRT display formats. A total of 13 guidelines are discussed, relating to color as a coding dimension, the quantity of colors to include, selection of colors to use, ambient luminescence, display legibility and readability, human color deficiencies, and operator fatigue. Guidelines are then applied to the operator-machine interface of the U.S. Navy's Target Data Processor Release 10 (TDP R10), a tactical computer workstation for use in the Integrated Undersea Surveillance System. Specific color related design recommendations are included for the TDP R10 alphanumeric and geographic display screens with the goal of enhancing user performance. Since the TDP R10 is

being developed using an iterative design process (design, test, redesign, etc.), test and evaluation considerations also are discussed at length. Various types of user self-support techniques are discussed, along with user performance testing, sample sizes, and data analysis procedures.

GRA

**N89-29024#** Army Cold Regions Research and Engineering Lab., Hanover, NH.

**PRELIMINARY DESIGN GUIDE FOR ARCTIC EQUIPMENT**

MICHAEL R. WALSH and JAMES S. MORSE May 1989 38 p  
(AD-A209455; CRREL-SR-89-13) Avail: NTIS HC A03/MF A01 CSCL 08/12

Designing equipment for arctic environments requires special considerations from the design engineer. Low temperatures and harsh environments place special demands on equipment and components. Many materials in common use will experience drastic changes in physical properties, resulting in catastrophic failure of the systems in which they are incorporated. Components may no longer meet original specifications, and instrumentation may not work properly. This design guide should familiarize the design engineer with the factors that must be considered when designing for the Arctic environment. A list of environmental factors and how they may affect a design is first presented. Then, a general design procedure is presented and a detailed analysis of problems and solutions for materials, components and systems follows.

GRA

**N89-29025#** Anthropology Research Project, Yellow Springs, OH. Science and Advanced Technology Directorate.

**ANTHROPOMETRIC SURVEY OF US ARMY PERSONNEL:**

**SUMMARY STATISTICS Interim Technical Report, 1987 - 1988**

CLAIRE C. GORDON, THOMAS CHURCHILL, CHARLES E. CLAUSER, BRUCE BRADTMILLER, JOHN T. MCCONVILLE, ILSE TEBBETS, and ROBERT A. WALKER Mar. 1989 336 p  
(Contract DAAK60-86-C-0128)  
(AD-A209600; NATICK-TR-89/027) Avail: NTIS HC A15/MF A01 CSCL 05/9

Results of the 1987 to 1988 anthropometric survey of Army personnel are presented in the form of summary statistics and percentile data. These anthropometric data are presented for a subset of personnel (1774 men and 2208 women) sampled to match the proportions of age categories and racial/ethnic groups found in the active duty Army of June, 1988. Dimensions included in this report include 132 standard measurements made in the course of the survey, 60 derived dimensions calculated largely by adding and subtracting standard measurement data, and 48 head and face dimensions reported in traditional linear terms but collected by means of an automated headboard designed to obtain three-dimensional data. Measurement descriptions, visual indices, and a glossary of terms are included to help identify and locate dimensions.

GRA

**N89-29026#** Massachusetts Inst. of Tech., Cambridge. Artificial Intelligence Lab.

**A ROBOT THAT WALKS: EMERGENT BEHAVIORS FROM A CAREFULLY EVOLVED NETWORK**

RODNEY A. BROOKS Feb. 1989 15 p  
(Contract N00014-86-K-0685; N00014-85-K-0124)  
(AD-A207958; AI-M-1091) Avail: NTIS HC A03/MF A01 CSCL 12/9

Most animals have significant behavioral expertise built in without having to explicitly learn it all from scratch. This expertise is a product of evolution of the organisms; it can be viewed as a very long term form of learning which provides a structured system within which individuals might learn more specialized skills or abilities. This paper suggests one possible mechanism for analogous robot evolution by describing a carefully designed series of networks, each one being a strict augmentation of the previous one, which control a six legged walking machine capable of walking over rough terrain and following a person passively sensed in the infrared spectrum. As the completely decentralized networks are augmented, the robot's performance and behavior repertoire demonstrably improve. The rationale for such demonstrations is



that they may provide a hint as to the requirements for automatically building massive networks to carry out complex sensory-motor tasks. The experiments with an actual robot ensure that an essence of reality is maintained and that no critical disabling problems have been ignored. GRA

**N89-29027\*#** National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

**METHOD AND APPARATUS FOR BIO-REGENERATIVE LIFE SUPPORT SYSTEM Patent Application**

HATICE S. CULLINGFORD, inventor (to NASA) 11 Jul. 1989 34 p

(NASA-CASE-MSC-21629-1; NAS 1.71:MSC-21629-1; US-PATENT-APPL-SN-378548) Avail: NTIS HC A03/MF A01 CSCL 06/11

A life support system is disclosed for human habitation (cabin) which has a bioregenerative capability through the use of a plant habitat (greenhouse) whereby oxygen-rich air from the greenhouse is processed and used in the cabin and carbon dioxide-rich air from the cabin is used in the greenhouse. Moisture from the air of both cabin and greenhouse is processed and reused in both. Wash water from the cabin is processed and reused in the cabin as hygiene water, and urine from the cabin is processed and used in the greenhouse. Spent water from the greenhouse is processed and reused in the greenhouse. Portions of the processing cycles are separated between cabin and greenhouse in order to reduce to a minimum cross contamination of the two habitat systems. Other portions of the processing cycles are common to both cabin and greenhouse. The use of bioregenerative techniques permits a substantial reduction of the total consumables used by the life support system. NASA

**N89-29953\*** National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

**MULTI-ADJUSTABLE HEADBAND Patent**

PIERCE C. TOOLE, inventor (to NASA), HOWARD E. CHALSON, inventor (to NASA), and WALTER S. BUSSEY, inventor (to NASA) (Planning Research Corp., Kennedy Space Center, FL.) 8 Nov. 1988 11 p Filed 8 Aug. 1986 Supersedes N87-25765 (25 - 19 p 2646)

(NASA-CASE-KSC-11322-1; US-PATENT-4,783,822; US-PATENT-APPL-SN-894541; US-PATENT-CLASS-381-187; US-PATENT-CLASS-2-201; US-PATENT-CLASS-24-68B; US-PATENT-CLASS-381-183) Avail: U.S. Patent and Trademark Office CSCL 05/8

This invention relates to a headband for a headset having separate coarse and fine adjustment features. The adjustments may be to the axial distance between at least one earpiece element and a side support. Such adjustment to the axial distance varies the pressure exerted on the head of the user. The present fine adjustment feature may be used while the headset is being worn, thereby permitting a user to optimize the amount of pressure between the contending criteria of comfort and keeping the headset in place on the user's head.

Official Gazette of the U.S. Patent and Trademark Office

**N89-29954#** Air Force Human Resources Lab., Brooks AFB, TX.

**AIR FORCE HUMAN RESOURCES LABORATORY MISSION AND CAPABILITIES Final Report, Oct. 1986 - Sep. 1987**

RUTH M. BUESCHER, ed., MICHELLE OLVERA, ed., and LEASLEY BESETSNY, ed. May 1989 100 p (AD-A208066; AFHRL-TP-88-62) Avail: NTIS HC A05/MF A01 CSCL 05/9

This technical paper presents the Air Force Human Resources Laboratory (AFHRL) mission and capabilities. It outlines the AFHRL organizational structure, functions of the divisions and staff offices, and available technical support. Technical support includes software and data base development, data processing, computer operations, and scientific and technical information services. Ongoing and completed research and development projects are described to identify laboratory capabilities. These projects cover

the areas of manpower and personnel, education and training, simulation and training devices, and logistics and human factors. GRA

## SPACE BIOLOGY

Includes exobiology; planetary biology; and extraterrestrial life.

**A89-52060\*** California Univ., Davis.

**AMPHIPHILIC COMPONENTS OF THE MURCHISON CARBONACEOUS CHONDRITE - SURFACE PROPERTIES AND MEMBRANE FORMATION**

D. W. DEAMER (California, University, Davis) and R. M. PASHLEY (Australian National University, Canberra, Australia) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 21-38. refs (Contract NAGW-1119)

The possibility that the amphiphilic compounds in carbonaceous meteorites whose physicochemical properties are presently studied may represent sources of lipidlike compounds which could have evolved as membrane components in primitive cells is investigated in samples of the Murchison CM2 chondrite. Surface properties and membrane formation are obtained for three fractions isolated by two-dimensional thin-layer chromatography. It is concluded that a small, undefined fraction of Murchison components exhibits amphiphilic properties which allow assembly into boundary membranes. O.C.

**A89-52061\*** National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

**THE ROLE OF COMETARY PARTICLE COALESCENCE IN CHEMICAL EVOLUTION**

V. R. OBERBECK, C. P. MCKAY, G. C. CARLE, J. R. VALENTIN (NASA, Ames Research Center, Moffett Field, CA), and T. W. SCATTERGOOD (New York, State University, Stony Brook) Origins of Life and Evolution of the Biosphere (ISSN 0169-6149), vol. 19, no. 1, 1989, p. 39-55. refs

Important prebiotic organic compounds might have been transported to earth in dust or produced in vapor clouds resulting from atmospheric explosions or impacts of comets. These compounds coalesced in the upper atmosphere with particles ejected from craters formed by impacts of large objects. Coalescence during exposure to UV radiation concentrated organic monomers and enhanced formation of oligomers. Continuing coalescence added material to the growing particles and shielded prebiotic compounds from prolonged UV radiation. These particles settled into the lower atmosphere where they were scavenged by rain. Aqueous chemistry and evaporation of raindrops containing monomers in high temperature regions near the earth's surface also promoted continued formation of oligomers. Finally, these oligomers were deposited in the oceans where continued prebiotic evolution led to the most primitive cell. Results of present studies suggest that prebiotic chemical evolution may be an inevitable consequence of impacting comets during the late accretion of planets anywhere in the universe if oceans remained on those planetary surfaces. Author

**A89-52345**

**LINEAR AND CIRCULAR POLARIZATION BY HOLLOW ORGANIC GRAINS**

F. HOYLE and N. C. WICKRAMASINGHE (University College, Cardiff, Wales) Astrophysics and Space Science (ISSN 0004-640X), vol. 151, no. 2, Jan. 1989, p. 285-291. refs

The cosmic bacterial model is studied, considering the possibility that interstellar Fe and Si might condense in the form of skins of more or less uniform thickness over the entire distribution of cylinder radii, with the iron condensing mainly in metallic form and the Si mainly as SiO<sub>2</sub>. In agreement with previous astronomical data,

hollow cylindrical organic particles with a mean refractive index of 1.15, a radius of 0.1 microns, and a SiO<sub>2</sub>-Fe mantle coating of 0.0006 micron thickness are found to possess wavelength dependences of linear and circular polarization. The Davis-Greenstein mechanism is shown to selectively align such particles endowed with ferromagnetic or superparamagnetic properties. R.R.

#### A89-52772

### **NONEQUILIBRIUM REDISTRIBUTION OF IONS IN THE SURFACE FILM OF THE WORLD OCEAN AS THE ORIGIN OF IONIC ASYMMETRY IN PRIMEVAL BIOLOGICAL SYSTEMS [NERAVNOVESNOE PERERASPREDELENIE IONOV V POVERKHNOSTNOI PLENKE MIROVOGO OKEANA KAK OSNOVA VOZNIKNOVENII IONNOI ASIMMETRII V PERVICHNYKH BIOLOGICHESKIKH SISTEMAKH]**

V. A. TVERDISLOV, G. G. KHUNDZHUA, and E. V. KARAVAEVA (Moskovskii Gosudarstvennyi Universitet, Moscow, USSR) *Biofizika* (ISSN 0006-3029), vol. 34, July-Aug. 1989, p. 701-704. In Russian. refs

This paper examines the role of cation redistribution in the surface film of the world ocean in the formation of primeval biological systems. Data on K/Na and Ca/Mg ratios and potential measurements in 5-micron-thick vs 200-micron-thick samples from the upper surface layers of the White Sea and the Caspian Sea waters are examined. These data provide evidence for asymmetrical and nonequilibrium distributions of cations, leading to the relative enrichment in K<sup>+</sup> and Ca(2<sup>+</sup>) of the upper (cooler) film of these seas. These results support the hypothesis that the redistribution of cations between primeval cells and the sea water could have originated from the spontaneous sealing of lipid-rich vesicles in the cold surface film of the primeval ocean during the formation of aerosol particles. I.S.

#### A89-52951

### **EXPERIMENTAL STUDIES IN THE ORIGIN OF LIFE**

CYRIL PONNAMPERUMA (Maryland, University, College Park) *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 397-400. refs

Modern astronomy suggests that planets are plentiful in the Universe and that the conditions suitable for life are commonplace. Advances in biochemistry have pointed out the unity of the biosphere and lead to the belief that all life had a common chemical origin. Laboratory experiments indicate that almost all the building blocks of life can be synthesized under simulated primitive earth conditions. The analysis of meteorites and the study of the interstellar medium indicate that molecules of biological interest are also commonplace in the Universe, thus leading to the conclusion that the evolutionary process which has taken place on earth may have also occurred elsewhere in the cosmos leading to extraterrestrial civilizations. Author

#### A89-52952

### **THE RETENTION BY PLANETS OF LIQUID WATER OVER COSMIC PERIODS - A CRITICAL FACTOR FOR THE DEVELOPMENT OF ADVANCED CIVILISATIONS**

MICHAEL D. PAPAGIANNIS (Boston University, MA) *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 401-405. refs

Life based on carbon and liquid water seems to be the most likely possibility for planets but advanced technology may appear only after a long biological evolution. Consequently, only planets that can retain liquid water over cosmic periods (billions of years) may develop technological civilizations. The retention of liquid water over cosmic periods is a very complex problem, but significant progress has been made in recent years to comprehend its many intricacies. Author

#### A89-52953

### **THE COMPOSITION OF THE ARCHEAN OCEAN AND THE CONSTRAINTS ON THE ORIGIN OF LIFE**

PETER BRIMBLECOMBE (East Anglia, University, Norwich,

England) *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 407-410. refs

Estimates of the likely composition of the early ocean can be made from mass-balance and equilibrium arguments and steady-state estimates of particle scavenging rates or the role of hydrothermal activity at midocean ridges. Photochemical reactions at the ocean surface are likely to have caused surface water to be out of equilibrium with the rather reduced Archean atmosphere, perhaps even oxidizing. The early ocean may have been slightly more acidic, and the Mg/Ca ratio smaller than at present. The CO<sub>2</sub>/CO<sub>3</sub>, SO<sub>2</sub>/SO<sub>4</sub> and biologically relevant phosphorous concentrations may have been lower, while Fe, Mn and Si may have been much larger than today. Author

#### A89-52954

### **GAS PHASE ORGANIC SYNTHESIS IN PLANETARY ENVIRONMENTS - THE CASE OF TITAN**

F. RAULIN and C. FRERE (Paris XII, Universite, Creteil, France) *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 411-422. Research supported by CNRS. refs (Contract CNES-86-1245; CNES-87-1247)

Studies of the atmospheric organic chemistry of the planetary atmospheres are reviewed, focusing on the atmospheric composition of Titan. Consideration is given to thermodynamic calculations, kinetic modeling, and experimental studies of atmospheric organic syntheses. Comparisons are made between theoretical predictions and observations of the oxidized atmospheres of the terrestrial planets, the strongly reducing atmospheres of larger planets, and the reduced N<sub>2</sub>-CH<sub>4</sub> atmosphere of Titan. The possible presence of a CH<sub>4</sub>-C<sub>2</sub>H<sub>6</sub> ocean on Titan is considered. R.B.

#### A89-52955

### **AN EXPERIMENTAL APPROACH TO EXTRATERRESTRIAL LIFE**

PETER M. MOLTON *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 423-429. refs

An experimental approach is constructed which, if applied, should greatly increase our understanding of the possible existence of extraterrestrial life and its limits. The concept is based on an extension of present day laboratory developments in computer modelling, analytical instrumentation and genetic engineering. A different set of assumptions to that normally used is suggested which will avoid the problem of 'self-fulfilling' predictions in which the experiment is inadvertently set up to generate results supporting the terrestrial norm as the only possibility. Author

#### A89-52956

### **FRONTIERS OF THE EARTH'S BIOSPHERE AND EXTRATERRESTRIALIZATION**

S. V. LYSENKO (AN SSSR, Institut Mikrobiologii, Moscow, USSR) and M. D. NUSSINOV *British Interplanetary Society, Journal* (ISSN 0007-084X), vol. 42, Sept. 1989, p. 431-435. refs

A new physical mechanism of irreversible ('explosive') damage to vegetative cells and spores of microorganisms under space vacuum conditions around the earth may help to explain the existence of thermophilic microorganisms, discovered recently in the 'black smokers' of the deep-sea bottom, i.e., in regions at high pressures and temperatures. Such mechanism makes it possible to estimate the boundaries of the earth's biosphere and can be applied to problems of the origin of life on earth and to the search for extraterrestrial life. Author

**A89-53828\*#** National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

### **THE EARLY ENVIRONMENT AND ITS EVOLUTION ON MARS - IMPLICATIONS FOR LIFE**

CHRISTOPHER P. MCKAY and CAROL R. STOKER (NASA, Ames Research Center, Moffett Field, CA) *Reviews of Geophysics* (ISSN 8755-1209), vol. 27, May 1989, p. 189-214. refs

There is considerable evidence that the early climate of Mars was very different from the inhospitable conditions there today. This early climate was characterized by liquid water on the surface

## 55 SPACE BIOLOGY

and a dense atmosphere composed predominantly of CO<sub>2</sub>. The duration of these warm initial conditions on the surface of Mars is uncertain, but theoretical models suggest that they could have persisted for hundreds of millions up to a billion years. From studies of the earth's earliest biosphere, it is known that, by 3.5 Gyr ago, life had originated on earth and reached a fair degree of biological sophistication. If Mars did maintain a clement environment for longer than it took for life to originate on earth, then the question of the origin of life on Mars follows naturally. Since over two thirds of the Martian surface is more than 3.5 Gyr old, the possibility exists that Mars may hold the best record of the events that led to the origin of life, even though there may be no life there today.

Author

**N89-29394#** Joint Publications Research Service, Arlington, VA.

**LIKELIHOOD OF CONTACT WITH EXTRATERRESTRIAL  
TECHNOLOGICAL CIVILIZATION Abstract Only**


V. M. LIPUNOV *In its* JPRS Report: Science and Technology.  
USSR: Space p 14 18 Jan. 1989 Transl. into ENGLISH from  
Astronomicheskii Zhurnal (Moscow, USSR) v. 65, no. 2, Mar. -  
Apr. 1988 p 433-435 Original language document was announced  
in IAA as A87-48126

Avail: NTIS HC A04/MF A01

An estimate is given of the likelihood of contact with a terrestrial-type technological civilization. The dependence of the number of civilizations in the Galaxy on the characteristic lifetime is analyzed.

Author

## Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

## A

- ABILITIES**  
Sleep deprivation and its effect on combat effectiveness  
[AD-A207970] p 276 N89-29013
- ABIogenesis**  
Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772  
Experimental studies in the origin of life p 285 A89-52951
- ACCLIMATIZATION**  
Thermoregulation curves and factors that control them p 267 A89-52881
- ACETYL COMPOUNDS**  
Ultrastructural visualization of acetylcholine at the neuromuscular junction  
[AD-A207676] p 273 N89-29947
- ACTIVITY CYCLES (BIOLOGY)**  
Mechanism of the origin of infradian biological rhythms p 267 A89-52882
- ADAPTIVE CONTROL**  
A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227
- ADRENERGICS**  
Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752
- AEROSPACE ENVIRONMENTS**  
Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218
- AEROSPACE MEDICINE**  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326)  
[NASA-SP-7011(326)] p 277 N89-29950  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)  
[NASA-SP-7011(327)] p 277 N89-29951

## AEROSPACE SAFETY

Crucial factor - Human --- in extending manned space flight times p 274 A89-51892

## AGE FACTOR

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age  
[AD-A209753] p 275 N89-29009

## AGING (BIOLOGY)

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age  
[AD-A209753] p 275 N89-29009

## AIRCRAFT MAINTENANCE

Prevention, reduction, and measurement of combat stress reactions: A bibliography  
[AD-A209375] p 278 N89-29019

## ALPHA PARTICLES

DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

## ALTITUDE SICKNESS

Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752

## ANAEROBES

The microbiology and physiology of anaerobic fermentations of cellulose  
[DE89-015790] p 273 N89-29948

## ANIMALS

A robot that walks: Emergent behaviors from a carefully evolved network.  
[AD-A207958] p 283 N89-29026

## ANTHROPOMETRY

Anthropometric survey of US Army personnel: Summary statistics  
[AD-A209600] p 283 N89-29025

## ANTIRADIATION DRUGS

Chemical protection against ionizing radiation p 271 A89-54223

## ARCHAEBACTERIA

The mechanism of DNA transfer in the mating system of an archaebacterium p 272 A89-54522

## ARMED FORCES (UNITED STATES)

Sleep deprivation and its effect on combat effectiveness  
[AD-A207970] p 276 N89-29013

Prevention, reduction, and measurement of combat stress reactions: A bibliography  
[AD-A209375] p 278 N89-29019

Anthropometric survey of US Army personnel: Summary statistics  
[AD-A209600] p 283 N89-29025

Air Force Human Resources Laboratory mission and capabilities  
[AD-A208066] p 284 N89-29954

## ASTRONAUT TRAINING

Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations  
[NASA-CR-177502] p 279 N89-29020

## ATMOSPHERIC CHEMISTRY

Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

## ATTENTION

Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328

## AUDIOMETRY

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device  
[ISVR-TR-177] p 277 N89-29018

## AUDITORY STIMULI

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device  
[ISVR-TR-177] p 277 N89-29018

## AUDITORY TASKS

Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328

## AUTOMATED PILOT ADVISORY SYSTEM

Integrated dynamic planning in the Pilot's Associate  
[AIAA PAPER 89-3464] p 279 A89-52560

## AUTOMATION

Space robotics - Automata in unstructured environments p 280 A89-53455

## AUTONOMIC NERVOUS SYSTEM

Ultrastructural visualization of acetylcholine at the neuromuscular junction  
[AD-A207676] p 273 N89-29947

## AVIONICS

Integrated dynamic planning in the Pilot's Associate  
[AIAA PAPER 89-3464] p 279 A89-52560

## B

## BACTERIA

Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345

## BED REST

Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751

## BEHAVIOR

Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

A robot that walks: Emergent behaviors from a carefully evolved network  
[AD-A207958] p 283 N89-29026

## BIBLIOGRAPHIES

Prevention, reduction, and measurement of combat stress reactions: A bibliography  
[AD-A209375] p 278 N89-29019

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326)  
[NASA-SP-7011(326)] p 277 N89-29950

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)  
[NASA-SP-7011(327)] p 277 N89-29951

## BIOASTRONAUTICS

Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751

Cell biology in space - From basic science to biotechnology. III p 265 A89-51854

Crucial factor - Human --- in extending manned space flight times p 274 A89-51892

Life sciences and space research XXIII(4) - Radiation biology: Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326)  
[NASA-SP-7011(326)] p 277 N89-29950

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)  
[NASA-SP-7011(327)] p 277 N89-29951

## BIOCHEMISTRY

Discrete macroscopic fluctuations in processes of different nature --- enzyme activity, alpha decay and proteins p 266 A89-52773

Macroscopic fluctuations - A phenomenon or an artifact? --- in biochemical, chemical and physical systems p 266 A89-52774

An experimental approach to extraterrestrial life p 285 A89-52955

Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

Ultrastructural visualization of acetylcholine at the neuromuscular junction  
[AD-A207676] p 273 N89-29947

Photosynthetic acclimation to elevated CO2  
[DE89-015965] p 273 N89-29949

**BIODYNAMICS**

- Effects of biodynamic coupling on the human operator model  
[AIAA PAPER 89-3518] p 279 A89-52610

**BIOSINSTRUMENTATION**

- In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197

**BIOLOGICAL EFFECTS**

- New considerations of the oxygen effects in radiation biology p 271 A89-54224  
Radiation hazards on space missions outside the magnetosphere p 282 A89-54234  
Microlesions - Theory and reality p 271 A89-54237  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326)  
[NASA-SP-7011(326)] p 277 N89-29950  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327)  
[NASA-SP-7011(327)] p 277 N89-29951

**BIOLOGICAL EVOLUTION**

- Thermal synthesis and hydrolysis of polyglyceric acid --- in origin of life studying p 265 A89-52059  
Optimization and the genetic code p 265 A89-52062  
A possible origin of RNA catalysis in multienzyme complexes p 265 A89-52063  
The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952  
The role of chance in the evolutionary process p 267 A89-52957  
The early environment and its evolution on Mars - Implications for life p 285 A89-53828

**BIOLOGICAL MODELS (MATHEMATICS)**

- A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227

**BIOMAGNETISM**

- Transient visual evoked neuromagnetic responses: Identification of multiple sources  
[DE89-013438] p 275 N89-29008

**BIOMASS**

- The microbiology and physiology of anaerobic fermentations of cellulose  
[DE89-015790] p 273 N89-29948

**BIOPHYSICS**

- Macroscopic fluctuations - A phenomenon or an artifact? --- in biochemical, chemical and physical systems p 266 A89-52774

**BIOPROCESSING**

- Cell biology in space - From basic science to biotechnology. III p 265 A89-51854

**BIOSPHERE**

- Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956

**BIOSYNTHESIS**

- Thermal synthesis and hydrolysis of polyglyceric acid --- in origin of life studying p 265 A89-52059  
The microbiology and physiology of anaerobic fermentations of cellulose  
[DE89-015790] p 273 N89-29948

**BIOTECHNOLOGY**

- Cell biology in space - From basic science to biotechnology. III p 265 A89-51854

**BLOOD CIRCULATION**

- Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

**BLOOD FLOW**

- Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753  
Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

**BODY MEASUREMENT (BIOLOGY)**

- Anthropometric survey of US Army personnel: Summary statistics  
[AD-A209600] p 283 N89-29025

**BOLIDES**

- High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

**BRAIN**

- The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810  
Monte Carlo analysis of localization errors in magnetoencephalography  
[DE89-013221] p 275 N89-29007  
Transient visual evoked neuromagnetic responses: Identification of multiple sources  
[DE89-013438] p 275 N89-29008

**BRAIN DAMAGE**

- In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197  
Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes  
[AD-A207848] p 276 N89-29011

**BURNS (INJURIES)**

- Combined effects of radiation and trauma p 271 A89-54222

**C****CARBON DIOXIDE**

- Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699  
Photosynthetic acclimation to elevated CO<sub>2</sub>  
[DE89-015965] p 273 N89-29949

**CARBON DIOXIDE REMOVAL**

- Method and apparatus for bio-regenerative life support system  
[NASA-CASE-MS-C-21629-1] p 284 N89-29027

**CARBON MONOXIDE POISONING**

- USAF standardized 100 percent oxygen delivery system  
[AD-A208075] p 278 N89-29952

**CATABOLISM**

- A program for the study of skeletal muscle catabolism following physical trauma  
[AD-A207983] p 276 N89-29014

**CATALYSIS**

- A possible origin of RNA catalysis in multienzyme complexes p 265 A89-52063

**CATARACTS**

- Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238

**CATHODE RAY TUBES**

- Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10)  
[AD-A209438] p 283 N89-29023

**CELL MEMBRANES (BIOLOGY)**

- Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060

**CELLS (BIOLOGY)**

- Cell biology in space - From basic science to biotechnology. III p 265 A89-51854  
Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201  
Radiation biology in space - A critical review p 267 A89-54202

- Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

- Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

**CELLULOSE**

- The microbiology and physiology of anaerobic fermentations of cellulose  
[DE89-015790] p 273 N89-29948

**CENTRAL NERVOUS SYSTEM**

- The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808

**CEREBROSPINAL FLUID**

- In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197

**CEREBRUM**

- Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629

**CHARTS**

- Suprathreshold contrast sensitivity vision test chart  
[AD-A209915] p 276 N89-29010

**CHEMICAL EVOLUTION**

- Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060  
The role of cometary particle coalescence in chemical evolution p 284 A89-52061  
Experimental studies in the origin of life p 285 A89-52951

- The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953  
Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954  
An experimental approach to extraterrestrial life p 285 A89-52955

**CHOLINE**

- Ultrastructural visualization of acetylcholine at the neuromuscular junction  
[AD-A207676] p 273 N89-29947

**CHROMOSOMES**

- Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

**CHRONIC CONDITIONS**

- The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808

**CIRCADIAN RHYTHMS**

- Mechanism of the origin of infradian biological rhythms p 267 A89-52882

**CIRCULAR POLARIZATION**

- Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345

**CLOSED ECOLOGICAL SYSTEMS**

- Method and apparatus for bio-regenerative life support system  
[NASA-CASE-MS-C-21629-1] p 284 N89-29027

**COCKPITS**

- Effects of biodynamic coupling on the human operator model  
[AIAA PAPER 89-3518] p 279 A89-52610

**COENZYMES**

- A possible origin of RNA catalysis in multienzyme complexes p 265 A89-52063

**COGNITION**

- Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes  
[AD-A207848] p 276 N89-29011  
Sleep deprivation and its effect on combat effectiveness  
[AD-A207970] p 276 N89-29013

**COLOR CODING**

- Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10)  
[AD-A209438] p 283 N89-29023

**COMBAT**

- Sleep deprivation and its effect on combat effectiveness  
[AD-A207970] p 276 N89-29013  
Prevention, reduction, and measurement of combat stress reactions: A bibliography  
[AD-A209375] p 278 N89-29019

**COMETS**

- The role of cometary particle coalescence in chemical evolution p 284 A89-52061

**COMPLEX SYSTEMS**

- Aperture selection for operators of complex technical systems p 278 A89-53659

**CONFERENCES**

- Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201

**CONTRAST**

- Suprathreshold contrast sensitivity vision test chart  
[AD-A209915] p 276 N89-29010

**CONTROL STABILITY**

- Stability and performance tradeoffs in bi-lateral telemanipulation p 280 A89-53465

**CONTROL SYSTEMS DESIGN**

- Controller design in the physical domain (Application to robot impedance control) p 280 A89-53422  
Space robotics - Automata in unstructured environments p 280 A89-53455  
Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-53463  
Transformation of human hand positions for robotic hand control p 280 A89-53464  
Stability and performance tradeoffs in bi-lateral telemanipulation p 280 A89-53465

**CONTROL THEORY**

- New results concerning the use of kinematically redundant manipulators in microgravity environments  
[AIAA PAPER 89-3562] p 279 A89-52647

**COSMIC DUST**

- The role of cometary particle coalescence in chemical evolution p 284 A89-52061

**COSMOCHEMISTRY**

- Experimental studies in the origin of life p 285 A89-52951

**COSMOS SATELLITES**

- Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

**CRASH INJURIES**

- Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987  
[AD-A208116] p 277 N89-29015

**CRETACEOUS-TERTIARY BOUNDARY**

- High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

**CRYSTAL STRUCTURE**

- The effect of moderate pressure on biological processes  
[AD-A209329] p 273 N89-29946

**CYTOLOGY**

- Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

- The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212
- Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213
- Early and late damages induced by heavy charged particle irradiation in embryonic tissue of *Arabidopsis* seeds p 269 A89-54214
- Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216
- Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217
- Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218
- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus* p 270 A89-54219
- Modifying factors on repair phenomena --- of space-irradiated cells p 271 A89-54221

## D

## DATA BASES

- Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954

## DATA PROCESSING

- Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954

## DECOMPRESSION SICKNESS

- USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

## DEOXYRIBONUCLEIC ACID

- Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206
- The influence of radiation quality on the formation of DNA breaks p 268 A89-54207
- DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209
- Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225
- The mechanism of DNA transfer in the mating system of an archaeobacterium p 272 A89-54522

## DETECTION

- Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022

## DIGITAL SYSTEMS

- Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022

## DIMENSIONAL MEASUREMENT

- Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025

## DIMERS

- Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

## DISPLAY DEVICES

- Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021
- Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10) [AD-A209438] p 283 N89-29023

## DOSIMETERS

- Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228
- Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229
- Model analysis of Space Shuttle dosimetry data p 281 A89-54230

## DYNAMIC CONTROL

- Controller design in the physical domain (Application to robot impedance control) p 280 A89-53422
- Transformation of human hand positions for robotic hand control p 280 A89-53464

## E

## EARDRUMS

- A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

## EARPHONES

- Multi-adjustable headband --- for headsets [NASA-CASE-KSC-11322-1] p 284 N89-29953

## EARTH ORBITAL ENVIRONMENTS

- A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227
- Model analysis of Space Shuttle dosimetry data p 281 A89-54230

## EFFERENT NERVOUS SYSTEMS

- Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200

## EJECTION INJURIES

- Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

## ELECTRO-OPTICS

- Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022

## ELECTROMAGNETIC RADIATION

- Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

## ELECTRONIC EQUIPMENT

- Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024

## EMBRYOLOGY

- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus* p 270 A89-54219

## ENVIRONMENT EFFECTS

- Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

## ENZYME ACTIVITY

- Discrete macroscopic fluctuations in processes of different nature --- enzyme activity, alpha decay and proteins p 266 A89-52773
- Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

## ERROR ANALYSIS

- Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007

## EVOKED RESPONSE (PSYCHOPHYSIOLOGY)

- Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

## EXERCISE PHYSIOLOGY

- Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751

## EXOBIOLGY

- Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060
- Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345
- Experimental studies in the origin of life p 285 A89-52951
- An experimental approach to extraterrestrial life p 285 A89-52955

- Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956
- Radiation biology in space - A critical review p 267 A89-54202

- Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326) [NASA-SP-7011(326)] p 277 N89-29950

- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 277 N89-29951

## EXPERT SYSTEMS

- Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560

## EXTRASOLAR PLANETS

- The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952

## EXTRATERRESTRIAL INTELLIGENCE

- The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952
- Likelihood of contact with extraterrestrial technological civilization p 286 N89-29394

## EXTRATERRESTRIAL LIFE

- An experimental approach to extraterrestrial life p 285 A89-52955
- Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956
- The role of chance in the evolutionary process p 267 A89-52957

## EXTRATERRESTRIAL RADIATION

- Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201
- Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

- Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

- Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus* p 270 A89-54219

- Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220

- Modifying factors on repair phenomena --- of space-irradiated cells p 271 A89-54221

- Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

- A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227

- Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228

- Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229

- Model analysis of Space Shuttle dosimetry data p 281 A89-54230

- Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

- Microlesions - Theory and reality p 271 A89-54237

## EXTRAVEHICULAR ACTIVITY

- Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

- The blue collar spacesuit p 282 A89-54249

## EYE MOVEMENTS

- Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

## F

## FERMENTATION

- The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

## FIGHTER AIRCRAFT

- Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560
- Pilot's associate - An inflight mission planning application [AIAA PAPER 89-3462] p 279 A89-52713

## FLIGHT CONTROL

- Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560

## FLIGHT CREWS

- Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

## FLIGHT MANAGEMENT SYSTEMS

- Pilot's associate - An inflight mission planning application [AIAA PAPER 89-3462] p 279 A89-52713

## FLIGHT SIMULATION

- Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020

## FLIGHT TRAINING

- Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954

## FLUCTUATION THEORY

- Discrete macroscopic fluctuations in processes of different nature --- enzyme activity, alpha decay and proteins p 266 A89-52773
- Macroscopic fluctuations - A phenomenon or an artifact? --- in biochemical, chemical and physical systems p 266 A89-52774

## FOSSILS

- High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

## FOVEA

- Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012

## FREE RADICALS

- Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

## G

## GALACTIC COSMIC RAYS

Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

## GAMMA RAYS

Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

## GASEOUS FUELS

Preliminary design guide for arctic equipment [AD-A209455] p 283 A89-29024

## GENETIC CODE

Optimization and the genetic code p 265 A89-52062

## GENETICS

The mechanism of DNA transfer in the mating system of an archaeobacterium p 272 A89-54522

## GLYCEROLS

Thermal synthesis and hydrolysis of polyglyceric acid --- in origin of life studying p 265 A89-52059

## GRATINGS (SPECTRA)

Suprathreshold contrast sensitivity vision test chart [AD-A209915] p 276 A89-29010

## GREENHOUSES

Method and apparatus for bio-regenerative life support system [NASA-CASE-MSC-21629-1] p 284 A89-29027

## GROUND TESTS

Radiation biology in space - A critical review p 267 A89-54202

## H

## HAND (ANATOMY)

Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-53463  
Transformation of human hand positions for robotic hand control p 280 A89-53464

## HARNESSES

Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 A89-29015

## HEART RATE

Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752

## HEAT ACCLIMATIZATION

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age p 275 A89-29009

## HEAVY IONS

Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203

Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

Stochastics of HZE-induced microlesions p 268 A89-54205

Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

Early and late damages induced by heavy charged particle irradiation in embryonic tissue of Arabidopsis seeds p 269 A89-54214

Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217

## HELIUM-OXYGEN ATMOSPHERES

An organism in a helium-oxygen medium --- Russian book p 272 A89-54888

## HEMODYNAMIC RESPONSES

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629

## HIGH PRESSURE

The effect of moderate pressure on biological processes [AD-A209329] p 273 A89-29946

## HISTOGRAMS

Discrete macroscopic fluctuations in processes of different nature --- enzyme activity, alpha decay and proteins p 266 A89-52773

## HOMEOSTASIS

Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699

## HUMAN BEHAVIOR

Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

## HUMAN BEINGS

Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 A89-29022

## HUMAN BODY

Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 A89-29025

## HUMAN FACTORS ENGINEERING

Spacecraft flight simulation: A human factors investigation into the man-machine interface between the astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 A89-29020

Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10) [AD-A209438] p 283 A89-29023

Multi-adjustable headband --- for headsets [NASA-CASE-KSC-11322-1] p 284 A89-29953

Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 A89-29954

## HUMAN FACTORS LABORATORIES

Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 A89-29954

## HUMAN PATHOLOGY

In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197

## HUMAN PERFORMANCE

A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227

Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 A89-29021

## HUMAN REACTIONS

Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699

Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

## HUMAN RESOURCES

Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 A89-29954

## HUMAN TOLERANCES

Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319

Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age p 275 A89-29009

Suprathreshold contrast sensitivity vision test chart [AD-A209915] p 276 A89-29010

## HYDROLYSIS

Thermal synthesis and hydrolysis of polyglyceric acid --- in origin of life studying p 265 A89-52059

## HYPEROXIA

Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319

Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699

Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

## HYPERTENSIN

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

## HYPOXIA

Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752  
Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

## I

## ICE ENVIRONMENTS

Preliminary design guide for arctic equipment [AD-A209455] p 283 A89-29024

## IMAGE CONTRAST

Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 A89-29022

## IMAGE PROCESSING

Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 A89-29007

Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 A89-29008

## INDEXES (DOCUMENTATION)

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326) [NASA-SP-7011(326)] p 277 A89-29950

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 277 A89-29951

## INJURIES

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 A89-29014

## INTERPLANETARY FLIGHT

Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

## INTERSTELLAR COMMUNICATION

Likelihood of contact with extraterrestrial technological civilization p 286 A89-29394

## INTERSTELLAR MATTER

Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345

## INTRAVENICULAR ACTIVITY

The blue collar spacesuit p 282 A89-54249

## ION DISTRIBUTION

Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772

## ION PROBES

In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197

## IONIZING RADIATION

The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810

Chemical protection against ionizing radiation p 271 A89-54223

Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

## IRRADIATION

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

## J

## JUDGMENTS

Suprathreshold contrast sensitivity vision test chart [AD-A209915] p 276 A89-29010

## L

## LASER DAMAGE

Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 A89-29012

## LEADERSHIP

Sleep deprivation and its effect on combat effectiveness [AD-A207970] p 276 A89-29013

## LEARNING

A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 A89-29026

## LEAVES

High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

## LESIONS

Microlesions - Theory and reality p 271 A89-54237

## LIFE SCIENCES

Thermal synthesis and hydrolysis of polyglyceric acid --- in origin of life studying p 265 A89-52059



**LIFE SUPPORT SYSTEMS**

Sustaining humans in space p 282 A89-54375

**LINEAR ENERGY TRANSFER (LET)**

The influence of radiation quality on the formation of DNA breaks p 268 A89-54207

Modifying factors on repair phenomena --- of space-irradiated cells p 271 A89-54221

Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

**LINEAR POLARIZATION**

Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345

**LINKAGES**

Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

**LIPIDS**

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

**LIQUID CRYSTALS**

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

**LIVER**

Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

**LOGISTICS**

Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019

**LONG DURATION SPACE FLIGHT**

Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751

Crucial factor - Human --- in extending manned space flight times p 274 A89-51892

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

**LOW TEMPERATURE ENVIRONMENTS**

Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024

**LOWER BODY NEGATIVE PRESSURE**

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

**M****MAGNETIC FIELDS**

Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007

Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

**MAN MACHINE SYSTEMS**

Effects of biodynamic coupling on the human operator model [AIAA PAPER 89-3518] p 279 A89-52610

Pilot's associate - An inflight mission planning application [AIAA PAPER 89-3462] p 279 A89-52713

Sustaining humans in space p 282 A89-54375

Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

**MAN-COMPUTER INTERFACE**

Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560

Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10) [AD-A209438] p 283 N89-29023

**MANIPULATORS**

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

Controller design in the physical domain (Application to robot impedance control) p 280 A89-53422

Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-53463

Transformation of human hand positions for robotic hand control p 280 A89-53464

Stability and performance tradeoffs in bi-lateral telemanipulation p 280 A89-53465

**MANNED SPACE FLIGHT**

Crucial factor - Human --- in extending manned space flight times p 274 A89-51892

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

Sustaining humans in space p 282 A89-54375

**MANUAL CONTROL**

Effects of biodynamic coupling on the human operator model [AIAA PAPER 89-3518] p 279 A89-52610

A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227

**MARINE BIOLOGY**

The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953

**MARINE CHEMISTRY**

Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772

The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953

**MARS ATMOSPHERE**

The early environment and its evolution on Mars - Implications for life p 285 A89-53828

**MARS SURFACE**

The early environment and its evolution on Mars - Implications for life p 285 A89-53828

**MEDICAL SERVICES**

USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

**METABOLISM**

Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751

**METHANE**

The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

**MICROBIOLOGY**

The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

**MILITARY OPERATIONS**

Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019

**MIR SPACE STATION**

Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228

Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229

**MISSION PLANNING**

Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560

Pilot's associate - An inflight mission planning application [AIAA PAPER 89-3462] p 279 A89-52713

**MOLECULAR BIOLOGY**

Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203

Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

**MONTE CARLO METHOD**

Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007

**MOTION SICKNESS**

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

**MURCHISON METEORITE**

Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060

**MUSCLES**

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

**MUSCULAR FUNCTION**

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

**MUSCULAR STRENGTH**

Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

**MUSCULOSKELETAL SYSTEM**

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

**MUTATIONS**

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

**N****NERVES**

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

**NEUROLOGY**

Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

**NEUROMUSCULAR TRANSMISSION**

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

**NEUROPHYSIOLOGY**

Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809

**NITROGEN IONS**

DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

**NUCLEOTIDES**

The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810

**O****OCEAN SURFACE**

Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772

**ONTOGENY**

Thermoregulation curves and factors that control them p 267 A89-52881

**OPERATOR PERFORMANCE**

Effects of biodynamic coupling on the human operator model [AIAA PAPER 89-3518] p 279 A89-52610

**OPERATORS (PERSONNEL)**

Aptitude selection for operators of complex technical systems p 278 A89-53659

**OPTICAL TRACKING**

Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

**OPTIMAL CONTROL**

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

**OPTIMIZATION**

Optimization and the genetic code p 265 A89-52062

Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007

**ORBITAL ASSEMBLY**

Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

**ORGANIC CHEMISTRY**

Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

**ORGANIC COMPOUNDS**

Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060



# ORGANISMS

- The role of cometary particle coalescence in chemical evolution p 284 A89-52061
- Linear and circular polarization by hollow organic grains --- cosmic bacteria model p 284 A89-52345

## ORGANISMS

- An organism in a helium-oxygen medium --- Russian book p 272 A89-54888

## OXYGEN

- New considerations of the oxygen effects in radiation biology p 271 A89-54224
- USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

## OXYGEN BREATHING

- Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698

## OXYGEN MASKS

- USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

# P

## PALEONTOLOGY

- High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

## PANSPERMIA

- Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956

## PARACHUTING INJURY

- Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

## PATTERN RECOGNITION

- Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

## PERSONNEL

- Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019
- Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025

## PERSONNEL SELECTION

- Aptitude selection for operators of complex technical systems p 278 A89-53659

## PHARMACOLOGY

- Chemical protection against ionizing radiation p 271 A89-54223

## PHOSPHORIC ACID

- The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## PHOTOCHEMICAL REACTIONS

- The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953

## PHOTOLYSIS

- Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

## PHOTOSYNTHESIS

- Photosynthetic acclimation to elevated CO<sub>2</sub> [DE89-015965] p 273 N89-29949

## PHYSICAL EXERCISE

- Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754
- Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629
- Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age p 275 N89-29009
- Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

## PHYSICAL FITNESS

- Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age p 275 N89-29009

## PHYSICAL WORK

- Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807

## PHYSIOLOGICAL EFFECTS

- An organism in a helium-oxygen medium --- Russian book p 272 A89-54888

## PHYSIOLOGICAL RESPONSES

- Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752

- Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699

- Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

- The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## PHYSIOLOGICAL TESTS

- Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809
- Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

## PHYSIOLOGY

- A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014
- The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

## PILOT PERFORMANCE

- Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629

## PLANETARY EVOLUTION

- The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953
- The early environment and its evolution on Mars - Implications for life p 285 A89-53828

## PLANETARY METEOROLOGY

- The early environment and its evolution on Mars - Implications for life p 285 A89-53828

## PLANETOLOGY

- The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952

## PLASTICS

- Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024

## POLYMERIZATION

- Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058
- Thermal synthesis and hydrolysis of polyglyceric acid --- in organic life studying p 265 A89-52059

## POLYNUCLEOTIDES

- Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

## PRESSURE EFFECTS

- The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## PRIMITIVE EARTH ATMOSPHERE

- The role of cometary particle coalescence in chemical evolution p 284 A89-52061

## PROPIOCEPTION

- Effects of biodynamic coupling on the human operator model [AIAA PAPER 89-3518] p 279 A89-52610

## PROTEIN METABOLISM

- A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

## PROTON IRRADIATION

- The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215

## PSYCHOLOGICAL FACTORS

- Aptitude selection for operators of complex technical systems p 278 A89-53659

## PSYCHOPHYSIOLOGY

- Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

## PULMONARY FUNCTIONS

- Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698

# R

## RADIATION DAMAGE

- Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

- The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808

- Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809
- Early and late damages induced by heavy charged particle irradiation in embryonic tissue of *Arabidopsis* seeds p 269 A89-54214

- The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215

## RADIATION DETECTORS

- Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

- Space radiation dosimetry with active detectors for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228

## RADIATION DOSAGE

- Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807

- Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220

- Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

- A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227

- Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229

- Model analysis of Space Shuttle dosimetry data p 281 A89-54230

- Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

## RADIATION EFFECTS

- The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810
- Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201
- Radiation biology in space - A critical review p 267 A89-54202

- Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203

- Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

- Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

- The influence of radiation quality on the formation of DNA breaks p 268 A89-54207

- Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

- DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

- Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

- The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212

- Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

- Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

- Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217

- Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

- Influence of cosmic radiation and/or microgravity on development of *Carassius morosus* p 270 A89-54219

- Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220

- Modifying factors on repair phenomena --- of space-irradiated cells p 271 A89-54221

- Combined effects of radiation and trauma p 271 A89-54222

- New considerations of the oxygen effects in radiation biology p 271 A89-54224

- Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

- Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

- Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238

- Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

- Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

- Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

**RADIATION HAZARDS**

Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217

Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

Microlesions - Theory and reality p 271 A89-54237

Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238

**RADIATION INJURIES**

Combined effects of radiation and trauma p 271 A89-54222

Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

Microlesions - Theory and reality p 271 A89-54237

**RADIATION PROTECTION**

Chemical protection against ionizing radiation p 271 A89-54223

New considerations of the oxygen effects in radiation biology p 271 A89-54224

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

**RADIATION SHIELDING**

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

**RADIATION TOLERANCE**

Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

**RADIATION TRANSPORT**

Galactic cosmic rays and cell-hit frequencies outside the magnetosphere --- astronaut radiation exposure and effects p 282 A89-54235

**RADIOBIOLOGY**

Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808

Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809

Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201

Radiation biology in space - A critical review p 267 A89-54202

Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203

Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

Stochastics of HZE-induced microlesions p 268 A89-54205

Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

The influence of radiation quality on the formation of DNA breaks p 268 A89-54207

Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

Early and late damages induced by heavy charged particle irradiation in embryonic tissue of Arabidopsis seeds p 269 A89-54214

The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215

Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

Influence of cosmic radiation and/or microgravity on development of Carausius morosus p 270 A89-54219

Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220

Modifying factors on repair phenomena --- of space-irradiated cells p 271 A89-54221

Combined effects of radiation and trauma p 271 A89-54222

Chemical protection against ionizing radiation p 271 A89-54223

New considerations of the oxygen effects in radiation biology p 271 A89-54224

Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

**RADIOCHEMISTRY**

New considerations of the oxygen effects in radiation biology p 271 A89-54224

Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

**RAMP FUNCTIONS**

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

**RANDOM VIBRATION**

A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227

**REACTION KINETICS**

Photosynthetic acclimation to elevated CO2 [DE89-015965] p 273 N89-29949

**REACTION TIME**

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

**REDUCED GRAVITY**

Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

**REDUNDANCY**

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

**REGENERATION (PHYSIOLOGY)**

Method and apparatus for bio-regenerative life support system [NASA-CASE-MSC-21629-1] p 284 N89-29027

**RELATIVE BIOLOGICAL EFFECTIVENESS (RBE)**

Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212

**REMOTE CONTROL**

Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

**REMOTE MANIPULATOR SYSTEM**

Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

**RESEARCH AND DEVELOPMENT**

Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954

**RETINAL IMAGES**

Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

**RIBONUCLEIC ACIDS**

A possible origin of RNA catalysis in multienzyme complexes p 265 A89-52063

The mechanism of DNA transfer in the mating system of an archaeobacterium p 272 A89-54522

**ROBOTICS**

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

Space robotics - Automata in unstructured environments p 280 A89-53455

Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

**ROBOTS**

Controller design in the physical domain (Application to robot impedance control) p 280 A89-53422

Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-53463

Transformation of human hand positions for robotic hand control p 280 A89-53464

A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 N89-29026

## S

**SATELLITE ATMOSPHERES**

Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

**SELECTION**

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

**SKIN (ANATOMY)**

The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

**SLEEP DEPRIVATION**

Sleep deprivation and its effect on combat effectiveness [AD-A207970] p 276 N89-29013

**SOLAR ACTIVITY EFFECTS**

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

**SOLAR PROTONS**

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

**SOUND PRESSURE**

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

**SPACE ADAPTATION SYNDROME**

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

**SPACE FLIGHT STRESS**

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

**SPACE MAINTENANCE**

Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

**SPACE MISSIONS**

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

**SPACE PROCESSING**

Cell biology in space - From basic science to biotechnology. III p 265 A89-51854

**SPACE SHUTTLES**

Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020

**SPACE STATIONS**

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

**SPACE SUITS**

The blue collar spacesuit p 282 A89-54249

Sustaining humans in space p 282 A89-54375

**SPACE TOOLS**

Space robotics - Automata in unstructured environments p 280 A89-53455

## SPACEBORNE EXPERIMENTS

Influence of cosmic radiation and/or microgravity on development of *Carassius morosus* p 270 A89-54219  
 Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226  
 Space radiation dosimetry with active detectors for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228

## SPACECRAFT DOCKING

Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020

## SPATIAL DISTRIBUTION

Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

## SPINAL CORD

Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200

## STATISTICAL ANALYSIS

Macroscopic fluctuations - A phenomenon or an artifact? --- in biochemical, chemical and physical systems p 266 A89-52774

## STIMULATION

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

## STOCHASTIC PROCESSES

Stochastics of HZE-induced microlesions p 268 A89-54205

## STRESS (PSYCHOLOGY)

Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019

## SURFACE LAYERS

Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772

## SURVEYS

Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025

## SWEAT

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

## SWEAT COOLING

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

## SYMPATHETIC NERVOUS SYSTEM

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

## SYNAPSES

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

## SYSTEMS ENGINEERING

Space robotics - Automata in unstructured environments p 280 A89-53455

## T

## TASKS

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

## TELEOPERATORS

Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-53463  
 Stability and performance tradeoffs in bi-lateral telemanipulation p 280 A89-53465  
 Telerobotic research for in-space structural assembly and servicing p 280 A89-53831

## TEMPERATURE PROFILES

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## TEMPLATES

Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

## TERRAIN

A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 N89-29026

## THERMOLUMINESCENCE

Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

## THERMOREGULATION

Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751  
 Thermoregulation curves and factors that control them p 267 A89-52881

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

## THRESHOLDS (PERCEPTION)

Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807

Suprathreshold contrast sensitivity vision test chart [AD-A209915] p 276 N89-29010

## TISSUES (BIOLOGY)

Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## TITAN

Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

## TOLERANCES (PHYSIOLOGY)

Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319

Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698

Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012

## TOXICITY

Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

## TRAJECTORY CONTROL

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

## TRANSSION LAYERS

The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946

## V

## VASOCONSTRICTION

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753  
 Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

## VESTIBULAR NYSTAGMUS

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

## VIBRATION EFFECTS

A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227

## VISCERA

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

## VISION

Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

## VISUAL ACUITY

Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012

## VISUAL DISCRIMINATION

Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022

## VISUAL PERCEPTION

Suprathreshold contrast sensitivity vision test chart [AD-A209915] p 276 N89-29010

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022

## VISUAL TASKS

Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328

Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

## W

## WALKING MACHINES

A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 N89-29026

## WARFARE

Sleep deprivation and its effect on combat effectiveness [AD-A207970] p 276 N89-29013

## WASTE TREATMENT

Method and apparatus for bio-regenerative life support system [NASA-CASE-MSC-21629-1] p 284 N89-29027

## WATER

The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952

## WATER TREATMENT

Method and apparatus for bio-regenerative life support system [NASA-CASE-MSC-21629-1] p 284 N89-29027

## WEIGHTLESSNESS

Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

## WIND PRESSURE

Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015


## WORK CAPACITY

Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807

## WOUND HEALING

The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215  
 Combined effects of radiation and trauma p 271 A89-54222

## Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

## A

- AFZAL, S. M. J.**  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236
- AINE, CHERYL**  
Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007  
Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008
- AINSWORTH, E. J.**  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236
- AKATOV, IU. A.**  
Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226
- ANDERSON, CLINTON T.**  
Sleep deprivation and its effect on combat effectiveness [AD-A207970] p 276 N89-29013
- ARATOW, MICHAEL**  
Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016
- ARKHANGEL'SKII, V. V.**  
Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226
- ARKHIPOVA, T. S.**  
Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628
- ATTREP, MOSES, JR.**  
High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080
- ATWELL, W.**  
A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227

- AVETISOV, G. M.**  
Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

## B

- BACK, L. H.**  
In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197
- BAKKER, C. G.**  
Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058
- BALTSCHUKAT, K.**  
Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213
- BANKOV, N. G.**  
Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229
- BACKELOR, CHERYL L.**  
Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019
- BAUMGARTNER, NEAL**  
USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952
- BEEVER, E. R.**  
A parametric study of space radiation exposures to critical body organs for low earth orbit missions p 281 A89-54227
- BENTON, E. V.**  
Model analysis of Space Shuttle dosimetry data p 281 A89-54230
- BESETSNY, LEASLEY**  
Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954
- BILTONEN, RODNEY L.**  
The effect of moderate pressure on biological processes [AD-A209329] p 273 N89-29946
- BJORNSTAD, K.**  
Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220
- BLAKELY, E.**  
Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210  
Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220
- BLOK, BERTIL F.**  
Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200
- BODIS-WOLLNER, I.**  
Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008
- BODROVA, N. B.**  
Discrete macroscopic fluctuations in processes of different nature p 266 A89-52773
- BOICHEV, B.**  
Space radiation dosimetry with active detectors for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228
- BOKK, M. I.**  
The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808  
Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809
- BONDE-PETERSEN, FLEMMING**  
Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753
- BORK, U.**  
Early and late damages induced by heavy charged particle irradiation in embryonic tissue of Arabidopsis seeds p 269 A89-54214

- BOUISSOU, PHILIPPE**  
Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752
- BRADTMILLER, BRUCE**  
Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025
- BRIMBLECOMBE, PETER**  
The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953
- BRODY, ADAM R.**  
Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020
- BROOKS, RODNEY A.**  
A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 N89-29026
- BUECKER, H.**  
Influence of cosmic radiation and/or microgravity on development of Carausius morosus p 270 A89-54219
- BUESCHER, RUTH M.**  
Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954
- BUSETTINI, C.**  
Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523
- BUSSEY, WALTER S.**  
Multi-adjustable headband [NASA-CASE-KSC-11322-1] p 284 N89-29953

## C

- CARLE, G. C.**  
The role of cometary particle coalescence in chemical evolution p 284 A89-52061
- CASPER, PATRICIA A.**  
Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328
- CHALSON, HOWARD E.**  
Multi-adjustable headband [NASA-CASE-KSC-11322-1] p 284 N89-29953
- CHANG, P.**  
Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220
- CHATTERJEE, A.**  
The influence of radiation quality on the formation of DNA breaks p 268 A89-54207
- CHO, Y. I.**  
In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197
- CHRISTENSEN, NIELS JUEL**  
Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753
- CHURCHILL, THOMAS**  
Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025
- CLARK, J. M.**  
Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319  
Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698  
Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699  
Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700
- CLAUSER, CHARLES E.**  
Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025
- CLAYTOR, RANDAL P.**  
Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

## COBBS, W. H.

- Definition of tolerance to continuous hyperoxia in man  
- An abstract report of Predictive Studies V  
p 274 A89-53319

## COFFEY, E. J.

- The role of chance in the evolutionary process  
p 267 A89-52957

## COGOLI, A.

- Cell biology in space - From basic science to biotechnology. III  
p 265 A89-51854

## CORRIGAN, J. D.

- Pilot's associate - An inflight mission planning application  
[AIAA PAPER 89-3462]  
p 279 A89-52713

## COX, A. B.

- The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory  
p 269 A89-54212  
The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons  
p 270 A89-54215  
Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species  
p 271 A89-54238

## CRAISE, LAURIE M.

- Neoplastic cell transformation by high-LET radiation - Molecular mechanisms  
p 270 A89-54216

## CRISWELL, DARRELL W.

- USAF standardized 100 percent oxygen delivery system  
[AD-A208075]  
p 278 A89-29952

## CROUSE, D. A.

- Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

## CULLINGFORD, HATICE S.

- Method and apparatus for bio-regenerative life support system  
[NASA-CASE-MS-21629-1]  
p 284 A89-29027

## CURE, JENNIFER D.

- Photosynthetic acclimation to elevated CO<sub>2</sub>  
[DE89-015965]  
p 273 A89-29949

## CURTIS, S. B.

- Galactic cosmic rays and cell-hit frequencies outside the magnetosphere  
p 282 A89-54235

## D

## DACHEV, TS. P.

- Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station  
p 281 A89-54228  
Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station  
p 281 A89-54229

## DAVYDOV, B. I.

- Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats  
p 278 A89-52806

## DEAMER, D. W.

- Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation  
p 284 A89-52060

## DIXON, M.

- Cell-cycle radiation response - Role of intracellular factors  
p 270 A89-54220

## E

## EDWARDS, MATTHEW R.

- A possible origin of RNA catalysis in multienzyme complexes  
p 265 A89-52063

## EGOROV, A. E.

- Phase structure of early disturbances in the physical efficiency of rats after irradiation  
p 266 A89-52809

## EGUCHI-KASAI, K.

- DNA-lesion and cell death by alpha-particles and nitrogen ions  
p 268 A89-54209

## F

## FACIUS, R.

- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus*  
p 270 A89-54219

## FENN, S.

- Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions  
p 270 A89-54217

## FIALKOVSKAIA, L. A.

- Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats  
p 272 A89-54626

## FIGUREAU, A.

- Optimization and the genetic code  
p 265 A89-52062

## FLORES, N. D.

- Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V  
p 274 A89-53698

## FLYNN, E.

- Transient visual evoked neuromagnetic responses: Identification of multiple sources  
[DE89-013438]  
p 275 A89-29008

## FLYNN, EDWARD R.

- Monte Carlo analysis of localization errors in magnetoencephalography  
[DE89-013221]  
p 275 A89-29007

## FORTNEY, SUZANNE M.

- Ten weeks of aerobic training do not affect lower body negative pressure responses  
p 274 A89-51754

## FRERE, C.

- Gas phase organic synthesis in planetary environments - The case of Titan  
p 285 A89-52954

## FRIDEN, JAN

- Muscle changes with eccentric exercise: Implications on earth and in space  
[NASA-TM-102227]  
p 277 A89-29016

## FRITZ-NIGGLI, H.

- Modifying factors on repair phenomena  
p 271 A89-54221

## FRY, R. J. M.

- Life sciences and space research XXIII(4) - Radiation biology: Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988  
p 267 A89-54201  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

## G

## GARSHNEK, V.

- Crucial factor - Human  
p 274 A89-51892

## GARTENBACH, K. E.

- Early and late damages induced by heavy charged particle irradiation in embryonic tissue of *Arabidopsis* seeds  
p 269 A89-54214

## GASSET, G.

- Space environmental factors affecting responses to radiation at the cellular level  
p 270 A89-54218

## GAUBIN, Y.

- Space environmental factors affecting responses to radiation at the cellular level  
p 270 A89-54218

## GELFAND, R.

- Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V  
p 274 A89-53319

- Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V  
p 274 A89-53698

- Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V  
p 274 A89-53699

- Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V  
p 275 A89-53700

## GEORGE, J.

- Transient visual evoked neuromagnetic responses: Identification of multiple sources  
[DE89-013438]  
p 275 A89-29008

## GINSBURG, ARTHUR P.

- Suprathreshold contrast sensitivity vision test chart  
[AD-A209915]  
p 276 A89-29010

## GMUENDER, F. K.

- Cell biology in space - From basic science to biotechnology. III  
p 265 A89-51854

## GONZALEZ, RICHARD R.

- Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age  
[AD-A209753]  
p 275 A89-29009

## GOODWIN, E.

- Repair and misrepair of heavy-ion-induced chromosomal damage  
p 269 A89-54210

## GORDON, CLAIRE C.

- Anthropometric survey of US Army personnel: Summary statistics  
[AD-A209600]  
p 283 A89-29025

## GRAUL, E. H.

- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus*  
p 270 A89-54219

## GREENLEAF, JOHN E.

- Energy and thermal regulation during bed rest and spaceflight  
p 273 A89-51751

## GRIFFIN, M. J.

- A review of the effects of translational whole-body vibration on continuous manual control performance  
p 280 A89-53227

## GROSSMANN, JOHN

- The blue collar spacesuit  
p 282 A89-54249

## H

## HAGEN, U.

- Life sciences and space research XXIII(4) - Radiation biology: Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988  
p 267 A89-54201  
Radiation biology in space - A critical review  
p 267 A89-54202

## HANNAFORD, BLAKE

- Stability and performance tradeoffs in bi-lateral telemanipulation  
p 280 A89-53465

## HANSON, W. R.

- Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

## HARDT, DAVID E.

- Controller design in the physical domain (Application to robot impedance control)  
p 280 A89-53422

## HARDY, A. C.

- A parametric study of space radiation exposures to critical body organs for low earth orbit missions  
p 281 A89-54227

## HARGENS, ALAN R.

- Sustaining humans in space  
p 282 A89-54375  
Muscle changes with eccentric exercise: Implications on earth and in space  
[NASA-TM-102227]  
p 277 A89-29016

## HECKMAN, G. R.

- Strategies for dealing with solar particle events in missions beyond the magnetosphere  
p 282 A89-54232

## HENRIKSEN, OLE

- Effects of angiotensin blockade on the splanchnic circulation in normotensive humans  
p 274 A89-51753

## HESSE, BIRGER

- Effects of angiotensin blockade on the splanchnic circulation in normotensive humans  
p 274 A89-51753

## HIEBER, L.

- Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions  
p 270 A89-54217

## HIRMAN, J. W.

- Strategies for dealing with solar particle events in missions beyond the magnetosphere  
p 282 A89-54232

## HOGAN, NEVILLE

- Controller design in the physical domain (Application to robot impedance control)  
p 280 A89-53422

## HOLLEY, W.

- The influence of radiation quality on the formation of DNA breaks  
p 268 A89-54207

## HOLSTEGE, GERT

- Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey  
p 266 A89-52200

## HONG, JIAWEI

- Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand  
p 280 A89-53463

## HORNECK, G.

- Life sciences and space research XXIII(4) - Radiation biology: Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988  
p 267 A89-54201

- Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space  
p 269 A89-54213

- Influence of cosmic radiation and/or microgravity on development of *Carausius morosus*  
p 270 A89-54219

## HOYLE, F.

- Linear and circular polarization by hollow organic grains  
p 284 A89-52345

## HUBBARD, G. SCOTT

- Sustaining humans in space  
p 282 A89-54375

## HUETTERMANN, J.

- Free radicals induced in solid DNA by heavy ion bombardment  
p 268 A89-54206

## HUNT, WALTER A.

- Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles  
p 272 A89-54239

## I

- IDAN, M.**  
Effects of biodynamic coupling on the human operator model  
[AIAA PAPER 89-3518] p 279 A89-52610
- IVERY, G.**  
Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

## J

- JOHNSON, KIRK R.**  
High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080
- JOHNSON, M. L.**  
The effect of moderate pressure on biological processes  
[AD-A209329] p 273 N89-29946
- JORDAN, THOMAS M.**  
Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231
- JOSEPH, JAMES A.**  
Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239
- JOURNELL, THOMAS W.**  
Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754
- JUSTUS, TRACEY A.**  
Ultrastructural visualization of acetylcholine at the neuromuscular junction  
[AD-A207676] p 273 N89-29947

## K

- KANEKO, I.**  
DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209
- KANTOWITZ, BARRY H.**  
Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events p 278 A89-53328
- KARAVAEVA, E. V.**  
Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772
- KARPOV, V. N.**  
Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806
- KELLER, K. J.**  
Pilot's associate - An inflight mission planning application  
[AIAA PAPER 89-3462] p 279 A89-52713
- KELLERER, A. M.**  
Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217
- KHUNDZHU, G. G.**  
Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772
- KIEFER, J.**  
Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204
- KOLEVA, R. T.**  
Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228  
Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229
- KOLOMBET, V. A.**  
Discrete macroscopic fluctuations in processes of different nature p 266 A89-52773
- KONIAREK, JAN P.**  
Microlesions - Theory and reality p 271 A89-54237
- KOSAKA, T.**  
DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209
- KOSSLYN, STEPHEN M.**  
Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes  
[AD-A207848] p 276 N89-29011
- KOVALEV, E. E.**  
Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

## KRAFT-WEYRATHER, W.

- Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208
- Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211
- KRAFT, G.**  
Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206  
The influence of radiation quality on the formation of DNA breaks p 268 A89-54207  
Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208  
Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211
- KRANZ, A. R.**  
Early and late damages induced by heavy charged particle irradiation in embryonic tissue of Arabidopsis seeds p 269 A89-54214
- KREBS, WOLF**  
Microlesions - Theory and reality p 271 A89-54237
- KUNCHES, J. M.**  
Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232
- KUZIN, A. M.**  
Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

## L

- LAMBERTSEN, C. J.**  
Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319  
Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698  
Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699  
Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700
- LE-TRONG, JEAN-LOUIS**  
Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752
- LEAVITT, C. A.**  
Integrated dynamic planning in the Pilot's Associate  
[AIAA PAPER 89-3464] p 279 A89-52560
- LEE, A. C.**  
Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238
- LETAW, J. R.**  
Model analysis of Space Shuttle dosimetry data p 281 A89-54230  
Radiation hazards on space missions outside the magnetosphere p 282 A89-54234  
Galactic cosmic rays and cell-hit frequencies outside the magnetosphere p 282 A89-54235
- LETT, J. T.**  
The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212  
The quantification of wound healing as a method to assess late radiation damage in primate skin exposed to high-energy protons p 270 A89-54215  
Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238
- LEWIS, PAUL S.**  
Monte Carlo analysis of localization errors in magnetoencephalography  
[DE89-013221] p 275 N89-29007
- LIGHTFOOT, J. TIMOTHY**  
Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754
- LIN, N. J.**  
New results concerning the use of kinematically redundant manipulators in microgravity environments  
[AIAA PAPER 89-3562] p 279 A89-52647
- LIPUNOV, V. M.**  
Likelihood of contact with extraterrestrial technological civilization p 286 N89-29394
- LJUNGDAHL, LARS G.**  
The microbiology and physiology of anaerobic fermentations of cellulose  
[DE89-015790] p 273 N89-29948
- LOMMEL, L.**  
Cell-cycle radiation response - Role of intracellular factors p 270 A89-54220

## LUMIA, RONALD

- Space robotics - Automata in unstructured environments p 280 A89-53455
- LYSENKO, S. V.**  
Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956

## M

## MAGSOOD, NAWIM

- Transient visual effects of prolonged small spot foveal laser exposure  
[AD-A207945] p 276 N89-29012
- MAISIN, J. R.**  
Chemical protection against ionizing radiation p 271 A89-54223
- MALAKHOVSKII, V. N.**  
Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807  
The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808  
Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809
- MARCHBANKS, R. J.**  
A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device  
[ISVR-TR-177] p 277 N89-29018
- MARTIN, A. M.**  
A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device  
[ISVR-TR-177] p 277 N89-29018
- MARUHASHI, A.**  
DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209
- MASCHKE, PETER**  
Aptitude selection for operators of complex technical systems p 278 A89-53659
- MATVICHUK, IU. N.**  
Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228  
Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229
- MCCONVILLE, JOHN T.**  
Anthropometric survey of US Army personnel: Summary statistics  
[AD-A209600] p 283 N89-29025
- MCKAY, C. P.**  
The role of cometary particle coalescence in chemical evolution p 284 A89-52061
- MCKAY, CHRISTOPHER P.**  
The early environment and its evolution on Mars - Implications for life p 285 A89-53828
- MCLEOD, R. W.**  
A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227
- MEDVICK, PATRICIA A.**  
Monte Carlo analysis of localization errors in magnetoencephalography  
[DE89-013221] p 275 N89-29007  
Transient visual evoked neuromagnetic responses: Identification of multiple sources  
[DE89-013438] p 275 N89-29008
- MEI, MAN-TONG**  
Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216
- MEINTEL, ALFRED J., JR.**  
Telerobotic research for in-space structural assembly and servicing p 280 A89-53831
- MERHAV, S. J.**  
Effects of biodynamic coupling on the human operator model  
[AIAA PAPER 89-3518] p 279 A89-52610
- MERKEL, HAROLD S.**  
Investigation of a linear systems model for human visual detection and spatial frequency discrimination  
[AD-A209397] p 283 N89-29022
- MERLET, PASCAL**  
Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752
- MESSERSCHMIDT, OTFRIED**  
Combined effects of radiation and trauma p 271 A89-54222
- MEVARECH, MOSHE**  
The mechanism of DNA transfer in the mating system of an archaebacterium p 272 A89-54522

## MICKE, U.

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

## MIKHAILICHENKO, P. P.

Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807

## MILES, F. A.

Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

## MILLS, KENNETH R.

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

## MOLTON, PETER M.

An experimental approach to extraterrestrial life p 285 A89-52955

## MONTY, RICHARD A.

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

## MOORE, THOMAS P.

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

## MORSE, JAMES S.

Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024

## MORTENSON, LEONARD E.

The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

## MOSS, S. M.

A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

## N

## NAKANO, K.

DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

## NICHOLS, DOUGLAS J.

High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

## NORDAU, C. G.

Cell biology in space - From basic science to biotechnology. III p 265 A89-51854

## NUSSINOV, M. D.

Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956

## O

## OBERBECK, V. R.

The role of cometary particle coalescence in chemical evolution p 284 A89-52061

## OLVERA, MICHELLE

Air Force Human Resources Laboratory mission and capabilities [AD-A208066] p 284 N89-29954

## ORTH, CHARLES J.

High-resolution leaf-fossil record spanning the Cretaceous/Tertiary boundary p 265 A89-52080

## P

## PANDOLF, KENT B.

Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

## PAO, LUCY

Transformation of human hand positions for robotic hand control p 280 A89-53464

## PAPAGIANNIS, MICHAEL D.

The retention by planets of liquid water over cosmic periods - A critical factor for the development of advanced civilisations p 285 A89-52952

## PARAZYNSKI, SCOTT

Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

## PARETZKE, H. G.

Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203

## PASHLEY, R. M.

Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060

## PECK, HARRY D., JR.

The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

## PERLMUTER, LAWRENCE C.

Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

## PETRALI, JOHN P.

Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947

## PIANEZZI, B.

Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

## PISARELLO, J. B.

Definition of tolerance to continuous hyperoxia in man - An abstract report of Predictive Studies V p 274 A89-53319

Pulmonary tolerance in man to continuous oxygen exposure at 3.0, 2.5, 2.0, and 1.5 ATA in Predictive Studies V p 274 A89-53698

Effects on respiratory homeostasis of prolonged, continuous hyperoxia at 1.5 to 3.0 ATA in man in Predictive Studies V p 274 A89-53699

Human circulatory responses to prolonged hyperbaric hyperoxia in Predictive Studies V p 275 A89-53700

## PLANELL, H.

Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

## PONNAMPERUMA, CYRIL

Experimental studies in the origin of life p 285 A89-52951

## PONSEL, G. K.

Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217

## POOL, SAM L.

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

## POWERS, E. L.

New considerations of the oxygen effects in radiation biology p 271 A89-54224

## PRIDGEN, DAVID W.

USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

## Q

## QUINN, R. D.

New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

## R

## RABIN, BERNARD M.

Behavioral and neurochemical abnormalities after exposure to low doses of high-energy iron particles p 272 A89-54239

## RACHAL, E.

The influence of radiation quality on the formation of DNA breaks p 268 A89-54207

## RALSTON, DIANE DALY

Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200

## RATHAT, CHRISTIAN

Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752

## RAULIN, F.

Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

## REITZ, G.

Influence of cosmic radiation and/or microgravity on development of Carausius morosus p 270 A89-54219

## RICHALET, JEAN-PAUL

Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752

## RIKLIS, EMANUEL

Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225

## RITTER, S.

Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

## ROBINS, DAVID O.

Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012

## ROOTS, R.

The influence of radiation quality on the formation of DNA breaks p 268 A89-54207

## ROSENSHINE, ILAN

The mechanism of DNA transfer in the mating system of an archaeobacterium p 272 A89-54522

## S

## SCATTERGOOD, T. W.

The role of cometary particle coalescence in chemical evolution p 284 A89-52061

## SCHAEFER, A.

Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206

## SCHAEFER, M.

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

## SCHMIDL, CLAUDIA J.

Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10) [AD-A209438] p 283 N89-29023

## SCHOLZ, M.

Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211

## SCHWARTZ, ALAN W.

Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

## SCHWARZ, U.

Ocular responses to linear motion are inversely proportional to viewing distance p 278 A89-54523

## SEMKOVA, I. V.

Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228

## SERGEEVA, M. V.

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

## SHABATURA, N. N.

Mechanism of the origin of infradian biological rhythms p 267 A89-52882

## SHARON, ANDRE

Controller design in the physical domain (Application to robot impedance control) p 280 A89-53422

## SHAROVA, L. A.

The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810

## SHNOL', S. E.

Discrete macroscopic fluctuations in processes of different nature p 266 A89-52773

## SILBERBERG, R.

Model analysis of Space Shuttle dosimetry data p 281 A89-54230

Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

## SLOZHENIKINA, L. V.

Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626

## SMITH, D. M.

Integrated dynamic planning in the Pilot's Associate [AIAA PAPER 89-3464] p 279 A89-52560

## SPEETER, THOMAS H.

Transformation of human hand positions for robotic hand control p 280 A89-53464

## SPURNY, F.

Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

## STADEAGER, CARSTEN

Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

## STANTON, J.

Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208

## STARIKOV, L. I.

Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629

## STASSINOPOULOS, E. G.

Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231



**STEMPARCHETSKII, O. A.**

Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809

**STOKER, CAROL R.**

The early environment and its evolution on Mars - Implications for life p 285 A89-53828

**STORY, M. D.**

The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212

**STRAATEN, H.**

Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204

**STURGEON, WAYNE R.**

Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

**SUNDLY, THOMAS M.**

USAF standardized 100 percent oxygen delivery system [AD-A208075] p 278 N89-29952

**SUPEK, S.**

Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

**T****TABUKASHVILI, R. I.**

Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

**TAN, XIAONAN**

Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand p 280 A89-54463

**TCHELET, RONEN**

The mechanism of DNA transfer in the mating system of an archaeobacterium p 272 A89-54522

**TEBBETS, ILSE**

Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025

**THORNTON, WILLIAM E.**

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

**TIKHONCHUK, V. S.**

Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

**TOBIAS, C.**

Repair and misrepair of heavy-ion-induced chromosomal damage p 269 A89-54210

**TOBIAS, CORNELIUS A.**

Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

**TODD, P.**

Stochastics of HZE-induced microlesions p 268 A89-54205

**TOOLE, PIERCE C.**

Multi-adjustable headband [NASA-CASE-KSC-11322-1] p 284 N89-29953

**TOROK, DONALD J.**

Ten weeks of aerobic training do not affect lower body negative pressure responses p 274 A89-51754

**TROSHIKHIN, GERMAN V.**

An organism in a helium-oxygen medium p 272 A89-54888

**TRUTSCHLER, K.**

Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217

**TSAO, C. H.**

Model analysis of Space Shuttle dosimetry data p 281 A89-54230

Radiation hazards on space missions outside the magnetosphere p 282 A89-54234

**VERDISLOV, V. A.**

Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772

**U****UDAL'TSOVA, N. V.**

Discrete macroscopic fluctuations in processes of different nature p 266 A89-52773

**URI, JOHN J.**

Visual suppression of the vestibulo-ocular reflex during space flight [NASA-TM-102157] p 277 N89-29017

**USHAKOV, I. B.**

Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806

Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627

**V****VALENTIN, J. R.**

The role of cometary particle coalescence in chemical evolution p 284 A89-52061

**VAN DER WOERD, R.**

Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

**VEKSHIN, N. L.**

Macroscopic fluctuations - A phenomenon or an artifact? p 266 A89-52774

**VELLINOV, P. I.**

Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229

**VISSCHER, J.**

Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

**VLADIMIROVA, I. G.**

Thermoregulation curves and factors that control them p 267 A89-52881

**VOLODIN, V. P.**

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

**VOTOCHKOVA, I.**

Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226

**W****WAGNER, W. J.**

Strategies for dealing with solar particle events in missions beyond the magnetosphere p 282 A89-54232

**WALKER, ROBERT A.**

Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025

**WALSH, MICHAEL R.**

Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024

**WEBER, ARTHUR L.**

Thermal synthesis and hydrolysis of polyglyceric acid p 265 A89-52059

**WEISBROD, U.**

Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213

**WICKRAMASINGHE, N. C.**

Linear and circular polarization by hollow organic grains p 284 A89-52345

**WIEGEL, JUERGEN K. W.**

The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

**WILMORE, DOUGLAS W.**

A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

**WOOD, D. H.**

Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238

**WORGUL, BASIL V.**

Microlesions - Theory and reality p 271 A89-54237

**Y****YANG, TRACY CHUI-HSU**

Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216

**Z****ZHARKOVA, G. P.**

Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628

**ZOTIN, A. I.**

Thermoregulation curves and factors that control them p 267 A89-52881

**ZWICK, HARRY**

Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012




# CORPORATE SOURCE INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 331)

January 1990

## Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

## A

- Aerospace Medical Research Labs., Wright-Patterson AFB, OH.**  
Investigation of a linear systems model for human visual detection and spatial frequency discrimination [AD-A209397] p 283 N89-29022
- Air Force Human Resources Lab., Brooks AFB, TX.**  
Prevention, reduction, and measurement of combat stress reactions: A bibliography [AD-A209375] p 278 N89-29019
- Air Force Human Resources Laboratory mission and capabilities**  
[AD-A208066] p 284 N89-29954
- Anthropology Research Project, Yellow Springs, OH.**  
Anthropometric survey of US Army personnel: Summary statistics [AD-A209600] p 283 N89-29025
- Army Cold Regions Research and Engineering Lab., Hanover, NH.**  
Preliminary design guide for arctic equipment [AD-A209455] p 283 N89-29024
- Army Command and General Staff Coll., Fort Leavenworth, Kansas.**  
Sleep deprivation and its effect on combat effectiveness [AD-A207970] p 276 N89-29013
- Army Medical Research Inst. of Chemical Defense, Aberdeen Proving Ground, MD.**  
Ultrastructural visualization of acetylcholine at the neuromuscular junction [AD-A207676] p 273 N89-29947
- Army Research Inst. of Environmental Medicine, Natick, MA.**  
Thermoregulatory competence during exercise transients in a group of heat-acclimated young and middle-aged men is influenced more distinctly by maximal aerobic power than age [AD-A209753] p 275 N89-29009

**Australian National Univ., Canberra.**  
Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060

## B

**Brigham and Women's Hospital, Boston, MA.**  
A program for the study of skeletal muscle catabolism following physical trauma [AD-A207983] p 276 N89-29014

## C

**California Univ., Berkeley.**  
Neoplastic cell transformation by high-LET radiation - Molecular mechanisms p 270 A89-54216  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures p 282 A89-54236

**California Univ., Davis.**  
Amphiphilic components of the Murchison carbonaceous chondrite - Surface properties and membrane formation p 284 A89-52060

**California Univ., San Francisco.**  
Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200

**Case Western Reserve Univ., Cleveland, OH.**  
New results concerning the use of kinematically redundant manipulators in microgravity environments [AIAA PAPER 89-3562] p 279 A89-52647

**Colorado State Univ., Fort Collins.**  
The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory p 269 A89-54212  
Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species p 271 A89-54238

**Columbia Univ., New York, NY.**  
Microlesions - Theory and reality p 271 A89-54237

## D

**Defence and Civil Inst. of Environmental Medicine, Downsview (Ontario).**  
Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

**Duke Univ., Durham, NC.**  
Photosynthetic acclimation to elevated CO<sub>2</sub> [DE89-015965] p 273 N89-29949

## E

**Erasmus Univ., Rotterdam (Netherlands).**  
Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200

## G

**Georgia Univ., Athens.**  
The microbiology and physiology of anaerobic fermentations of cellulose [DE89-015790] p 273 N89-29948

## H

**Harvard Univ., Cambridge, MA.**  
Components of high-level vision: A cognitive neuroscience analysis and accounts of neurological syndromes [AD-A207848] p 276 N89-29011

**Hulburt (E. O.) Center for Space Research, Washington, DC.**  
Model analysis of Space Shuttle dosimetry data p 281 A89-54230

**Human Engineering Labs., Aberdeen Proving Ground, MD.**  
Choice and perceived control: Implications for the design of displays [AD-A208400] p 283 N89-29021

## J

**Jet Propulsion Lab., California Inst. of Tech., Pasadena.**  
In vitro flow measurements in ion sputtered hydrocephalus shunts p 266 A89-52197  
Stability and performance tradeoffs in bi-lateral telemanipulation p 280 A89-53465

**Joint Publications Research Service, Arlington, VA.**  
Likelihood of contact with extraterrestrial technological civilization p 286 N89-29394

## L

**Letterman Army Inst. of Research, San Francisco, CA.**  
Transient visual effects of prolonged small spot foveal laser exposure [AD-A207945] p 276 N89-29012

**Los Alamos National Lab., NM.**  
Monte Carlo analysis of localization errors in magnetoencephalography [DE89-013221] p 275 N89-29007  
Transient visual evoked neuromagnetic responses: Identification of multiple sources [DE89-013438] p 275 N89-29008

## M

**Massachusetts Inst. of Tech., Cambridge.**  
Spacecraft flight simulation: A human factors investigation into the man-machine interface between an astronaut and a spacecraft performing docking maneuvers and other proximity operations [NASA-CR-177502] p 279 N89-29020  
A robot that walks: Emergent behaviors from a carefully evolved network [AD-A207958] p 283 N89-29026

## N

**National Aeronautics and Space Administration, Washington, DC.**  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 326) [NASA-SP-7011(326)] p 277 N89-29950  
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 327) [NASA-SP-7011(327)] p 277 N89-29951

**National Aeronautics and Space Administration, Ames Research Center, Moffett Field, CA.**  
Energy and thermal regulation during bed rest and spaceflight p 273 A89-51751  
The role of cometary particle coalescence in chemical evolution p 284 A89-52061  
Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey p 266 A89-52200  
The early environment and its evolution on Mars - Implications for life p 285 A89-53828  
Sustaining humans in space p 282 A89-54375  
Muscle changes with eccentric exercise: Implications on earth and in space [NASA-TM-102227] p 277 N89-29016

**National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, MD.**  
Effective radiation reduction in Space Station and missions beyond the magnetosphere p 281 A89-54231

SOURCE

**National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.**  
Multi-adjustable headband  
[NASA-CASE-KSC-11322-1] p 284 A89-29953

**National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.**  
A parametric study of space radiation exposures to critical body organs for low earth orbit missions  
p 281 A89-54227  
Visual suppression of the vestibulo-ocular reflex during space flight  
[NASA-TM-102157] p 277 N89-29017  
Method and apparatus for bio-regenerative life support system  
[NASA-CASE-MSC-21629-1] p 284 N89-29027

**National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.**  
Telerobotic research for in-space structural assembly and servicing  
p 280 A89-53831

**Naval Postgraduate School, Monterey, CA.**  
Human factors evaluation of color use in the Target Data Processor Release 10 (TDP R10)  
[AD-A209438] p 283 N89-29023

**Nebraska Univ., Omaha.**  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

**New York Univ., New York.**  
Calibrating a VPL DataGlove for teleoperating the Utah/MIT hand  
p 280 A89-53463

**Nijmegen Univ. (Netherlands).**  
Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity  
p 265 A89-52058

## O

**Oak Ridge National Lab., TN.**  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

## P

**Purdue Univ., West Lafayette, IN.**  
Seeing tones and hearing rectangles - Attending to simultaneous auditory and visual events  
p 278 A89-53328

## R

**Rockwell International Corp., Houston, TX.**  
A parametric study of space radiation exposures to critical body organs for low earth orbit missions  
p 281 A89-54227

**Rush-Presbyterian-Saint Luke's Medical Center, Chicago, IL.**  
Tissue responses to low protracted doses of high let radiations or photons - Early and late damage relevant to radio-protective countermeasures  
p 282 A89-54236

## S

**Salk Inst. for Biological Studies, San Diego, CA.**  
Thermal synthesis and hydrolysis of polyglyceric acid  
p 265 A89-52059

**San Francisco Univ., CA.**  
Model analysis of Space Shuttle dosimetry data  
p 281 A89-54230

**School of Aerospace Medicine, Brooks AFB, TX.**  
The role of repair in the survival of mammalian cells from heavy ion irradiation - Approximation to the ideal case of target theory  
p 269 A89-54212  
Late cataractogenesis caused by particulate radiations and photons in long-lived mammalian species  
p 271 A89-54238  
USAF standardized 100 percent oxygen delivery system  
[AD-A208075] p 278 N89-29952

**Seyern Communications Corp., Millersville, MD.**  
Model analysis of Space Shuttle dosimetry data  
p 281 A89-54230

**South China Agricultural Univ., Guangzhou.**  
Neoplastic cell transformation by high-LET radiation - Molecular mechanisms  
p 270 A89-54216

**Southampton Univ. (England).**  
A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device  
[ISVR-TR-177] p 277 N89-29018

**State Univ. of New York, Stony Brook.**  
The role of cometary particle coalescence in chemical evolution  
p 284 A89-52061

## V


**Virginia Univ., Charlottesville.**  
The effect of moderate pressure on biological processes  
[AD-A209329] p 273 N89-29946  
**Vision Sciences Research Corp., San Ramon, CA.**  
Suprathreshold contrast sensitivity vision test chart  
[AD-A209915] p 276 N89-29010

# FOREIGN TECHNOLOGY INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 331)

January 1990

## Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the citation in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

## B

**BELGIUM**  
Chemical protection against ionizing radiation p 271 A89-54223

**BULGARIA**  
Space radiation dosimetry with active detections for the scientific program of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54228  
Modeling of the radiation exposure during the flight of the second Bulgarian cosmonaut on board the Mir space station p 281 A89-54229

## C

**CANADA**  
A possible origin of RNA catalysis in multienzyme complexes p 265 A89-52063  
Canadian Forces aircrew ejection, descent, and landing injuries, 1 January 1975 - 31 December 1987 [AD-A208116] p 277 N89-29015

## D

**DENMARK**  
Effects of angiotensin blockade on the splanchnic circulation in normotensive humans p 274 A89-51753

## F

**FRANCE**  
Reversal of hypoxia-induced decrease in human cardiac response to isoproterenol infusion p 273 A89-51752  
Optimization and the genetic code p 265 A89-52062  
Gas phase organic synthesis in planetary environments - The case of Titan p 285 A89-52954

Space environmental factors affecting responses to radiation at the cellular level p 270 A89-54218

## G

**GERMANY, FEDERAL REPUBLIC OF**  
Aptitude selection for operators of complex technical systems p 278 A89-53659  
Life sciences and space research XXIII(4) - Radiation biology; Proceedings of the Topical Meetings and Workshop XIX of the 27th COSPAR Plenary Meeting, Espoo, Finland, July 18-29, 1988 p 267 A89-54201  
Radiation biology in space - A critical review p 267 A89-54202  
Physical events in the track structure of heavy ions and their relation to alterations of biomolecules p 267 A89-54203  
Quantitative interpretation of heavy ions effects - Models for the biological effects of heavy ions p 268 A89-54204  
Free radicals induced in solid DNA by heavy ion bombardment p 268 A89-54206  
Cellular and subcellular effect of heavy ions - A comparison of the induction of strand breaks and chromosomal aberration with the incidence of inactivation and mutation p 268 A89-54208  
Cell cycle delays induced by heavy ion irradiation of synchronous mammalian cells p 269 A89-54211  
Cell inactivation, repair and mutation induction in bacteria after heavy ion exposure - Results from experiments at accelerators and in space p 269 A89-54213  
Early and late damages induced by heavy charged particle irradiation in embryonic tissue of Arabidopsis seeds p 269 A89-54214  
Neoplastic transformation of mouse C3H 10T1/2 and Syrian hamster embryo cells by heavy ions p 270 A89-54217  
Influence of cosmic radiation and/or microgravity on development of Carausius morosus p 270 A89-54219  
Combined effects of radiation and trauma p 271 A89-54222

## I

**ISRAEL**  
Effects of biodynamic coupling on the human operator model [AIAA PAPER 89-3518] p 279 A89-52610  
Photoproducts in DNA irradiated in vitro and in vivo under extreme environmental conditions p 271 A89-54225  
The mechanism of DNA transfer in the mating system of an archaebacterium p 272 A89-54522

## J

**JAPAN**  
DNA-lesion and cell death by alpha-particles and nitrogen ions p 268 A89-54209

## N

**NETHERLANDS**  
Oligomerization of deoxynucleoside-biphosphate dimers - Template and linkage specificity p 265 A89-52058

## S

**SWITZERLAND**  
Cell biology in space - From basic science to biotechnology. III p 265 A89-51854  
Modifying factors on repair phenomena p 271 A89-54221

## U


**U.S.S.R.**  
Nonequilibrium redistribution of ions in the surface film of the world ocean as the origin of ionic asymmetry in primeval biological systems p 285 A89-52772  
Discrete macroscopic fluctuations in processes of different nature p 266 A89-52773  
Macroscopic fluctuations - A phenomenon or an artifact? p 266 A89-52774  
Multifactor study of relative postirradiation changes in various types of behavioral reactions in rats p 278 A89-52806  
Dose thresholds in the impairment of physical work capacity of mice and rats after irradiation p 266 A89-52807  
The rate of repair of radiation injury to the central nervous system after prolonged and fractionated irradiation p 266 A89-52808  
Phase structure of early disturbances in the physical efficiency of rats after irradiation p 266 A89-52809  
The effect of high-dose ionizing radiation on the content of cyclic nucleotides in the rat brain p 267 A89-52810  
Thermoregulation curves and factors that control them p 267 A89-52881  
Mechanism of the origin of infradian biological rhythms p 267 A89-52882  
Frontiers of the earth's biosphere and extraterrestrialization p 285 A89-52956  
Absorbed dose measurements on external surface of Kosmos-satellites with glass thermoluminescent detectors p 281 A89-54226  
Stimulative effect of low-level ionizing radiation on glucokinase synthesis in the liver of developing rats p 272 A89-54626  
Possible mechanisms of the radiation-modifying effects of exogenous hypoxia and microwaves p 272 A89-54627  
Investigation of postirradiation radiosensitivity of rats after external uniform irradiation p 272 A89-54628  
Cerebral hemodynamics of pilots under monitored physical loads p 275 A89-54629  
An organism in a helium-oxygen medium p 272 A89-54888  
Likelihood of contact with extraterrestrial technological civilization p 286 N89-29394  
**UNITED KINGDOM**  
Linear and circular polarization by hollow organic grains p 284 A89-52345  
The composition of the Archean ocean and the constraints on the origin of life p 285 A89-52953  
The role of chance in the evolutionary process p 267 A89-52957  
A review of the effects of translational whole-body vibration on continuous manual control performance p 280 A89-53227  
A study of the effect of stimulus upon the reflex response as elicited and recorded by the tympanic membrane displacement measurement device [ISVR-TR-177] p 277 N89-29018

# CONTRACT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 331)

January 1990

## Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under the contract are arranged in ascending order with the AIAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

NIH-HL-10342 ..... p 274 A89-51754  
 NIH-NS-23347 ..... p 266 A89-52200  
 NIH-RR-05918 ..... p 269 A89-54210  
 NSF DCR-83-20085 ..... p 280 A89-53463  
 NSG-7627 ..... p 265 A89-52059  
 N00014-81-C-0826 ..... p 274 A89-53319  
 ..... p 274 A89-53698  
 ..... p 274 A89-53699  
 ..... p 275 A89-53700  
 N00014-85-K-0124 ..... p 283 N89-29026  
 N00014-86-K-0685 ..... p 283 N89-29026  
 N00014-87-C-2251 ..... p 281 A89-54230  
 ..... p 282 A89-54234  
 ..... p 282 A89-54235  
 N00014-88-K-0326 ..... p 273 N89-29946  
 SNSF-3,382,0,82 ..... p 265 A89-51854  
 W-31-109-ENG-38 ..... p 282 A89-54236  
 W-7405-ENG-36 ..... p 275 N89-29007  
 ..... p 275 N89-29008  
 073-36-00-00-72 ..... p 277 N89-29017  
 199-21-12-04 ..... p 277 N89-29016  
 506-47-31 ..... p 279 N89-29020

AF PROJ. 2313 ..... p 276 N89-29011  
 AF-AFOSR-0012-88 ..... p 276 N89-29011  
 CEC-B16-0197-D ..... p 268 A89-54208  
 ..... p 269 A89-54211  
 CNES-86-1245 ..... p 285 A89-52954  
 CNES-87-1247 ..... p 285 A89-52954  
 DA PROJ. 351-62772-A-874 ..... p 276 N89-29014  
 DAAK60-86-C-0128 ..... p 283 N89-29025  
 DAMD17-86-C-6157 ..... p 276 N89-29014  
 DE-AC03-76SF-00098 ..... p 268 A89-54207  
 ..... p 269 A89-54210  
 ..... p 270 A89-54216  
 ..... p 270 A89-54220  
 ..... p 282 A89-54235  
 ..... p 282 A89-54236  
 DE-AC05-84OR-21400 ..... p 282 A89-54236  
 DE-FG05-88ER-69010 ..... p 273 N89-29949  
 DE-FG09-86ER-13614 ..... p 273 N89-29948  
 DFG-SFB-172 ..... p 270 A89-54217  
 DPR-T3452P ..... p 281 A89-54230  
 ..... p 282 A89-54234  
 F33615-85-C-4514 ..... p 270 A89-54215  
 ..... p 271 A89-54238  
 F33615-86-C-3802 ..... p 279 A89-52713  
 F49620-88-C-0083 ..... p 276 N89-29010  
 NAGW-1119 ..... p 284 A89-52060  
 NAGW-21 ..... p 279 N89-29020  
 NAG2-493 ..... p 280 A89-53463  
 NAG3-761 ..... p 279 A89-52647  
 NAG9-10 ..... p 269 A89-54212  
 ..... p 271 A89-54238  
 NAG9-256 ..... p 271 A89-54237  
 NASA ORDER T-7163-B ..... p 270 A89-54216  
 ..... p 282 A89-54236  
 NAS7-100 ..... p 266 A89-52197  
 NAS9-17238 ..... p 274 A89-53319  
 ..... p 274 A89-53698  
 ..... p 274 A89-53699  
 ..... p 275 A89-53700  
 NCC2-228 ..... p 278 A89-53328  
 NCC2-491 ..... p 266 A89-52200  
 NGR-05-067-001 ..... p 265 A89-52058  
 NIH-AM-25501 ..... p 277 N89-29016  
 NIH-CA-10714 ..... p 269 A89-54212  
 NIH-CA-15184 ..... p 268 A89-54207  
 ..... p 269 A89-54210  
 ..... p 270 A89-54216  
 ..... p 270 A89-54220  
 ..... p 282 A89-54236  
 NIH-EY-02648 ..... p 271 A89-54237  
 NIH-HL-07534 ..... p 274 A89-51754


CONTRACT

# REPORT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 331)

January 1990

## Typical Report Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (\*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.


ISVR-TR-177	p 277	N89-29018	#
LA-UR-89-1579	p 275	N89-29007	#
LA-UR-89-1729	p 275	N89-29008	#
LAIR-373	p 276	N89-29012	#
NAS 1.15:102157	p 277	N89-29017 *	#
NAS 1.15:102227	p 277	N89-29016 *	#
NAS 1.21:7011(326)	p 277	N89-29950 *	#
NAS 1.21:7011(327)	p 277	N89-29951 *	#
NAS 1.26:177502	p 279	N89-29020 *	#
NAS 1.71:MSC-21629-1	p 284	N89-29027 *	#
NASA-CASE-KSC-11322-1	p 284	N89-29953 *	#
NASA-CASE-MSC-21629-1	p 284	N89-29027 *	#
NASA-CR-177502	p 279	N89-29020 *	#
NASA-SP-7011(326)	p 277	N89-29950 *	#
NASA-SP-7011(327)	p 277	N89-29951 *	#
NASA-TM-102157	p 277	N89-29017 *	#
NASA-TM-102227	p 277	N89-29016 *	#
NATICK-TR-89/027	p 283	N89-29025	#
S-598	p 277	N89-29017 *	#
TR-89-1	p 276	N89-29011	#
US-PATENT-APPL-SN-378548	p 284	N89-29027 *	#
US-PATENT-APPL-SN-894541	p 284	N89-29953 *	#
US-PATENT-CLASS-2-201	p 284	N89-29953 *	#
US-PATENT-CLASS-24-68B	p 284	N89-29953 *	#
US-PATENT-CLASS-381-183	p 284	N89-29953 *	#
US-PATENT-CLASS-381-187	p 284	N89-29953 *	#
US-PATENT-4,783,822	p 284	N89-29953 *	#
USAFSAM-TR-88-39	p 278	N89-29952	#
USAMRICD-TR-89-04	p 273	N89-29947	#
USARIEM-M48-89	p 275	N89-29009	#
A-89224	p 277	N89-29016 *	#
AAMRL-TR-88-061	p 283	N89-29022	#
AD-A207676	p 273	N89-29947	#
AD-A207848	p 276	N89-29011	#
AD-A207945	p 276	N89-29012	#
AD-A207958	p 283	N89-29026	#
AD-A207970	p 276	N89-29013	#
AD-A207983	p 276	N89-29014	#
AD-A208066	p 284	N89-29954	#
AD-A208075	p 278	N89-29952	#
AD-A208116	p 277	N89-29015	#
AD-A208400	p 283	N89-29021	#
AD-A209329	p 273	N89-29946	#
AD-A209375	p 278	N89-29019	#
AD-A209397	p 283	N89-29022	#
AD-A209438	p 283	N89-29023	#
AD-A209455	p 283	N89-29024	#
AD-A209600	p 283	N89-29025	#
AD-A209753	p 275	N89-29009	#
AD-A209915	p 276	N89-29010	#
AD-E951354	p 276	N89-29014	#
AFHRL-TP-88-61	p 278	N89-29019	#
AFHRL-TP-88-62	p 284	N89-29954	#
AFOSS-89-0628TR	p 276	N89-29011	#
AI-M-1091	p 283	N89-29026	#
AIAA PAPER 89-3462	p 279	A89-52713	#
AIAA PAPER 89-3464	p 279	A89-52560	#
AIAA PAPER 89-3518	p 279	A89-52610	#
AIAA PAPER 89-3562	p 279	A89-52647 *	#
CONF-890849-1	p 275	N89-29008	#
CONF-890849-2	p 275	N89-29007	#
CRREL-SR-89-13	p 283	N89-29024	#
DCIEM-88-RR-56	p 277	N89-29015	#
DE89-013221	p 275	N89-29007	#
DE89-013438	p 275	N89-29008	#
DE89-015790	p 273	N89-29948	#
DE89-015965	p 273	N89-29949	#
DOE/ER-13614/3	p 273	N89-29948	#
DOE/ER-69010/1	p 273	N89-29949	#
ETN-89-95531	p 277	N89-29018	#
HEL-TN-5-89	p 283	N89-29021	#

# ACCESSION NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 331)

January 1990

## Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number listed to the right indicates the page on which the citation is located. An asterisk (\*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

N89-29018 # p 277  
 N89-29019 # p 278  
 N89-29020 \* # p 279  
 N89-29021 # p 283  
 N89-29022 # p 283  
 N89-29023 # p 283  
 N89-29024 # p 283  
 N89-29025 # p 283  
 N89-29026 # p 283  
 N89-29027 \* # p 284  
 N89-29394 # p 286  
 N89-29946 # p 273  
 N89-29947 # p 273  
 N89-29948 # p 273  
 N89-29949 # p 273  
 N89-29950 \* p 277  
 N89-29951 \* p 277  
 N89-29952 # p 278  
 N89-29953 \* p 284  
 N89-29954 # p 284

A89-51751 *	p 273	A89-54205	p 268
A89-51752	p 273	A89-54206	p 268
A89-51753	p 274	A89-54207	p 268
A89-51754	p 274	A89-54208	p 268
A89-51854	p 265	A89-54209	p 268
A89-51892	p 274	A89-54210	p 269
A89-52058 *	p 265	A89-54211	p 269
A89-52059 *	p 265	A89-54212 *	p 269
A89-52060 *	p 284	A89-54213	p 269
A89-52061 *	p 284	A89-54214	p 269
A89-52062	p 265	A89-54215	p 270
A89-52063	p 265	A89-54216 *	p 270
A89-52080	p 265	A89-54217	p 270
A89-52197 *	p 266	A89-54218	p 270
A89-52200 *	p 266	A89-54219	p 270
A89-52345	p 284	A89-54220	p 270
A89-52560 #	p 279	A89-54221	p 271
A89-52610 #	p 279	A89-54222	p 271
A89-52647 * #	p 279	A89-54223	p 271
A89-52713 #	p 279	A89-54224	p 271
A89-52772	p 285	A89-54225	p 271
A89-52773	p 266	A89-54226	p 281
A89-52774	p 266	A89-54227 *	p 281
A89-52806	p 278	A89-54228	p 281
A89-52807	p 266	A89-54229	p 281
A89-52808	p 266	A89-54230 *	p 281
A89-52809	p 266	A89-54231 *	p 281
A89-52810	p 267	A89-54232	p 282
A89-52881	p 267	A89-54234	p 282
A89-52882	p 267	A89-54235	p 282
A89-52951	p 285	A89-54236 *	p 282
A89-52952	p 285	A89-54237 *	p 271
A89-52953	p 285	A89-54238 *	p 271
A89-52954	p 285	A89-54239	p 272
A89-52955	p 285	A89-54249	p 282
A89-52956	p 285	A89-54375 * #	p 282
A89-52957	p 267	A89-54522	p 272
A89-53227	p 280	A89-54523	p 278
A89-53319 *	p 274	A89-54626	p 272
A89-53328 *	p 278	A89-54627	p 272
A89-53422	p 280	A89-54628	p 272
A89-53455 #	p 280	A89-54629	p 275
A89-53463 *	p 280	A89-54888	p 272
A89-53464	p 280		
A89-53465 *	p 280	N89-29007 #	p 275
A89-53659 #	p 278	N89-29008 #	p 275
A89-53698 *	p 274	N89-29009 #	p 275
A89-53699 *	p 274	N89-29010 #	p 276
A89-53700 *	p 275	N89-29011 #	p 276
A89-53828 * #	p 285	N89-29012 #	p 276
A89-53831 * #	p 280	N89-29013 #	p 276
A89-54201	p 267	N89-29014 #	p 276
A89-54202	p 267	N89-29015 #	p 277
A89-54203	p 267	N89-29016 * #	p 277
A89-54204	p 268	N89-29017 * #	p 277

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A89-10000 Series)

Publications announced in *IAA* are available from the AIAA Technical Information Service as follows: Paper copies of accessions are available at \$10.00 per document (up to 50 pages), additional pages \$0.25 each. Microfiche<sup>(1)</sup> of documents announced in *IAA* are available at the rate of \$4.00 per microfiche on demand. Standing order microfiche are available at the rate of \$1.45 per microfiche for *IAA* source documents and \$1.75 per microfiche for AIAA meeting papers.

Minimum air-mail postage to foreign countries is \$2.50. All foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to: Technical Information Service, American Institute of Aeronautics and Astronautics, 555 West 57th Street, New York, NY 10019. Please refer to the accession number when requesting publications.

## STAR ENTRIES (N89-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code preceded by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on NTIS PRICE SCHEDULES.

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, Va. 22161.

**NOTE ON ORDERING DOCUMENTS:** When ordering NASA publications (those followed by the \* symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report number* shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, as indicated above, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26.1 reduction).

- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU topic categories can be obtained from ESDU International Ltd. Requesters in North America should use the Virginia address while all other requesters should use the London address, both of which are on the page titled ADDRESSES OF ORGANIZATIONS.
- Avail: Fachinformationszentrum, Karlsruhe. Sold by the Fachinformationszentrum Energie, Physik, Mathematik GMBH, Eggenstein Leopoldshafen, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free. (See discussion of NASA patents and patent applications below.)
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this Introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.



## **PUBLIC COLLECTIONS OF NASA DOCUMENTS**

**DOMESTIC:** NASA and NASA-sponsored documents and a large number of aerospace publications are available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

**EUROPEAN:** An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and \* from ESA – Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

## **FEDERAL DEPOSITORY LIBRARY PROGRAM**

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 50 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 50 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.

## **STANDING ORDER SUBSCRIPTIONS**

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS) on standing order subscription as PB89-912300 at the price of \$10.50 domestic and \$21.00 foreign, and at \$18.00 domestic and \$36.00 foreign for the annual index. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber. Questions on the availability of the predecessor publications, *Aerospace Medicine and Biology* (Volumes I-XI), should be directed to NTIS.

## ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and Astronautics  
Technical Information Service  
555 West 57th Street, 12th Floor  
New York, New York 10019

British Library Lending Division,  
Boston Spa, Wetherby, Yorkshire,  
England

Commissioner of Patents and Trademarks  
U.S. Patent and Trademark Office  
Washington, DC 20231

Department of Energy  
Technical Information Center  
P.O. Box 62  
Oak Ridge, Tennessee 37830

European Space Agency-Information Retrieval Service  
ESRIN  
Via Galileo Galilei  
00044 Frascati (Rome) Italy

Engineering Sciences Data Unit International  
P.O. Box 1633  
Manassas, Virginia 22110

Engineering Sciences Data Unit International, Ltd.  
251-259 Regent Street  
London, W1R 7AD, England

Fachinformationszentrum Energie, Physik, Mathematik  
GMBH  
7514 Eggenstein Leopoldshafen  
Federal Republic of Germany

Her Majesty's Stationery Office  
P.O. Box 569, S.E. 1  
London, England

NASA Scientific and Technical Information Facility  
P.O. Box 8757  
BWI Airport, Maryland 21240

National Aeronautics and Space Administration  
Scientific and Technical Information Division (NTT)  
Washington, DC 20546

National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161

Pendragon House, Inc.  
899 Broadway Avenue  
Redwood City, California 94063

Superintendent of Documents  
U.S. Government Printing Office  
Washington, DC 20402

University Microfilms  
A Xerox Company  
300 North Zeeb Road  
Ann Arbor, Michigan 48106

University Microfilms, Ltd.  
Tylers Green  
London, England

U.S. Geological Survey Library National Center  
MS 950  
12201 Sunrise Valley Drive  
Reston, Virginia 22092

U.S. Geological Survey Library  
2255 North Gemini Drive  
Flagstaff, Arizona 86001

U.S. Geological Survey  
345 Middlefield Road  
Menlo Park, California 94025

U.S. Geological Survey Library  
Box 25046  
Denver Federal Center, MS914  
Denver, Colorado 80225

1. Report No. <b>NASA SP-7011(331)</b>	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle <b>Aerospace Medicine and Biology A Continuing Bibliography (Supplement 331)</b>		5. Report Date <b>January 1990</b>	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address <b>National Aeronautics and Space Administration Washington, DC 20546</b>		11. Contract or Grant No.	
		13. Type of Report and Period Covered	
12. Sponsoring Agency Name and Address		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract This bibliography lists 129 reports, articles and other documents introduced into the NASA scientific and technical information system in December 1989.			
17. Key Words (Suggested by Authors(s)) <b>Aerospace Medicine Bibliographies Biological Effects</b>		18. Distribution Statement <b>Unclassified - Unlimited</b>	
19. Security Classif. (of this report) <b>Unclassified</b>	20. Security Classif. (of this page) <b>Unclassified</b>	21. No. of Pages <b>58</b>	22. Price * <b>A04/HC</b>

\*For sale by the National Technical Information Service, Springfield, Virginia 22161

NASA-Langley, 1990